

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Very limited Filtering capacity	1.00
		Seepage	1.00			Flooding	0.60
		Too acid	0.07			Too steep for surface application	0.08
						Too acid	0.07
						Salinity	0.01
AcC: Acquango-----	90	Very limited Flooding	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Seepage	1.00	Flooding	0.60	Filtering capacity	1.00
		Too steep for surface application	0.22			Flooding	0.60
		Too acid	0.07			Too steep for sprinkler application	0.22
						Too acid	0.07
As: Askecksy-----	80	Very limited Seepage	1.00	Somewhat limited Too acid	0.01	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Not Rated Not Rated; CEC or Clay		Very limited Ponding	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	0.32	Ponding	1.00
		Ponding	1.00	Too acid	0.03	Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BkA: Brockatonorton-----	80	Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
		Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Very limited Filtering capacity	1.00
		Seepage	1.00			Depth to saturated zone	0.86
		Depth to saturated zone	0.86			Flooding	0.60
BkB: Brockatonorton-----	80	Too acid	0.07			Too acid	0.07
		Salinity	0.01			Salinity	0.01
		Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Very limited Filtering capacity	1.00
		Seepage	1.00			Depth to saturated zone	0.86
		Depth to saturated zone	0.86			Flooding	0.60
Br: Broadkill-----	80	Too acid	0.07			Too steep for surface application	0.08
		Salinity	0.07			Too acid	0.07
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Salinity	1.00
BX: Boxiron-----	40	Salinity	1.00			Flooding	1.00
		Seepage	1.00			Too acid	1.00
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Seepage	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Restricted permeability	1.00	Salinity	1.00
Broadkill-----	40	Depth to saturated zone	1.00			Flooding	1.00
		Salinity	0.50				
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Salinity	1.00
Broadkill-----	40	Salinity	1.00			Flooding	1.00
		Seepage	1.00			Too acid	1.00
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Salinity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeA: Cedartown-----	55	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
Rosedale-----	25	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.21	Filtering capacity	1.00
CeB: Cedartown-----	55	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.62	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity Too steep for surface application	1.00 0.08
Rosedale-----	25	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.21	Filtering capacity Too steep for surface application	1.00 0.08
Ch: Chicone-----	75	Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Too acid	1.00
		Seepage	1.00	Too acid	0.21	Filtering capacity	1.00
		Too acid	1.00			Flooding	0.60
Ek: Elkton-----	80	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
Em: Elkton-----	80	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvA: Evesboro-----	80	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.03	Very limited Too acid Filtering capacity	1.00 1.00
EvB: Evesboro-----	80	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.03	Very limited Too acid Filtering capacity Too steep for surface application	1.00 1.00 0.08
EvC: Evesboro-----	80	Very limited Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Slope Too acid	1.00 0.03	Very limited Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 0.22
Fa: Fallsington-----	75	Very limited Depth to saturated zone Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Too acid	1.00 1.00
FmA: Fort Mott-----	80	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Restricted permeability Too acid	0.62 0.14	Very limited Too acid Filtering capacity	1.00 1.00
FmB: Fort Mott-----	80	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Restricted permeability Too acid	0.62 0.14	Very limited Too acid Filtering capacity Too steep for surface application	1.00 1.00 0.08
GaA: Galestown-----	75	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.14	Very limited Too acid Filtering capacity	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaB: Galestown-----	75	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.14	Very limited Too acid Filtering capacity Too steep for surface application	1.00 1.00 0.08
GaC: Galestown-----	75	Very limited Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Slope Too acid	1.00 0.14	Very limited Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 0.22
HbA: Hambrook-----	75	Very limited Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid Restricted permeability	1.00 0.60
HbB: Hambrook-----	75	Very limited Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid Restricted permeability Too steep for surface application	1.00 0.60 0.08
HmA: Hammonton-----	75	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.84	Somewhat limited Restricted permeability	0.32	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.84
HmB: Hammonton-----	75	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.84	Somewhat limited Restricted permeability	0.32	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hu: Hurlock-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Too steep for surface application	0.08
		Depth to saturated zone	1.00	Too acid	0.14	Very limited Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity Restricted permeability	1.00 0.60
In: Indiantown-----	75	Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00	Too acid	0.21	Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Ke: Kentuck-----	85	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.21	Too acid	1.00
		Too acid	1.00			Filtering capacity Restricted permeability	1.00 0.60
KsA: Klej-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
KsB: Klej-----	75	Very limited Seepage	1.00	Somewhat limited Too acid	0.14	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Filtering capacity Too steep for surface application	1.00 0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Manahawkin-----	80	Not Rated Not Rated; pH Flooding	1.00	Not Rated Not Rated; pH Ponding	1.00	Not Rated Not Rated; pH Not Rated; Fragments 75 to 250mm	
		Seepage	1.00	Flooding	1.00	Not Rated; Fragments > 250mm	
		Ponding Depth to saturated zone	1.00 1.00			Ponding Depth to saturated zone	1.00 1.00
MC: Mannington-----	50	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Flooding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	0.77			Restricted permeability	0.15
Nanticoke-----	45	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Flooding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	0.77			Restricted permeability	0.15
MeA: Matapeake-----	80	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00
MeB: Matapeake-----	80	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MkA: Matapeake-----	80	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00
MkB: Matapeake-----	80	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	80	Seepage	1.00	Too acid	0.14	Too acid Too steep for surface application	1.00
		Too acid	1.00				0.08
		Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
MpB: Mattapex-----	80	Too acid	1.00	Too acid	0.14	Filtering capacity Depth to saturated zone	1.00
		Depth to saturated zone	0.95				0.95
		Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
MqA: Mattapex-----	80	Too acid	1.00	Too acid	0.14	Filtering capacity Depth to saturated zone Too steep for surface application	1.00
		Depth to saturated zone	0.95				0.95
		Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
MqB: Mattapex-----	80	Too acid	1.00	Too acid	0.14	Filtering capacity Depth to saturated zone Too steep for surface application	1.00
		Depth to saturated zone	0.95				0.95
		Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00	Very limited Too acid	1.00
Mu: Mullica-----	55	Not Rated Not Rated; CEC or Clay Seepage	1.00	Somewhat limited Too acid	0.42	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid	1.00
		Depth to saturated zone	1.00				1.00
		Too acid	1.00	Filtering capacity	1.00		
		Flooding	0.40				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Berryland-----	30	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Ponding	1.00	Not Rated Not Rated; CEC or Clay Ponding	1.00
		Ponding	1.00	Restricted permeability Too acid	0.32 0.03	Depth to saturated zone Too acid	1.00 1.00
		Depth to saturated zone Too acid	1.00 1.00			Filtering capacity	1.00
NnA: Nassawango-----	80	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00 0.21	Very limited Filtering capacity Too acid Restricted permeability	1.00 0.77 0.15
NnB: Nassawango-----	80	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00 0.21	Very limited Filtering capacity Too acid Restricted permeability Too steep for surface application	1.00 0.77 0.15 0.08
NsA: Nassawango-----	80	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00 0.21	Very limited Filtering capacity Too acid Restricted permeability	1.00 0.77 0.15
NsB: Nassawango-----	80	Very limited Seepage	1.00	Very limited Restricted permeability Too acid	1.00 0.21	Very limited Filtering capacity Too acid Restricted permeability Too steep for surface application	1.00 0.77 0.15 0.08
Ot: Othello-----	40	Very limited Depth to saturated zone Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.15
Othello-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pk: Puckum-----	75	Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.15
Pu: Purnell-----	80	Not Rated		Not Rated		Not Rated	
		Not Rated; pH		Not Rated; pH		Not Rated; pH	
		Not Rated; CEC or Clay		Ponding	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Flooding	1.00	Ponding	1.00
RoA: Rosedale-----	80	Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.21	Salinity	1.00
						Flooding	1.00
		Ponding	1.00			Filtering capacity	1.00
		Depth to saturated zone	1.00				
RoB: Rosedale-----	80	Salinity	0.50				
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.21	Filtering capacity	1.00
RuA: Runclint-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00
RuB: Runclint-----	80	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Filtering capacity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	75	Low adsorption	0.01			Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Low adsorption	0.01
		Too acid	1.00	Too acid	0.14	Very limited Too acid	1.00
SaB: Sassafras-----	75	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
SaC: Sassafras-----	75	Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
Su: Sunken-----	100	Too acid	1.00			Too steep for surface application	1.00
		Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Very limited Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Flooding	0.60	Salinity	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
Tk: Transquaking-----	90	Salinity	1.00			Flooding	0.60
		Not Rated		Not Rated		Not Rated	
		Not Rated; pH		Not Rated; pH		Not Rated; pH	
		Flooding	1.00	Ponding	1.00	Ponding	1.00
TP: Transquaking-----	50	Seepage	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Restricted permeability	1.00	Salinity	1.00
		Depth to saturated zone	1.00			Flooding	1.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; pH		Not Rated; pH		Not Rated; pH	
		Flooding	1.00	Ponding	1.00	Ponding	1.00
		Seepage	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Restricted permeability	1.00	Salinity	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mispillion-----	30	Depth to saturated zone	1.00			Flooding	1.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; pH		Not Rated; pH		Not Rated; pH	
		Not Rated; CEC or Clay		Ponding	1.00	Not Rated; Fragments 75 to 250mm	
		Flooding	1.00	Flooding	1.00	Not Rated; CEC or Clay	
Uc: Urban Land-----	55	Seepage	1.00	Restricted permeability	1.00	Not Rated; Fragments > 250mm	
		Ponding	1.00			Ponding	1.00
		Not rated		Not rated		Not rated	
Acquango-----	35	Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Very limited Filtering capacity	1.00
		Seepage	1.00			Flooding	0.60
		Too acid	0.07			Too acid	0.07
Um: Urban Land-----	45	Salinity				Salinity	0.01
		Not rated		Not rated		Not rated	
Askecksy-----	35	Very limited Seepage	1.00	Somewhat limited Too acid	0.01	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Un: Brockatonorton-----	40	Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Very limited Filtering capacity	1.00
		Seepage	1.00			Depth to saturated zone	0.86
		Depth to saturated zone	0.86			Flooding	0.60
		Too acid	0.07			Too acid	0.07
Urban Land-----	40	Salinity				Salinity	0.01
		Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.43	Somewhat limited Too acid	0.14	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43
Uz: Udorthents-----	85	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.43	Somewhat limited Too acid	0.14	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43
W: Water-----	100	Not Rated Not Rated; Ksat Not Rated; pH Not Rated; Slope Not Rated; CEC or Clay Not Rated; Slope		Not Rated Not Rated; Slope Not Rated; Ksat Not Rated; Fragments 75 to 250mm Not Rated; pH Not Rated; Fragments > 250mm		Not Rated Not Rated; Ksat Not Rated; Ksat Not Rated; pH Not Rated; Fragments 75 to 250mm Not Rated; CEC or Clay	
WdA: Woodstown-----	75	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.84	Somewhat limited Restricted permeability Too acid	0.68 0.14	Very limited Too acid Depth to saturated zone	1.00 0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdB: Woodstown-----	75	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.68	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Too steep for surface application	0.08
Zk: Zekiah-----	75	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00	Too acid	0.21	Too acid	1.00
		Too acid	1.00				

