

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ax: Axis-----	100	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00
		Depth to saturated zone Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
			1.00			Salinity	0.50
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bs: Bibb-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Seepage	1.00	Depth to saturated zone Restricted permeability	1.00	Flooding	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Bt: Bibb Variant-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Sodium content	1.00	Restricted permeability Depth to saturated zone	1.00	Flooding	1.00
		Too acid	1.00	Too acid	0.14	Sodium content	1.00
						Too acid Restricted permeability	1.00 0.94
BuA: Butlertown-----	45	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Restricted permeability	0.94
		Too acid Depth to saturated zone	0.91 0.43			Too acid Depth to saturated zone	0.91 0.43
Mattapex-----	40	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB2: Butlertown-----	40	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00			Restricted permeability	0.94
Mattapex-----	40	Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
						Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
BuC2: Butlertown-----	40	Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91			Restricted permeability	0.94
Mattapex-----	35	Depth to saturated zone	0.43			Too acid	0.91
		Too steep for surface application	0.22			Depth to saturated zone	0.43
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
CeB2: Colts Neck-----	100	Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Not Rated		Very limited		Not Rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeC2: Colts Neck-----	100	Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too acid	0.77			Too acid	0.77
CgC2: Colts Neck-----	95	Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated; CEC or Clay	
		Too acid	0.77			Too steep for surface application	1.00
CgC3: Colts Neck-----	100	Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated; CEC or Clay	
		Too acid	0.77			Too steep for surface application	1.00
CgD2: Colts Neck-----	95	Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated; CEC or Clay	
		Too steep for surface application	1.00			Too steep for surface application	1.00
CgD3: Colts Neck-----	100	Not Rated; CEC or Clay		Very limited Slope	1.00	Not Rated; CEC or Clay	
		Too acid	0.77			Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CnE: Colts Neck-----	35	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
Sassafras-----	35	Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
		Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
Em: Elkton-----	50	Too acid	1.00			Too acid	1.00
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
Elkton-----	50	Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
Fa: Fallsington-----	50	Too acid	1.00	Too acid	0.14		
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14		
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
Fallsington-----	50	Too acid	1.00	Too acid	0.14		
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14		
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ih: Ipswich-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	1.00
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Flooding	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Ik: Iuka-----	100	Depth to saturated zone	1.00			Salinity	1.00
		Seepage	1.00			Flooding	1.00
		Salinity	0.50				
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Depth to saturated zone	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.67
KmA: Keyport-----	95	Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.67				
		Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
KmB2: Keyport-----	95	Too acid	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
KpA: Keyport-----	95	Too acid	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Very limited		Very limited		Too steep for surface application	0.08
		Seepage	1.00	Restricted permeability	1.00	Very limited	
				Too acid	1.00		
				Restricted permeability	0.94		

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpB2: Keyport-----	95	Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpC2: Keyport-----	100	Too steep for surface application	0.08			Too steep for surface application	0.08
		Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68			Restricted permeability	0.94
		Too steep for surface application	0.22			Depth to saturated zone	0.68
Ks: Kingsland-----	100	Too steep for sprinkler application	0.22			Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Depth to saturated zone Flooding	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone	1.00
		Seepage	1.00		0.60	Filtering capacity	1.00
		Depth to saturated zone	1.00			Flooding	0.60
MfB: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
		Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnB: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MnC2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.22
MnC3: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.22
MnD2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too steep for surface application Too acid	1.00 1.00 1.00	Very limited Slope Restricted permeability Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00
MpA: Mattapex-----	95	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.14	Very limited Too acid Depth to saturated zone	1.00 0.95
MpB: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtA: Mattapex-----	95	Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
MtB: Mattapex-----	95	Depth to saturated zone	0.95	Too acid	0.14		
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
MtC2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
MwD: Mattapex-----	40	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.95	Too acid	0.14	Depth to saturated zone	0.95
Woodstown-----	35	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxA: Mattapex-----	40	Too acid	1.00	Restricted permeability	0.68	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.14	Depth to saturated zone	0.84
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
Matapeake-----	28	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00
Butlertown-----	27	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 0.91 0.43	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	0.94 0.91 0.43
MxB: Mattapex-----	40	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.14	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
Matapeake-----	35	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
Butlertown-----	20	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 0.91 0.43	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone Too steep for surface application	0.94 0.91 0.43 0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MzA: Mattapex Variant----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MzB: Mattapex Variant----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
Oh: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.15
Pt: Pits-----	100	Not rated		Not rated		Not rated	
SaA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SaB: Sassafras-----	95	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SaC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SaD3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SfA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SfB: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SfC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00		1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SfC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00		1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SfD3: Sassafras-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SgB: Sassafras-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
SgC2: Sassafras-----	100	Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
SgC3: Sassafras-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
SgD3: Sassafras-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay		Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
W: Water-----	100	Too acid	1.00			Too acid	1.00
		Not rated		Not rated		Not rated	
We: Westbrook-----	100	Not Rated		Very limited		Not Rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Not Rated; CEC or Clay Flooding	1.00	Flooding	1.00	Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Salinity	0.03			Salinity	1.00
WoA: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		
WoB: Woodstown-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08
WsA: Woodstown-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		
WsB: Woodstown-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08

