

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.95 0.98	Fair Too acid Depth to saturated zone	0.59 0.98
Holmdel-----	30	Poor Wind erosion Too acid Low content of organic matter	0.00 0.12 0.88	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone Too acid	0.76 0.88
AdB: Adelphia-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.95 0.98	Fair Too acid Depth to saturated zone	0.59 0.98
Holmdel-----	40	Poor Wind erosion Too acid Low content of organic matter	0.00 0.12 0.88	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone Too acid	0.76 0.88
AdC: Adelphia-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.95 0.98	Fair Too acid Depth to saturated zone	0.59 0.98
Holmdel-----	40	Poor Wind erosion Too acid Low content of organic matter	0.00 0.12 0.88	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone Too acid	0.76 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AeB: Adelphia-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.95 0.98	Fair Too acid Depth to saturated zone	0.59 0.98
Holmdel-----	30	Poor Wind erosion Too acid Low content of organic matter	0.00 0.12 0.88	Fair Depth to saturated zone	0.98	Fair Too acid Depth to saturated zone	0.88 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB: Alloway-----	40	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98
Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
AfC: Alloway-----	40	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98
Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Good		Fair Too acid	0.59
AnB: Alloway-----	30	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
AnD: Alloway-----	30	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Slope Depth to saturated zone	0.00 0.84 0.98
Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Good		Fair Too acid Slope	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95
AoB: Annapolis-----	80	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95
AoC: Annapolis-----	75	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AsA: Annapolis-----	80	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AsB: Annapolis-----	80	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AsC: Annapolis-----	80	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AsE: Annapolis-----	60	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AsF: Annapolis-----	60	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AsG: Annapolis-----	60	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
AuB: Annapolis-----	50	Fair Low content of organic matter Too acid	0.01 0.32	Fair Slope	0.50	Poor Slope Too acid Rock fragments	0.00 0.88 0.95
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95
Urban Land-----	35	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaB: Chillum-----	60	Fair Too acid Low content of organic matter Water erosion	0.32 0.50 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
CaC: Chillum-----	60	Fair Too acid Low content of organic matter Water erosion	0.32 0.50 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
CbB: Chillum-----	40	Fair Too acid Low content of organic matter Water erosion	0.32 0.50 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
Hatboro-----	30	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
CkA: Colemantown-----	80	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.00 0.88
CmA: Colemantown-----	70	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.12 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CnB: Colemantown-----	40	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.00 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CoB: Collington-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
Wist-----	30	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CoC: Collington-----	40	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
Wist-----	35	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid Slope	0.59 0.84
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CRD: Collington-----	40	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Slope Too acid	0.37 0.59
Annapolis-----	25	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95
CSE: Collington-----	40	Poor Low content of organic matter Too acid	0.00 0.12	Fair Slope	0.50	Poor Slope Too acid	0.00 0.59
Westphalia-----	25	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.50	Poor Slope Too acid	0.00 0.59
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CSF: Collington-----	40	Poor Low content of organic matter Too acid	0.00 0.12	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Westphalia-----	25	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CSG: Collington-----	40	Poor Low content of organic matter Too acid	0.00 0.12	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Westphalia-----	25	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Wist-----	25	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope	0.00	Poor Slope Too acid	0.00 0.50
CTA: Comus-----	40	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
Codorus-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
CxA: Cumberstone-----	45	Fair Low content of organic matter Too acid Too clayey Water erosion	0.01 0.08 0.50 0.90	Poor Low strength Depth to saturated zone	0.00 0.98	Fair Too Clayey Too acid Depth to saturated zone	0.28 0.50 0.98
Mattapex-----	25	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CxB: Cumberstone-----	40	Fair Low content of organic matter Too acid Too clayey Water erosion	0.01 0.08 0.50 0.90	Poor Low strength Depth to saturated zone	0.00 0.98	Fair Too Clayey Too acid Depth to saturated zone	0.28 0.50 0.98
Mattapex-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
CxC: Cumberstone-----	40	Fair Low content of organic matter Too acid Too clayey Water erosion	0.01 0.08 0.50 0.90	Poor Low strength Depth to saturated zone	0.00 0.98	Fair Too Clayey Too acid Depth to saturated zone	0.28 0.50 0.98
Mattapex-----	35	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
CyB: Cumberstone-----	30	Fair Low content of organic matter Too acid Too clayey Water erosion	0.01 0.08 0.50 0.90	Poor Low strength Depth to saturated zone	0.00 0.98	Fair Too Clayey Too acid Depth to saturated zone	0.28 0.50 0.98
Mattapex-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD: Cumberstone-----	30	Fair					

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mattapex-----	25	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90			Slope	0.84
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Fair Low content of organic matter	0.01	Poor Low strength	0.00	Fair Depth to saturated zone	0.04
		Too acid	0.08	Depth to saturated zone	0.04	Too acid	0.50
		Water erosion	0.90	Shrink-swell	0.99		
Shadyoak-----	20	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12	Shrink-swell	0.89	Too Clayey	0.57
		Water erosion	0.90			Too acid	0.59
		Too clayey	0.98				
DeA: Deale-----	35	Fair Low content of organic matter	0.01	Poor Low strength	0.00	Fair Depth to saturated zone	0.04
		Too acid	0.08	Depth to saturated zone	0.04	Too acid	0.50
		Water erosion	0.90	Shrink-swell	0.99		
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12	Shrink-swell	0.89	Too Clayey	0.57
		Water erosion	0.90			Too acid	0.59
		Too clayey	0.98				
DfA: Dodon-----	75	Fair Low content of organic matter	0.02	Fair Depth to saturated zone	0.91	Fair Too acid	0.50
		Too acid	0.08			Depth to saturated zone	0.91
DfB: Dodon-----	75	Fair Low content of organic matter	0.02	Fair Depth to saturated zone	0.91	Fair Too acid	0.50
		Too acid	0.08			Depth to saturated zone	0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DfC: Dodon-----	75	Fair Low content of organic matter Too acid	0.02 0.08	Fair Depth to saturated zone	0.91	Fair Too acid Depth to saturated zone	0.50 0.91
DnA: Donlonton-----	65	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.32 0.90	Fair Depth to saturated zone Shrink-swell	0.32 0.96	Poor Too Clayey Depth to saturated zone Too acid	0.00 0.32 0.88
DnB: Donlonton-----	65	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.32 0.90	Fair Depth to saturated zone Shrink-swell	0.32 0.96	Poor Too Clayey Depth to saturated zone Too acid	0.00 0.32 0.88
DuB: Donlonton-----	40	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.32 0.90	Fair Depth to saturated zone Shrink-swell	0.32 0.96	Poor Too Clayey Depth to saturated zone Too acid	0.00 0.32 0.88
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Fair Too acid Low content of organic matter	0.08 0.12	Good		Fair Too acid Rock fragments	0.88 0.97
Hammonton-----	20	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Rock fragments Too acid Depth to saturated zone	0.88 0.88 0.91
DvC: Downer-----	50	Fair Too acid Low content of organic matter	0.08 0.12	Good		Fair Too acid Rock fragments	0.88 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Rock fragments	0.88
		Low content of organic matter	0.12			Too acid	0.88
						Depth to saturated zone	0.91
DvD: Downer-----	40	Fair Too acid	0.08	Good		Poor Rock fragments	0.00
		Low content of organic matter	0.12			Slope	0.16
						Too acid	0.88
Hammonton-----	15	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Slope	0.16
		Low content of organic matter	0.12			Rock fragments	0.88
						Too acid	0.88
						Depth to saturated zone	0.91
DwB: Downer-----	25	Fair Too acid	0.08	Good		Fair Too acid	0.88
		Low content of organic matter	0.12			Rock fragments	0.97
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Rock fragments	0.88
		Low content of organic matter	0.12			Too acid	0.88
						Depth to saturated zone	0.91
DwD: Downer-----	30	Fair Too acid	0.08	Good		Fair Slope	0.84
		Low content of organic matter	0.12			Too acid	0.88
						Rock fragments	0.97
Urban Land-----	25	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Slope	0.84
		Low content of organic matter	0.12			Rock fragments	0.88
						Too acid	0.88
						Depth to saturated zone	0.91
DxB: Downer-----	40	Fair Too acid	0.08	Good		Fair Too acid	0.88
		Low content of organic matter	0.12			Rock fragments	0.97
Phalanx-----	35	Poor Wind erosion	0.00	Good		Poor Hard to reclaim	0.00
		Droughty	0.00			Too acid	0.88
		Too acid	0.03			Rock fragments	0.95
		Low content of organic matter	0.05				
DxC: Downer-----	40	Fair Too acid	0.08	Good		Fair Too acid	0.88
		Low content of organic matter	0.12			Rock fragments	0.97
Phalanx-----	35	Poor Wind erosion	0.00	Good		Poor Hard to reclaim	0.00
		Droughty	0.00			Too acid	0.88
		Too acid	0.03			Rock fragments	0.95
		Low content of organic matter	0.05				
DxD: Downer-----	40	Fair Too acid	0.08	Good		Poor Rock fragments	0.00
		Low content of organic matter	0.12			Slope	0.16
						Too acid	0.88
Phalanx-----	35	Poor Too sandy	0.00	Good		Poor Hard to reclaim	0.00
		Wind erosion	0.00			Too sandy	0.00
		Droughty	0.00			Slope	0.16
		Too acid	0.03			Too acid	0.32
EuB: Evesboro-----	25	Poor Wind erosion	0.00	Good		Fair Rock fragments	0.72
		Too acid	0.03			Too acid	0.76
		Low content of organic matter	0.12				
		Droughty	0.99				
Urban Land-----	25	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Galestown-----	20	Poor Too sandy Wind erosion Too acid Droughty	0.00 0.00 0.12 0.62	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
EuD: Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Droughty	0.00 0.03 0.12 0.99	Good		Fair Rock fragments Too acid Slope	0.72 0.76 0.84
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Poor Too sandy Wind erosion Too acid Droughty	0.00 0.00 0.12 0.62	Good		Poor Too sandy Too acid Slope Rock fragments	0.00 0.59 0.84 0.97
EuE: Evesboro-----	30	Poor Wind erosion Too acid Low content of organic matter Droughty	0.00 0.03 0.12 0.99	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.72 0.76
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Poor Too sandy Wind erosion Too acid Droughty	0.00 0.00 0.12 0.62	Fair Slope	0.50	Poor Too sandy Slope Too acid Rock fragments	0.00 0.00 0.59 0.97
EVC: Evesboro-----	45	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.03 0.12 0.95	Good		Poor Too sandy Too acid	0.00 0.32
Galestown-----	20	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.57	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FaA: Fallsington-----	60	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Hard to reclaim	0.54
						Too acid	0.59
FrA: Fallsington-----	40	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Hard to reclaim	0.54
						Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Poor Too sandy Wind erosion Too acid Droughty	0.00 0.00 0.12 0.62	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
HmB: Annapolis-----	40	Fair					
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Too acid	0.06 0.12 0.32
HmC: Howell-----	45	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Too acid	0.06 0.12 0.32
Annapolis-----	40	Fair					
HMD: Annapolis-----	40	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Slope Too acid	0.06 0.12 0.16 0.32
HME: Annapolis-----	40	Fair Low content of organic matter Too acid	0.01 0.32	Good		Fair Slope Too acid Rock fragments	0.16 0.88 0.95
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Slope Shrink-swell	0.50 0.62	Poor Slope Too Clayey Rock fragments Too acid	0.00 0.06 0.12 0.32
HoA: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Too acid	0.06 0.12 0.32
HoB: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Too acid	0.06 0.12 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HoC: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Too acid	0.06 0.12 0.32
HOD: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.62	Fair Too Clayey Rock fragments Slope Too acid	0.06 0.12 0.16 0.32
HOE: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Fair Slope Shrink-swell	0.50 0.62	Poor Slope Too Clayey Rock fragments Too acid	0.00 0.06 0.12 0.32
HOF: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Howell-----	40	Poor Low content of organic matter Too acid Too clayey Water erosion	0.00 0.03 0.12 0.90	Poor Slope Shrink-swell	0.00 0.62	Poor Slope Too Clayey Rock fragments Too acid	0.00 0.06 0.12 0.32
MaB: Dodon-----	40	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Marr-----	40	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
MaC: Dodon-----	35	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Marr-----	35	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
MaD: Dodon-----	35	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91
Marr-----	35	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
MDE: Dodon-----	35	Fair Low content of organic matter Too acid	0.02 0.08	Poor Slope Depth to saturated zone	0.00 0.91	Poor Slope Too acid Depth to saturated zone	0.00 0.50 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Marr-----	35	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
MDF: Marr-----	35	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
Dodon-----	30	Fair					
MgB: Dodon-----	30	Fair Low content of organic matter Too acid	0.02 0.08	Fair Depth to saturated zone	0.91	Fair Too acid Depth to saturated zone	0.50 0.91
Marr-----	30	Poor					
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Fair					
Marr-----	30	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Too acid	0.00 0.88
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Good		Fair Too acid	0.59
MmC: Matapeake-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MpB: Matapeake-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Good		Fair Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Good		Fair Too acid Slope	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Slope Too acid Hard to reclaim	0.16 0.59 0.84
Mattapex-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Slope Too acid Depth to saturated zone	0.16 0.59 0.76
MtA: Mattapex-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MtB: Mattapex-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MtC: Mattapex-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxB: Mattapex-----	35	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.50			Depth to saturated zone	0.76
		Water erosion	0.90				
Butlertown-----	30	Poor Low content of organic matter	0.00	Good		Fair Too acid	0.98
		Too acid	0.54				
		Water erosion	0.90				
MxC: Mattapex-----	45	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
Butlertown-----	25	Poor Low content of organic matter	0.00	Good		Fair Too acid	0.98
		Too acid	0.54				
		Water erosion	0.90				
MyB: Mattapex-----	30	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.50			Depth to saturated zone	0.76
		Water erosion	0.90				
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Poor Low content of organic matter	0.00	Good		Fair Too acid	0.98
		Too acid	0.54				
		Water erosion	0.90				
MZA: Mispillion-----	40	Fair Salinity	0.50	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
						Salinity	0.00
						Content of organic matter	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Transquaking-----	40	Fair Salinity	0.50	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Content of organic matter Salinity	0.00 0.00 0.00
NMA: Mannington-----	40	Fair Water erosion	0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Nanticoke-----	40	Good		Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
PeB: Patapsco-----	30	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Too acid	0.00 0.88
Evesboro-----	20	Poor Too sandy Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.00 0.03 0.83	Good		Poor Too sandy Too acid	0.00 0.32
Fort Mott-----	20	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Too sandy Too acid	0.50 0.59
PfB: Fort Mott-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Too sandy Too acid	0.50 0.59
Patapsco-----	30	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Too acid	0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PfC: Fort Mott-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Too sandy Too acid	0.50 0.59
Patapsco-----	30	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Too acid	0.00 0.88
PfD: Fort Mott-----	30	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Slope Too sandy Too acid	0.37 0.50 0.59
Patapsco-----	30	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Slope Too acid	0.00 0.37 0.88
PgB: Fort Mott-----	25	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Too sandy Too acid	0.50 0.59
Patapsco-----	25	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Too acid	0.00 0.88
Urban Land-----	25	Not rated		Not rated		Not rated	
PgD: Fort Mott-----	25	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.50	Good		Fair Too sandy Too acid Slope	0.50 0.59 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Patapsco-----	25	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.00 0.08 0.08	Good		Poor Too sandy Slope Too acid	0.00 0.84 0.88
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Poor Too sandy Wind erosion Too acid Low content of organic matter	0.00 0.00 0.03 0.88	Good		Poor Too sandy Too acid	0.00 0.32
PrB: Pepperbox-----	30	Poor Too sandy Wind erosion Too acid Low content of organic matter	0.00 0.00 0.03 0.88	Good		Poor Too sandy Too acid	0.00 0.32
Urban Land-----	30	Not rated		Not rated		Not rated	
PT: Gravel And Borrow Pits-----	100	Poor Wind erosion Too acid Low content of organic matter	0.00 0.12 0.12	Good		Fair Too acid	0.59
RfA: Russett-----	65	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89
RfB: Russett-----	65	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RhB: Russett-----	30	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89
Alloway-----	25	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98
Hambrook-----	20	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
RhC: Russett-----	30	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89
Alloway-----	25	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98
Hambrook-----	20	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
RhD: Russett-----	30	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Alloway-----	25	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Slope Depth to saturated zone	0.00 0.37 0.98
Hambrook-----	20	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.37 0.59
RkB: Russett-----	30	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89
Alloway-----	25	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Fair Depth to saturated zone	0.98	Poor Too Clayey Depth to saturated zone	0.00 0.98
Urban Land-----	25	Not rated		Not rated		Not rated	
RyB: Russett-----	35	Fair Too acid Low content of organic matter	0.08 0.08	Fair Low strength Depth to saturated zone	0.78 0.89	Fair Slope Too acid Depth to saturated zone	0.16 0.50 0.89
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SaD: Sassafras-----	60	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Good		Fair Slope Too acid	0.16 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfB: Sassafras-----	55	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
ShA: Hambrook-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
Sassafras-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SME: Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Fair Slope	0.50	Poor Slope Too acid	0.00 0.59
Croom-----	25	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Fair Slope	0.50	Poor Rock fragments Slope Hard to reclaim Too acid	0.00 0.00 0.00 0.98
SMF: Sassafras-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
Croom-----	25	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.98
SnB: Sassafras-----	35	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
Urban Land-----	35	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnD: Sassafras-----	35	Fair Too acid Low content of organic matter Water erosion	0.12 0.50 0.99	Good		Fair Too acid Slope	0.59 0.84
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too acid	0.00 0.59
Shadyoak-----	40	Fair Too acid Low content of organic matter Water erosion Too clayey	0.12 0.12 0.90 0.98	Poor Depth to saturated zone Shrink-swell	0.00 0.89	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.57 0.59
SpA: Shadyoak-----	45	Fair Too acid Low content of organic matter Water erosion Too clayey	0.12 0.12 0.90 0.98	Poor Depth to saturated zone Shrink-swell	0.00 0.89	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.57 0.59
Elkton-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too acid	0.00 0.59
SrA: Elkton-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.96	Poor Depth to saturated zone Too acid	0.00 0.59
Shadyoak-----	30	Fair Too acid Low content of organic matter Water erosion Too clayey	0.12 0.12 0.90 0.98	Poor Depth to saturated zone Shrink-swell	0.00 0.89	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.57 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
TsB: Tinton-----	65	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.88 0.99	Good		Poor Too sandy Too acid	0.00 0.59
TsC: Tinton-----	65	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.88 0.99	Good		Poor Too sandy Too acid	0.00 0.59
TuB: Tinton-----	40	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.88 0.99	Good		Poor Too sandy Too acid	0.00 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.88 0.99	Good		Poor Too sandy Too acid	0.00 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Fair Too acid	0.20	Fair Shrink-swell	0.87	Fair Too acid	0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UoD: Udorthents-----	100	Fair Too acid	0.20	Fair Shrink-swell	0.87	Fair Too acid	0.76
UoE: Udorthents-----	100	Fair Too acid	0.20	Fair Slope Shrink-swell	0.50 0.87	Poor Slope Too acid	0.00 0.76
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Poor Low content of organic matter	0.00	Poor Low strength Slope	0.00 0.50	Poor Slope	0.00
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Issue-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.99	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdA: Woodstown-----	60	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WdB: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.88
		Low content of organic matter	0.88			Depth to saturated zone	0.91
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
ZBA: Zekiah-----	40	Fair Too acid	0.08	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Water erosion	0.90			Too acid	0.50
Issue-----	30	Poor Low content of organic matter	0.00	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone	0.53
		Too acid	0.32			Too acid	0.88
		Water erosion	0.99				

