

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bp: BESTPITCH-----	75	Not Rated		Not Rated		Not Rated	
Ca: CARMICHAEL-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Poor Hard to reclaim Depth to saturated zone Too acid	0.00 0.00 0.50
CARMICHAEL-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Poor Hard to reclaim Depth to saturated zone Too acid	0.00 0.00 0.50
Co: CORSICA-----	50	Fair Too acid Low content of organic matter	0.08 0.12	Not Rated		Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.50 0.98
CORSICA-----	20	Fair Too acid Low content of organic matter	0.08 0.12	Not Rated		Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.50 0.98
DhC: DOWNER-----	35	Fair Too acid Low content of organic matter	0.08 0.12	Not Rated		Fair Too acid Rock fragments	0.88 0.97
HAMMONTON-----	35	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Fair Rock fragments Too acid Depth to saturated zone Hard to reclaim	0.03 0.88 0.91 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoB: DOWNER-----	60	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Fair Too acid Rock fragments	0.88 0.97
DOE: DOWNER-----	50	Poor Wind erosion Too acid Low content of organic matter Droughty	0.00 0.08 0.12 0.82	Not Rated		Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.82 0.88
DUD: DOWNER-----	40	Fair Too acid Low content of organic matter	0.08 0.12	Not Rated		Poor Rock fragments Slope Too acid	0.00 0.16 0.88
UNICORN-----	40	Fair Too acid Low content of organic matter	0.03 0.12	Not Rated		Fair Slope Too acid	0.16 0.50
Fg: FALLSINGTON-----	35	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.97
FALLSINGTON-----	20	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71
FmA: FORT MOTT-----	60	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59
FmB: FORT MOTT-----	60	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GfB: GALESTOWN-----	40	Poor Too sandy Wind erosion Low content of organic matter Droughty Too acid	0.00 0.00 0.12 0.49 0.50	Not Rated		Poor Too sandy Too acid	0.00 0.59
FORT MOTT-----	30	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59
GfC: GALESTOWN-----	40	Poor Too sandy Wind erosion Low content of organic matter Droughty Too acid	0.00 0.00 0.12 0.49 0.50	Not Rated		Poor Too sandy Too acid	0.00 0.59
FORT MOTT-----	30	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59
GrA: GREENWICH-----	60	Fair Too acid Low content of organic matter	0.12 0.88	Not Rated		Fair Too acid	0.59
HnA: HAMMONTON-----	55	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Fair Rock fragments Too acid Depth to saturated zone	0.88 0.88 0.91
HnB: HAMMONTON-----	65	Fair Low content of organic matter Too acid	0.12 0.50	Not Rated		Fair Rock fragments Too acid Depth to saturated zone	0.88 0.88 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: HONGA-----	100	Poor Salinity	0.00	Not Rated		Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Salinity	0.00
		Too clayey	0.68			Too Clayey	0.39
Hr: HURLOCK-----	35	Fair Low content of organic matter	0.12	Not Rated		Poor Depth to saturated zone	0.00
		Too acid	0.50			Too acid	0.59
HURLOCK-----	30	Fair Too acid	0.12	Not Rated		Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
IgA: INGLESIDE-----	65	Fair Low content of organic matter	0.12	Not Rated		Fair Too acid	0.59
		Too acid	0.50				
IgB: INGLESIDE-----	60	Fair Too acid	0.12	Not Rated		Fair Too acid	0.59
		Low content of organic matter	0.12				
IgC: INGLESIDE-----	55	Fair Too acid	0.12	Not Rated		Fair Too acid	0.59
		Low content of organic matter	0.12				
Kn: KENTUCK-----	50	Fair Low content of organic matter	0.12	Not Rated		Poor Depth to saturated zone	0.00
		Too acid	0.50			Too acid	0.59
		Water erosion	0.90				
Lo: LONGMARSH-----	65	Fair Too acid	0.50	Not Rated		Poor Depth to saturated zone	0.00
		Low content of organic matter	0.50			Too acid	0.50
						Rock fragments	0.97
						Hard to reclaim	0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LZ: LONGMARSH-----	30	Fair Too acid	0.50	Not Rated		Poor Depth to saturated zone	0.00
		Low content of organic matter	0.50			Too acid	0.50
						Rock fragments Hard to reclaim	0.97 0.98
ZEKIAH-----	30	Fair Too acid	0.08	Not Rated		Poor Depth to saturated zone	0.00
		Water erosion	0.90			Too acid Rock fragments	0.50 0.97
M-W: Water-----	100	Not Rated		Not Rated		Not Rated	
MkA: MATAPEAKE-----	80	Fair Too acid	0.12	Not Rated		Fair Too acid	0.59
		Low content of organic matter	0.12				
		Water erosion	0.68				
MkB: MATAPEAKE-----	70	Fair Too acid	0.12	Not Rated		Fair Too acid	0.59
		Low content of organic matter	0.12				
		Water erosion	0.68				
MkC: MATAPEAKE-----	70	Fair Too acid	0.12	Not Rated		Fair Too acid	0.59
		Low content of organic matter	0.12				
		Water erosion	0.68				
MtA: MATAPEX-----	45	Fair Low content of organic matter	0.12	Not Rated		Fair Too acid	0.59
		Too acid	0.50			Depth to saturated zone	0.76
		Water erosion	0.90				
BUTLERTOWN-----	30	Poor Low content of organic matter	0.00	Not Rated		Not Rated	
		Too acid	0.54				
		Water erosion	0.90				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtB: MATTAPEX-----	45	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Fair Too acid Depth to saturated zone	0.59 0.76
BUTLERTOWN-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Not Rated		Fair Too acid	0.98
MtC: MATTAPEX-----	70	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Fair Too acid Depth to saturated zone	0.59 0.76
NsA: NASSAWANGO-----	65	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Fair Too acid	0.50
NsB: NASSAWANGO-----	70	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Fair Too acid	0.50
Ot: OTHELLO-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Poor Depth to saturated zone Too acid	0.00 0.59
OTHELLO-----	25	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated		Poor Depth to saturated zone Too acid	0.00 0.59
PiA: PINEYNECK-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.08 0.68	Not Rated		Fair Too acid Hard to reclaim Depth to saturated zone	0.50 0.71 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PiB: PINEYNECK-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.08 0.68	Not Rated		Fair Too acid Hard to reclaim Depth to saturated zone	0.50 0.71 0.76
PiC: PINEYNECK-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.08 0.68	Not Rated		Fair Too acid Hard to reclaim Depth to saturated zone	0.50 0.71 0.76
Pk: PUCKUM-----	65	Not Rated		Not Rated		Not Rated	
UbB: UDORTHENTS-----	85	Fair Too acid	0.50	Not Rated		Fair Too acid	0.76
UdB: UDORTHENTS-----	45	Fair Too acid	0.50	Not Rated		Fair Too acid	0.76
ULB: UDORTHENTS, LANDFILL	80	Not Rated		Not Rated		Not Rated	
UoA: UNICORN-----	65	Fair Too acid Low content of organic matter	0.03 0.12	Not Rated		Fair Too acid	0.50
UoB: UNICORN-----	55	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Fair Too acid	0.50
Ur: URBAN LAND-----	80	Not Rated		Not Rated		Not Rated	
UsA: UNICORN-----	45	Fair Too acid Low content of organic matter	0.03 0.12	Not Rated		Fair Too acid	0.50

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SASSAFRAS-----	25	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
UsB: UNICORN-----	35	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.90	Not Rated		Fair Too acid	0.50
SASSAFRAS-----	30	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
UsC: UNICORN-----	40	Fair Too acid Low content of organic matter	0.03 0.12	Not Rated		Fair Too acid	0.50
SASSAFRAS-----	25	Fair Low content of organic matter Too acid Water erosion	0.12 0.50 0.99	Not Rated		Fair Too acid	0.59
W: Water-----	100	Not Rated		Not Rated		Not Rated	
Wh: WHITEMARSH-----	30	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Poor Depth to saturated zone Too acid	0.00 0.50

