

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.53	Fair Depth to saturated zone Too acid Rock fragments	0.53 0.59 0.97
AdB2: Aldino-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.53	Fair Depth to saturated zone Too acid Rock fragments	0.53 0.59 0.97
AuB2: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Too acid Hard to reclaim	0.00 0.32 0.92
AuC2: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Too acid Hard to reclaim	0.00 0.32 0.92
AvD2: Aura-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.03 0.99	Good		Poor Rock fragments Slope Too acid Hard to reclaim	0.00 0.16 0.32 0.92
BaA: Baile-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaB: Baile-----	100	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
		Water erosion	0.90				
BcA: Barclay-----	95	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
BcB: Barclay-----	95	Fair Too acid	0.12	Fair Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
BeA: Beltsville-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.53	Fair Hard to reclaim	0.16
		Low content of organic matter	0.12			Depth to saturated zone	0.53
		Water erosion	0.90			Too acid	0.59
BeB2: Beltsville-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.53	Fair Hard to reclaim	0.16
		Low content of organic matter	0.12			Depth to saturated zone	0.53
		Water erosion	0.90			Too acid	0.59
BeC2: Beltsville-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.53	Fair Hard to reclaim	0.16
		Low content of organic matter	0.12			Depth to saturated zone	0.53
		Water erosion	0.90			Too acid	0.59
BeC3: Beltsville-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.53	Fair Hard to reclaim	0.16
		Low content of organic matter	0.12			Depth to saturated zone	0.53
		Water erosion	0.90			Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuA: Butlertown-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Fair Too acid	0.98
BuB2: Butlertown-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Fair Too acid	0.98
BuC2: Butlertown-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Fair Too acid	0.98
BuC3: Butlertown-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Fair Too acid	0.98
BuD2: Butlertown-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Good		Fair Slope Too acid	0.16 0.98
CeA: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Too acid	0.88
CeB2: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Too acid	0.88
ChB2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChC2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
ChC3: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
ChD2: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Slope Too acid	0.00 0.16 0.88
ChD3: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Slope Too acid	0.00 0.16 0.88
ClB2: Christiana-----	100	Poor Too clayey Too acid Low content of organic matter Water erosion	0.00 0.03 0.12 0.90	Fair Shrink-swell	0.87	Poor Too Clayey Too acid	0.00 0.32
CmB2: Chrome-----	100	Poor Low content of organic matter Droughty Depth to bedrock Too clayey	0.00 0.35 0.54 0.88	Poor Depth to bedrock Shrink-swell	0.00 0.87	Poor Rock fragments Too Clayey Depth to bedrock	0.00 0.44 0.54
CmC2: Chrome-----	100	Poor Low content of organic matter Droughty Depth to bedrock Too clayey	0.00 0.35 0.54 0.88	Poor Depth to bedrock Shrink-swell	0.00 0.87	Poor Rock fragments Slope Too Clayey Depth to bedrock	0.00 0.37 0.44 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmD2: Chrome-----	100	Poor Low content of organic matter Droughty Depth to bedrock Too clayey	0.00 0.35 0.54 0.88	Poor Depth to bedrock Slope Shrink-swell	0.00 0.50 0.87	Poor Slope Rock fragments Too Clayey Depth to bedrock	0.00 0.00 0.44 0.54
CnD3: Chrome-----	100	Poor Low content of organic matter Droughty Depth to bedrock Too clayey	0.00 0.35 0.54 0.88	Poor Depth to bedrock Shrink-swell Slope	0.00 0.87 0.92	Poor Rock fragments Slope Too Clayey Depth to bedrock	0.00 0.00 0.44 0.54
CnE3: Chrome-----	100	Poor Low content of organic matter Droughty Depth to bedrock Too clayey	0.00 0.35 0.54 0.88	Poor Depth to bedrock Slope Shrink-swell	0.00 0.00 0.87	Poor Slope Rock fragments Too Clayey Depth to bedrock	0.00 0.00 0.44 0.54
Co: Coastal Beaches----	90	Not rated		Not rated		Not rated	
Cp: Clay Pits-----	95	Not rated		Not rated		Not rated	
Cr: Codorus-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
CsB2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CsC2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Good		Fair Too acid	0.59
CtB2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Shrink-swell	0.98	Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtC2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Shrink-swell	0.98	Fair Too acid	0.59
CtC3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Shrink-swell	0.98	Fair Too acid	0.59
CtD2: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Shrink-swell	0.98	Fair Slope Too acid	0.16 0.59
CtD3: Collington-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Fair Shrink-swell	0.98	Fair Slope Too acid	0.16 0.59
Cu: Comus-----	100	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
CwC: Conowingo-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.74 0.90	Fair Depth to saturated zone Depth to bedrock No shrink-swell limitation	0.32 0.68 0.99	Fair Depth to saturated zone Slope	0.32 0.96
ElA: Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.68	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ElB: Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.68				
Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.90				
EmA: Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.68				
Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone Shrink-swell	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12		0.99	Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.90				
EmB: Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.68				
Elkton-----	50	Fair Too acid	0.12	Poor Depth to saturated zone Shrink-swell	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12		0.99	Too Clayey	0.19
		Too clayey	0.32			Too acid	0.59
		Water erosion	0.90				
EoA: Elsinboro-----	100	Fair Low content of organic matter	0.12	Good		Fair Too acid	0.88
		Too acid	0.32				
		Water erosion	0.99				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoB2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EoC2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EvB: Evesboro-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.03 0.12 0.93	Good		Poor Too sandy Too acid	0.00 0.32
EvD: Evesboro-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.03 0.12 0.93	Good		Poor Too sandy Too acid Slope	0.00 0.32 0.84
EvE: Evesboro-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.03 0.12 0.51	Poor Slope	0.00	Poor Slope Too sandy Too acid	0.00 0.00 0.32
FaA: Fallsington-----	100	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.94
FaB: Fallsington-----	100	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.94

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FaC: Fallsington-----	100	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
						Hard to reclaim	0.94
FmA: Fallsington-----	100	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
						Hard to reclaim	0.71
FmB: Fallsington-----	100	Fair Too acid	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
						Hard to reclaim	0.71
GeA: Glenelg-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Rock fragments	0.12
		Water erosion	0.68				
GeB2: Glenelg-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Rock fragments	0.12
		Water erosion	0.68				
GeC2: Glenelg-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Rock fragments	0.12
		Water erosion	0.68			Slope	0.37
GeC3: Glenelg-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Rock fragments	0.12
		Water erosion	0.68			Slope	0.37
GeD2: Glenelg-----	100	Fair Low content of organic matter	0.12	Fair Slope	0.50	Poor Slope	0.00
		Too acid	0.32			Hard to reclaim	0.00
		Water erosion	0.68			Rock fragments	0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GeD3: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GeE: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Poor Slope	0.00	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GnA: Glenville-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
GnB2: Glenville-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
GnC2: Glenville-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Slope Rock fragments Too acid	0.00 0.29 0.37 0.50 0.98
Gv: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
Ha: Hatboro-----	100	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeA: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KeB2: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KeC2: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KpA: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KpB2: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KpC2: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpD2: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Slope  Too acid  Depth to saturated zone	0.00 0.16  0.88  0.98
KsB3: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KsC3: Keyport-----	100	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Fair Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
LeB2: Legore-----	100	Fair Low content of organic matter Too acid	0.12 0.74	Good		Fair Rock fragments Hard to reclaim	0.12 0.95
LeC2: Legore-----	100	Fair Low content of organic matter Too acid	0.12 0.74	Good		Fair Rock fragments Slope Hard to reclaim	0.12 0.37 0.95
LeD2: Legore-----	100	Fair Low content of organic matter Too acid	0.12 0.74	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim	0.00  0.12 0.95
LgC3: Legore-----	100	Fair Low content of organic matter Too acid	0.12 0.74	Good		Fair Rock fragments Slope Hard to reclaim	0.12 0.37 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgE3: Legore-----	100	Fair Low content of organic matter Too acid	0.12 0.74	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim	0.00 0.12 0.95
LoA: Leonardtown-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Hard to reclaim Depth to saturated zone Too acid	0.00 0.00 0.59
LoB: Leonardtown-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Hard to reclaim Depth to saturated zone Too acid	0.00 0.00 0.59
LyC: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
MaB: Made Land-----	95	Not rated		Not rated		Not rated	
MaD: Made Land-----	100	Not rated		Not rated		Not rated	
MlB2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid	0.12 0.76
MlC2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlC3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MlD2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MlD3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MlE: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Poor Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MmD: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Slope Rock fragments Too acid	0.04 0.50 0.76
MnA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnC2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnC3: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MnD2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Slope Too acid Hard to reclaim	0.16 0.59 0.84
MnD3: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Slope Too acid Hard to reclaim	0.16 0.59 0.84
MoA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MoB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MpA: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MpB2: Mattapex-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MpC2: Mattapex-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mr: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
MtA: Montalto-----	100	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.35	Poor Hard to reclaim Too Clayey	0.00 0.00
MtB2: Montalto-----	100	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.35	Poor Hard to reclaim Too Clayey	0.00 0.00
MtC2: Montalto-----	100	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.35	Poor Hard to reclaim Too Clayey Slope	0.00 0.00 0.37
MvD: Montalto-----	100	Fair Low content of organic matter Too acid	0.12 0.68	Fair Shrink-swell	0.74	Fair Slope	0.04
MyC3: Montalto-----	100	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.35	Poor Hard to reclaim Too Clayey Slope	0.00 0.00 0.37
MyD3: Montalto-----	100	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell Slope	0.35 0.50	Poor Slope Hard to reclaim Too Clayey	0.00 0.00 0.00
NeA: Neshaminy-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Cobble content	0.99	Fair Hard to reclaim Rock fragments	0.12 0.12
NeB2: Neshaminy-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Cobble content	0.99	Fair Hard to reclaim Rock fragments	0.12 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NeC2: Neshaminy-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Cobble content	0.99	Fair Hard to reclaim Rock fragments Slope	0.12 0.12 0.37
NeD2: Neshaminy-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Slope Cobble content	0.50 0.99	Poor Slope Hard to reclaim Rock fragments	0.00 0.12 0.12
OhA: Othello-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
OhB: Othello-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
RuB: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RuC: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Too acid Hard to reclaim Rock fragments	0.76 0.82 0.97
RuD: Rumford-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Good		Fair Slope Too acid Hard to reclaim Rock fragments	0.16 0.76 0.82 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SaB2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SaC2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SaC3: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SaD2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SaD3: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SfB2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SgB2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SgC2: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SgC3: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid	0.59
SgD3: Sassafras-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SrE: Aura-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.90	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.98
Sassafras-----	50	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
St: Stony Land-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Wa: Watchung-----	100	Poor Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.68 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.87	Poor Depth to saturated zone Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.95 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoA: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoB2: Woodstown-----	95	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoC2: Woodstown-----	95	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoC3: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoD: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Slope	0.16
		Low content of organic matter	0.12			Too acid	0.59
						Rock fragments	0.88
						Depth to saturated zone	0.91
WsA: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsB2: Woodstown-----	100	Fair Too acid	0.12	Fair Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91

