

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1B: Gaila-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid Rock fragments	0.59 0.72
1C: Gaila-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid Rock fragments	0.37 0.59 0.72
2A: Glenelg-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
2B: Glenelg-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
2C: Glenelg-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
2UB: Glenelg-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
Urban Land-----	45	Not rated		Not rated		Not rated	
2UC: Glenelg-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	45	Not rated		Not rated		Not rated	
4B: Elioak-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Good		Poor Too Clayey Too acid	0.00 0.88
4C: Elioak-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Good		Poor Too Clayey Slope Too acid	0.00 0.37 0.88
5A: Glenville-----	95	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
5B: Glenville-----	95	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
6A: Baile-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
7UB: Gaila-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid Rock fragments	0.59 0.72
Urban Land-----	45	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7UC: Gaila-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid Rock fragments	0.37 0.59 0.72
Urban Land-----	45	Not rated		Not rated		Not rated	
9B: Linganore-----	50	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.54
Hyattstown-----	30	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock	0.00	Poor Depth to bedrock Rock fragments	0.00 0.00
9C: Linganore-----	50	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
Hyattstown-----	30	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock	0.00	Poor Depth to bedrock Rock fragments Slope	0.00 0.00 0.37
16B: Brinklow-----	50	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.29 0.54 0.54	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.98
Blocktown-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.00
16C: Brinklow-----	50	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.29 0.54 0.54	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.37 0.54 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Blocktown-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Slope	0.00 0.00 0.37
16D: Brinklow-----	50	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.29 0.54 0.54	Poor Depth to bedrock Slope Shrink-swell	0.00 0.50 0.99	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.98
Blocktown-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00
17B: Occoquan-----	80	Poor Low content of organic matter Too acid Droughty Water erosion	0.00 0.12 0.98 0.99	Fair Depth to bedrock	0.58	Fair Rock fragments Too acid Hard to reclaim	0.28 0.59 0.99
17C: Occoquan-----	80	Poor Low content of organic matter Too acid Droughty Water erosion	0.00 0.12 0.98 0.99	Fair Depth to bedrock	0.58	Fair Rock fragments Slope Too acid Hard to reclaim	0.28 0.37 0.59 0.99
18C: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.24 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
18E: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.24 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.12 0.54 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
19A: Bucks-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.98	Poor Rock fragments Hard to reclaim Too acid	0.00 0.88 0.88
19B: Bucks-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.98	Poor Rock fragments Hard to reclaim Too acid	0.00 0.88 0.88
20A: Brentsville-----	100	Fair Too acid Droughty Depth to bedrock Low content of organic matter	0.12 0.25 0.54 0.88	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.03 0.54 0.59
20B: Brentsville-----	100	Fair Too acid Droughty Depth to bedrock Low content of organic matter	0.12 0.25 0.54 0.88	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.03 0.54 0.59
20C: Brentsville-----	100	Fair Too acid Droughty Depth to bedrock Low content of organic matter	0.12 0.25 0.54 0.88	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.03 0.37 0.54 0.59
21A: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
21B: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
21C: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
21D: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.12 0.54 0.76
21E: Penn-----	95	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.12 0.54 0.76
21F: Nestoria-----	65	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
22A: Readington-----	80	Fair Low content of organic matter Too acid Droughty Water erosion	0.12 0.39 0.48 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to saturated zone	0.00 0.68 0.76
22B: Readington-----	80	Fair Low content of organic matter Too acid Droughty Water erosion	0.12 0.39 0.48 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to saturated zone	0.00 0.68 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
23A: Croton-----	100	Poor Droughty	0.00	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Too acid	0.32	Depth to bedrock	0.68	Too acid	0.88
		Water erosion	0.90	Shrink-swell	0.99		
24C: Montalto-----	100	Poor Too clayey	0.00	Fair Shrink-swell	0.55	Poor Hard to reclaim	0.00
		Low content of organic matter	0.12			Too Clayey	0.00
		Too acid	0.68			Slope	0.37
24D: Montalto-----	100	Poor Too clayey	0.00	Fair Slope	0.50	Poor Slope	0.00
		Low content of organic matter	0.12	Shrink-swell	0.55	Hard to reclaim	0.00
		Too acid	0.68			Too Clayey	0.00
25B: Legore-----	85	Fair Low content of organic matter	0.12	Good		Fair Rock fragments	0.12
		Too acid	0.74			Too Clayey	0.58
		Too clayey	0.99			Hard to reclaim	0.95
25C: Legore-----	85	Fair Low content of organic matter	0.12	Good		Fair Rock fragments	0.12
		Too acid	0.74			Slope	0.37
		Too clayey	0.99			Too Clayey	0.58
						Hard to reclaim	0.95
26B: Montalto-----	100	Poor Too clayey	0.00	Fair Shrink-swell	0.55	Poor Hard to reclaim	0.00
		Low content of organic matter	0.12			Too Clayey	0.00
		Too acid	0.68				
26C: Montalto-----	100	Poor Too clayey	0.00	Fair Shrink-swell	0.55	Poor Hard to reclaim	0.00
		Low content of organic matter	0.12			Too Clayey	0.00
		Too acid	0.68			Slope	0.37
27B: Neshaminy-----	100	Fair Low content of organic matter	0.12	Fair Cobble content	0.98	Fair Hard to reclaim	0.12
		Too acid	0.54			Rock fragments	0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
27C: Neshaminy-----	100	Fair Low content of organic matter Too acid	0.12 0.54	Fair Cobble content	0.98	Fair Hard to reclaim Rock fragments Slope	0.12 0.12 0.37
28A: Watchung-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.68 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.87	Poor Depth to saturated zone Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.95 0.95
29B: Jackland-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.54	Fair Shrink-swell Depth to saturated zone	0.02 0.14	Poor Too Clayey Depth to saturated zone	0.00 0.14
35B: Chrome-----	50	Poor Low content of organic matter Droughty Too clayey Depth to bedrock	0.00 0.04 0.24 0.54	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Too Clayey Depth to bedrock	0.00 0.12 0.54
Conowingo-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.74 0.90	Fair Depth to saturated zone Depth to bedrock No shrink-swell limitation	0.32 0.68 0.99	Fair Depth to saturated zone	0.32
35C: Chrome-----	100	Poor Low content of organic matter Droughty Too clayey Depth to bedrock	0.00 0.04 0.24 0.54	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Too Clayey Slope Depth to bedrock	0.00 0.12 0.37 0.54
36A: Conowingo-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.74 0.90	Fair Depth to saturated zone Depth to bedrock No shrink-swell limitation	0.32 0.68 0.99	Fair Depth to saturated zone	0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
37B: Travilah-----	95	Poor Low content of organic matter Depth to bedrock Water erosion Droughty	0.00 0.54 0.90 0.96	Poor Depth to bedrock Depth to saturated zone Shrink-swell	0.00 0.14 0.87	Fair Depth to saturated zone Rock fragments Depth to bedrock	0.14 0.28 0.54
41A: Elsinboro-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
41B: Elsinboro-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
43A: Elk-----	100	Fair Too acid Low content of organic matter Water erosion	0.68 0.88 0.99	Good		Good	
45A: Delanco-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Fair Depth to saturated zone Shrink-swell	0.29 0.96	Fair Depth to saturated zone Too acid	0.29 0.59
46A: Huntington-----	85	Poor Low content of organic matter	0.00	Good		Good	
47A: Lindside-----	80	Poor Low content of organic matter Water erosion	0.00 0.99	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone	0.76
48A: Melvin-----	100	Fair Water erosion	0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
50A: Rowland-----	85	Fair Too acid	0.54	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone	0.53
		Low content of organic matter	0.88			Too acid	0.98
		Water erosion	0.90				
51A: Bowmansville-----	70	Fair Low content of organic matter	0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Too acid	0.84				
Melvin-----	25	Fair Water erosion	0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
53A: Codorus-----	90	Poor Low content of organic matter	0.00	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone	0.14
		Too acid	0.54			Hard to reclaim	0.32
		Water erosion	0.68			Rock fragments	0.97
54A: Hatboro-----	100	Poor Low content of organic matter	0.00	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Water erosion	0.68				
		Too acid	0.88				
55C: Evesboro-----	95	Poor Too sandy	0.00	Good		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.32
		Too acid	0.03			Slope	0.96
		Low content of organic matter	0.12				
		Droughty	0.35				
57B: Chillum-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Too acid	0.88
		Water erosion	0.90				
57C: Chillum-----	100	Fair Low content of organic matter	0.12	Good		Poor Hard to reclaim	0.00
		Too acid	0.32			Slope	0.37
		Water erosion	0.90			Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
57D: Chillum-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Fair Slope	0.50	Poor Slope Hard to reclaim Too acid	0.00 0.00 0.88
57UB: Chillum-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Poor Hard to reclaim Too acid	0.00 0.88
Urban Land-----	45	Not rated		Not rated		Not rated	
58B: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
58C: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.37 0.59
59A: Beltsville-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid Hard to reclaim	0.53 0.59 0.65
59B: Beltsville-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid Hard to reclaim	0.53 0.59 0.65
61B: Croom-----	100	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
61C: Croom-----	100	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Good		Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.37 0.98
61D: Croom-----	100	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.98
61E: Croom-----	100	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Poor Slope	0.00	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.98
61UB: Croom-----	50	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.98
Urban Land-----	50	Not rated		Not rated		Not rated	
64B: Croom-----	50	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.98
Bucks-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.98	Poor Rock fragments Hard to reclaim Too acid	0.00 0.88 0.88
64C: Croom-----	50	Poor Low content of organic matter Too acid Water erosion Droughty	0.00 0.54 0.90 0.92	Good		Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.37 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bucks-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.98	Poor Rock fragments Slope Hard to reclaim Too acid	0.00 0.37 0.88 0.88
65B: Wheaton-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Good		Fair Rock fragments Too acid	0.12 0.98
66UB: Wheaton-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Good		Fair Rock fragments Too acid	0.12 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
66UC: Wheaton-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
67UB: Urban Land-----	60	Not rated		Not rated		Not rated	
Wheaton-----	25	Not rated		Not rated		Not rated	
100: Dumps, Refuse-----	100	Not rated		Not rated		Not rated	
109D: Hyattstown-----	90	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Depth to bedrock Rock fragments	0.00 0.00 0.00
109E: Hyattstown-----	90	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Depth to bedrock Rock fragments	0.00 0.00 0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
116C: Blocktown-----	85	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Slope	0.00 0.00 0.37
116D: Blocktown-----	85	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00
116E: Blocktown-----	85	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00
200: Pits, Gravel-----	100	Not rated		Not rated		Not rated	
201: Pits, Quarry-----	100	Not rated		Not rated		Not rated	
300: Rock Outcrop-----	80	Not rated		Not rated		Not rated	
Blocktown-----	20	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.00
400: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Census Water-----	100	Not rated		Not rated		Not rated	

