

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Poor Too sandy Wind erosion Droughty Low content of organic matter Too acid	0.00 0.00 0.10 0.12 0.97	Not Rated		Poor Too sandy	0.00
AcC: Acquango-----	90	Poor Too sandy Wind erosion Droughty Low content of organic matter Too acid	0.00 0.00 0.10 0.12 0.97	Not Rated		Poor Too sandy	0.00
As: Askecksy-----	80	Poor Too sandy Wind erosion Droughty Too acid Low content of organic matter	0.00 0.00 0.20 0.26 0.88	Not Rated Depth to saturated zone	0.00	Poor Too sandy Depth to saturated zone Too acid	0.00 0.00 0.82
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Poor Low content of organic matter Too acid Too sandy	0.00 0.00 0.20	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Too sandy	0.00 0.12 0.20
BkA: Brockatonorton-----	80	Poor Too sandy Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12 0.97	Not Rated Depth to saturated zone	0.89	Poor Too sandy Depth to saturated zone	0.00 0.89

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BkB: Brockatonorton-----	80	Poor Too sandy Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12 0.97	Not Rated Depth to saturated zone	0.89	Poor Too sandy Depth to saturated zone	0.00 0.89
Br: Broadkill-----	80	Poor Salinity Too acid	0.00 0.08	Not Rated Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Salinity	0.00 0.00
BX: Boxiron-----	40	Fair Salinity	0.50	Not Rated Depth to saturated zone Shrink-swell	0.00 0.91	Poor Depth to saturated zone Salinity	0.00 0.00
Broadkill-----	40	Poor Salinity Too acid	0.00 0.08	Not Rated Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Salinity	0.00 0.00
CeA: Cedartown-----	55	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.22	Not Rated		Fair Too sandy Too acid	0.22 0.59
Rosedale-----	25	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.00 0.08 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.68
CeB: Cedartown-----	55	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.12 0.12 0.22	Not Rated		Fair Too sandy Too acid	0.22 0.59
Rosedale-----	25	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.00 0.08 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.68

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ch: Chicone-----	75	Not Rated Too acid	0.08	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone	0.00
		Low content of organic matter	0.88			Content of organic matter	0.00
		Water erosion	0.99			Too acid	0.50
Ek: Elkton-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too Clayey	0.57
		Too clayey	0.98			Too acid	0.59
		Water erosion	0.99				
Em: Elkton-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12	Shrink-swell	0.96	Too acid	0.59
		Water erosion	0.90				
EvA: Evesboro-----	80	Poor Wind erosion	0.00	Not Rated		Fair Rock fragments	0.72
		Too acid	0.03			Too acid	0.76
		Low content of organic matter	0.12				
		Droughty	0.99				
EvB: Evesboro-----	80	Poor Wind erosion	0.00	Not Rated		Fair Rock fragments	0.72
		Too acid	0.03			Too acid	0.76
		Low content of organic matter	0.12				
		Droughty	0.99				
EvC: Evesboro-----	80	Poor Wind erosion	0.00	Not Rated		Fair Rock fragments	0.72
		Too acid	0.03			Too acid	0.76
		Low content of organic matter	0.12				
		Droughty	0.99				
Fa: Fallsington-----	75	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Hard to reclaim	0.54
						Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FmA: Fort Mott-----	80	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59
FmB: Fort Mott-----	80	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.02 0.12 0.12	Not Rated		Fair Too sandy Too acid	0.02 0.59
GaA: Galestown-----	75	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.54	Not Rated		Poor Too sandy Too acid	0.00 0.59
GaB: Galestown-----	75	Poor Wind erosion Too sandy Too acid Droughty	0.00 0.01 0.12 0.62	Not Rated		Fair Too sandy Too acid Rock fragments	0.01 0.59 0.97
GaC: Galestown-----	75	Poor Wind erosion Too sandy Too acid Low content of organic matter Droughty	0.00 0.01 0.12 0.12 0.57	Not Rated		Fair Too sandy Too acid Rock fragments	0.01 0.59 0.97
HbA: Hambrook-----	75	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
HbB: Hambrook-----	75	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HmA: Hammonton-----	75	Poor Wind erosion Too acid Low content of organic matter Too sandy	0.00 0.08 0.12 0.33	Not Rated Depth to saturated zone	0.91	Fair Too sandy Too acid Depth to saturated zone Hard to reclaim	0.33 0.50 0.91 0.98
HmB: Hammonton-----	75	Poor Wind erosion Too acid Low content of organic matter	0.00 0.08 0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid Depth to saturated zone Hard to reclaim	0.88 0.91 0.98
Hu: Hurlock-----	80	Poor Wind erosion Too acid Low content of organic matter Water erosion Too sandy	0.00 0.12 0.12 0.37 0.94	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Too sandy	0.00 0.59 0.94
In: Indiantown-----	75	Fair Too acid Low content of organic matter Water erosion	0.08 0.50 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.50
Ke: Kentuck-----	85	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.50
KsA: Klej-----	75	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.06 0.12 0.12	Not Rated Depth to saturated zone	0.14	Fair Too sandy Depth to saturated zone Too acid Rock fragments	0.06 0.14 0.59 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsB: Klej-----	75	Poor Wind erosion Too sandy Too acid Low content of organic matter Droughty	0.00 0.06 0.12 0.12 0.93	Not Rated Depth to saturated zone	0.14	Fair Too sandy Depth to saturated zone Too acid	0.06 0.14 0.59
Ma: Manahawkin-----	80	Not Rated Wind erosion	0.00	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Content of organic matter Hard to reclaim	0.00 0.00 0.82
MC: Mannington-----	50	Fair Water erosion	0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Nanticoke-----	45	Fair Water erosion	0.99	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
MeA: Matapeake-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated		Fair Hard to reclaim Too acid	0.54 0.59
MeB: Matapeake-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated		Fair Hard to reclaim Too acid	0.54 0.59
MkA: Matapeake-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.71
MkB: Matapeake-----	80	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.71

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MpB: Mattapex-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MqA: Mattapex-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MqB: Mattapex-----	80	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
Mu: Mullica-----	55	Poor Wind erosion	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.00			Rock fragments	0.28
		Too acid	0.03			Too acid	0.32
		Droughty	0.61				
Berryland-----	30	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Too acid	0.00			Too acid	0.12
		Too sandy	0.20			Too sandy	0.20
NnA: Nassawango-----	80	Fair Too acid	0.08	Not Rated		Fair Hard to reclaim	0.29
		Low content of organic matter	0.12			Too acid	0.50
		Water erosion	0.68				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NnB: Nassawango-----	80	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Fair Hard to reclaim Too acid	0.29 0.50
NsA: Nassawango-----	80	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Poor Hard to reclaim Too acid	0.00 0.50
NsB: Nassawango-----	80	Fair Too acid Low content of organic matter Water erosion	0.08 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.50 0.54
Ot: Othello-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Othello-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Pk: Puckum-----	75	Not Rated		Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Content of organic matter	0.00 0.00
Pu: Purnell-----	80	Poor Too sandy Salinity Low content of organic matter	0.00 0.50 0.88	Not Rated Depth to saturated zone	0.00	Poor Too sandy Depth to saturated zone Salinity	0.00 0.00 0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RoA: Rosedale-----	80	Poor Wind erosion Too sandy Too acid Low content of organic matter	0.00 0.00 0.08 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.68
RoB: Rosedale-----	80	Poor Wind erosion Too sandy Too acid	0.00 0.00 0.08	Not Rated		Poor Too sandy Too acid	0.00 0.68
RuA: Runclint-----	75	Poor Wind erosion Too sandy Too acid Low content of organic matter Droughty	0.00 0.01 0.12 0.12 0.75	Not Rated		Fair Too sandy Too acid Rock fragments	0.01 0.59 0.88
RuB: Runclint-----	80	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.74	Not Rated		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.88
SaA: Sassafras-----	75	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaB: Sassafras-----	75	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SaC: Sassafras-----	75	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Su: Sunken-----	100	Poor Salinity	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Salinity	0.00 0.88
		Low content of organic matter	0.12				
		Water erosion	0.90				
		Too acid	0.97				
Tk: Transquaking-----	90	Not Rated Salinity	0.00	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Content of organic matter Salinity	0.00 0.00 0.00
TP: Transquaking-----	50	Not Rated Salinity	0.00	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Content of organic matter Salinity	0.00 0.00 0.00
Mispillion-----	30	Not Rated Salinity	0.50	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Salinity Content of organic matter	0.00 0.00 0.00
Uc: Urban Land-----	55	Not rated		Not rated		Not rated	
Acquango-----	35	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00				
		Droughty	0.10				
		Low content of organic matter	0.12				
		Too acid	0.97				
Um: Urban Land-----	45	Not rated		Not rated		Not rated	
Askecksy-----	35	Poor Too sandy	0.00	Not Rated Depth to saturated zone	0.00	Poor Too sandy Depth to saturated zone Too acid	0.00 0.00 0.82
		Wind erosion	0.00				
		Droughty	0.20				
		Too acid	0.26				
		Low content of organic matter	0.88				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Un: Brockatonorton-----	40	Poor Too sandy	0.00	Not Rated Depth to saturated zone	0.89	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.89
		Low content of organic matter	0.12				
		Too acid	0.97				
Urban Land-----	40	Not rated		Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Poor Wind erosion	0.00	Not Rated		Fair Too acid	0.59
		Too acid	0.12				
		Low content of organic matter	0.12				
Uz: Udorthents-----	85	Poor Wind erosion	0.00	Not Rated		Fair Too acid	0.59
		Too acid	0.12				
		Low content of organic matter	0.12				
W: Water-----	100	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	
WdA: Woodstown-----	75	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WdB: Woodstown-----	75	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Zk: Zekiah-----	75	Fair Too acid	0.08	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.50
		Water erosion	0.90				

