

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ArA: Abbottstown-----	70	Poor Low content of organic matter Too acid Water erosion	0.00 0.68 0.90	Poor Depth to saturated zone Depth to bedrock	0.00 0.58	Poor Depth to saturated zone Rock fragments Hard to reclaim Not hard to reclaim	0.00 0.28 0.82 0.99
Readington-----	25	Fair Low content of organic matter Too acid Droughty Water erosion	0.12 0.39 0.76 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.76	Fair Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.68 0.76 0.88 0.92
ArB2: Abbottstown-----	70	Poor Low content of organic matter Too acid Water erosion	0.00 0.68 0.90	Poor Depth to saturated zone Depth to bedrock	0.00 0.58	Poor Depth to saturated zone Rock fragments Hard to reclaim Not hard to reclaim	0.00 0.28 0.82 0.99
Readington-----	25	Fair Low content of organic matter Too acid Droughty Water erosion	0.12 0.39 0.76 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.76	Fair Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.68 0.76 0.88 0.92
BaA: Baile-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
BaB: Baile-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Be: Bermudian-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.18 0.98
BrA: Birdsboro-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Hard to reclaim Too acid Rock fragments	0.32 0.59 0.72
BrB2: Birdsboro-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Hard to reclaim Too acid Rock fragments	0.32 0.59 0.72
Bs: Bowmansville-----	100	Fair Low content of organic matter Too acid	0.12 0.84	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.32
BuA: Bucks-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Hard to reclaim Too acid	0.00 0.88 0.88
BuB2: Bucks-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Poor Depth to bedrock Shrink-swell	0.00 0.99	Poor Rock fragments Hard to reclaim Too acid	0.00 0.88 0.88
CaC2: Cardiff-----	100	Poor Low content of organic matter Too acid Cobble content Droughty	0.00 0.20 0.26 0.99	Poor Cobble content Depth to bedrock	0.00 0.58	Poor Hard to reclaim Rock fragments Too acid Slope	0.00 0.00 0.76 0.96
CeA: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeB2: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Too acid	0.88
CeC2: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Slope Too acid	0.37 0.88
CeC3: Chester-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.90	Good		Fair Slope Too acid	0.37 0.88
Ch: Codorus-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.14	Fair Depth to saturated zone Rock fragments	0.14 0.97
Cm: Comus-----	100	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
CnA: Comus-----	100	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
CnB: Comus-----	100	Fair Too acid Water erosion	0.54 0.90	Good		Fair Hard to reclaim Too acid	0.88 0.98
CoA: Conestoga-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Rock fragments	0.32 0.72
CoB2: Conestoga-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Rock fragments	0.32 0.72

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CoC2: Conestoga-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Slope Rock fragments	0.32 0.37 0.72
CoC3: Conestoga-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Slope Rock fragments	0.32 0.37 0.72
CoD3: Conestoga-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.32 0.72
DeA: Delanco-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Fair Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.59
DeB2: Delanco-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Fair Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.59
ElB2: Elioak-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Good		Poor Too Clayey Too acid	0.00 0.88
ElC2: Elioak-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Good		Poor Too Clayey Slope Too acid	0.00 0.37 0.88
EmD3: Elioak-----	100	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.32 0.99	Fair Slope	0.50	Poor Slope Too Clayey Too acid	0.00 0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EnB2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EnC2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Slope Too acid	0.37 0.88
EsA: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EsB2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Too acid	0.88
EsC2: Elsinboro-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Good		Fair Slope Too acid	0.37 0.88
GcB2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GcC2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
GcC3: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GcD2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GcD3: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
GlA: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GlB2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GlB3: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GlC2: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
GlC3: Glenelg-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
GvA: Glenville-----	95	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GvB: Glenville-----	95	Fair Low content of organic matter Too acid	0.12 0.54	Fair Depth to saturated zone	0.29	Poor Hard to reclaim Depth to saturated zone Rock fragments Too acid	0.00 0.29 0.50 0.98
HaA: Hagerstown-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.68	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
HaB2: Hagerstown-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.68	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
HaC2: Hagerstown-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.68	Fair Shrink-swell	0.87	Poor Too Clayey Slope	0.00 0.37
Ht: Hatboro-----	100	Poor Low content of organic matter Water erosion Too acid	0.00 0.68 0.88	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
KlB2: Klinesville-----	100	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
KsD4: Klinesville-----	100	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Poor Depth to bedrock Slope	0.00 0.92	Poor Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsF3: Klinesville-----	100	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
LbB2: Lewisberry-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.54 0.94	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.12 0.98
LbC2: Lewisberry-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.54 0.94	Good		Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.12 0.37 0.98
LbD: Lewisberry-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.54 0.94	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.12 0.98
Le: Lindsay-----	95	Poor Low content of organic matter Water erosion	0.00 0.99	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone	0.76
LnB2: Linganore-----	100	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.54
LnC2: Linganore-----	100	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LnC3: Linganore-----	100	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Slope Rock fragments Depth to bedrock	0.00 0.37 0.00 0.54
LnD2: Linganore-----	100	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00 0.54
LnE: Linganore-----	100	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00 0.54
Md: Made Land-----	100	Not rated		Not rated		Not rated	
MgB2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid	0.12 0.76
MgC2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MgC3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MgD2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MgD3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MlB2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid	0.12 0.76
MlB3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid	0.12 0.76
MlC2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MlC3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Slope Too acid	0.12 0.37 0.76
MlD2: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MlD3: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.12 0.76
MlE: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Poor Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.12 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnC: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Good		Fair Rock fragments Too acid Slope	0.50 0.76 0.96
MnD: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Fair Slope	0.50	Poor Slope Rock fragments Too acid	0.00 0.50 0.76
MnE: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Poor Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.50 0.76
MnF: Manor-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.20 0.68	Poor Slope	0.00	Poor Slope Rock fragments Too acid	0.00 0.50 0.76
Mo: Melvin-----	100	Fair Low content of organic matter Water erosion	0.68 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
MtA: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
MtB2: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
MtC2: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.37 0.54 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtC3: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.37 0.54 0.88
MtD2: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
MtE: Mt.airy-----	100	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
PeB2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PhB2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.20 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PhC2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.20 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
PhC3: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.20 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PnA2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PnB2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PnC2: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
PnC3: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
PoD: Penn-----	100	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.12 0.54 0.76
PsB2: Penn-----	50	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
Steinsburg-----	30	Poor Droughty Too acid Low content of organic matter Depth to bedrock	0.00 0.12 0.12 0.74	Poor Depth to bedrock	0.00	Poor Rock fragments Too acid Depth to bedrock	0.00 0.59 0.74

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PsC3: Penn-----	50	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.27 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
Steinsburg-----	30	Poor Droughty Too acid Low content of organic matter Depth to bedrock	0.00 0.12 0.12 0.74	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Too acid Depth to bedrock	0.00 0.37 0.59 0.74
RaA: Raritan-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.54 0.99	Fair Depth to saturated zone	0.29	Fair Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.29 0.68 0.97 0.98
RaB: Raritan-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.54 0.99	Fair Depth to saturated zone	0.29	Fair Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.29 0.68 0.97 0.98
Ro: Rowland-----	95	Fair Too acid Low content of organic matter Water erosion	0.54 0.88 0.90	Fair Depth to saturated zone	0.53	Poor Hard to reclaim Depth to saturated zone Too acid	0.00 0.53 0.98
StB2: Steinsburg-----	100	Poor Droughty Too acid Low content of organic matter Depth to bedrock	0.00 0.12 0.12 0.74	Poor Depth to bedrock	0.00	Poor Rock fragments Too acid Depth to bedrock	0.00 0.59 0.74
StD3: Steinsburg-----	100	Poor Droughty Too acid Low content of organic matter Depth to bedrock	0.00 0.12 0.12 0.74	Poor Depth to bedrock Slope	0.00 0.92	Poor Rock fragments Slope Too acid Depth to bedrock	0.00 0.00 0.59 0.74

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UrA: Urbana-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.84 0.90	Fair Depth to saturated zone Depth to bedrock	0.53 0.58	Poor Hard to reclaim Rock fragments Depth to saturated zone	0.00 0.50 0.53
UrB2: Urbana-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.84 0.90	Fair Depth to saturated zone Depth to bedrock	0.53 0.58	Poor Hard to reclaim Rock fragments Depth to saturated zone	0.00 0.50 0.53
Ws: Wiltshire-----	95	Fair Low content of organic matter Too acid Water erosion	0.12 0.84 0.99	Fair Depth to saturated zone Shrink-swell	0.76 0.89	Fair Hard to reclaim Rock fragments Depth to saturated zone	0.32 0.72 0.76

