

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AbB: Albrights-----	95	Poor Low content of organic matter Too acid Droughty	0.00 0.12 0.92	Not Rated Depth to saturated zone	0.29	Not Rated Rock fragments Depth to saturated zone Hard to reclaim	0.00 0.29 0.92
AbC2: Albrights-----	95	Poor Low content of organic matter Too acid Droughty	0.00 0.12 0.92	Not Rated Depth to saturated zone	0.29	Not Rated Rock fragments Depth to saturated zone Slope Hard to reclaim	0.00 0.29 0.37 0.92
AgD: Albrights-----	95	Poor Low content of organic matter Too acid Droughty	0.00 0.12 0.87	Not Rated Depth to saturated zone	0.29	Not Rated Slope Rock fragments Depth to saturated zone Hard to reclaim	0.04 0.12 0.29 0.95
AhA: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid	0.59
AhB2: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid	0.59
AhC2: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Slope Too acid	0.37 0.59
AlA: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AlB2: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid	0.59
AlC2: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Slope Too acid	0.37 0.59
AlD: Allegheny-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Slope	0.50	Not Rated Slope Too acid	0.00 0.59
AnB: Allegheny-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid	0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
AnC: Allegheny-----	50	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Slope Too acid	0.04 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
Au: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Av: Alluvial Land-----	50	Not rated		Not rated		Not rated	
Urban Land-----	30	Not rated		Not rated		Not rated	
Aw: Atkins-----	100	Poor Low content of organic matter Too acid	0.00 0.32	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Too acid Hard to reclaim	0.00 0.88 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeE: Belmont-----	100	Not Rated Low content of organic matter Too clayey Too acid	0.00 0.76 0.84	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Not Rated Slope Rock fragments	0.00 0.97
BkC3: Brooke-----	100	Not Rated Too clayey Low content of organic matter Depth to bedrock Droughty Water erosion	0.00 0.00 0.58 0.85 0.99	Not Rated Depth to bedrock Shrink-swell	0.00 0.12	Not Rated Slope Depth to bedrock Rock fragments	0.37 0.58 0.72
BuB2: Buchanan-----	95	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Depth to saturated zone	0.29	Not Rated Rock fragments Hard to reclaim Depth to saturated zone Too acid	0.00 0.08 0.29 0.59
BuC2: Buchanan-----	95	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Depth to saturated zone	0.29	Not Rated Rock fragments Hard to reclaim Depth to saturated zone Slope Too acid	0.00 0.08 0.29 0.37 0.59
BvC: Buchanan-----	95	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated Depth to saturated zone	0.29	Not Rated Rock fragments Hard to reclaim Depth to saturated zone Too acid	0.00 0.08 0.29 0.59
BvD: Buchanan-----	95	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated Depth to saturated zone Slope	0.29 0.50	Not Rated Slope Rock fragments Hard to reclaim Depth to saturated zone Too acid	0.00 0.00 0.08 0.29 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaB: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.03 0.58 0.98
CaC: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
ClB2: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.03 0.58 0.98
ClC2: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
ClD2: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
ClE: Calvin-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
CnB2: Calvin-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.03 0.58 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weikert-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
CnC2: Calvin-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
Weikert-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.98
CnD2: Calvin-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
Weikert-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
CnE: Calvin-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.09 0.54 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.58 0.98
Weikert-----	30	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CoB2: Cavode-----	95	Not Rated Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.50 0.99	Not Rated Depth to saturated zone Shrink-swell Depth to bedrock	0.00 0.00 0.87 0.96	Not Rated Depth to saturated zone Hard to reclaim Too acid	0.00 0.02 0.88
CoC2: Cavode-----	95	Not Rated Low content of organic matter Too clayey Too acid Water erosion	0.00 0.00 0.50 0.99	Not Rated Depth to saturated zone Shrink-swell Depth to bedrock	0.00 0.00 0.87 0.96	Not Rated Slope Depth to saturated zone Hard to reclaim Too acid	0.00 0.00 0.02 0.88
CrD: Cavode-----	95	Not Rated Low content of organic matter Too clayey Too acid	0.00 0.00 0.50	Not Rated Depth to saturated zone Shrink-swell Depth to bedrock	0.00 0.00 0.87 0.96	Not Rated Depth to saturated zone Hard to reclaim Slope Too acid	0.00 0.02 0.16 0.88
CsA: Chavies-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Not Rated		Not Rated Rock fragments	0.97
CsB: Chavies-----	100	Poor Low content of organic matter Too acid	0.00 0.88	Not Rated		Not Rated Rock fragments	0.97
CtB2: Cookport-----	100	Not Rated Low content of organic matter Too acid Droughty	0.00 0.50 0.82	Not Rated Depth to saturated zone Depth to bedrock	0.53 0.96	Not Rated Depth to saturated zone Too acid Rock fragments	0.53 0.59 0.72
CtC2: Cookport-----	100	Not Rated Low content of organic matter Too acid Droughty	0.00 0.50 0.82	Not Rated Depth to saturated zone Depth to bedrock	0.53 0.96	Not Rated Slope Depth to saturated zone Too acid Rock fragments	0.00 0.53 0.59 0.72

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CuB: Cookport-----	100	Not Rated Low content of organic matter Too acid Droughty	0.00 0.50 0.82	Not Rated Depth to saturated zone Depth to bedrock	0.53 0.96	Not Rated Depth to saturated zone Too acid Rock fragments	0.53 0.59 0.72
CuD: Cookport-----	100	Not Rated Low content of organic matter Too acid Droughty	0.00 0.50 0.82	Not Rated Slope Depth to saturated zone Depth to bedrock	0.50 0.53 0.96	Not Rated Slope Depth to saturated zone Too acid Rock fragments	0.00 0.53 0.59 0.72
Cv: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
DeB2: Dekalb-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.89	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.59
DeC2: Dekalb-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.68 0.89	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
DeD: Dekalb-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.89	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
DkB: Dekalb-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.84	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DkC: Dekalb-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.68 0.84	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
DlE: Dekalb-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.84	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Lehew-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.85	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
DlF: Dekalb-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.84	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Lehew-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.85	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
EdB2: Edom-----	100	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Depth to bedrock Shrink-swell	0.58 0.94	Not Rated Hard to reclaim Rock fragments	0.00 0.12
EdC2: Edom-----	100	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Depth to bedrock Shrink-swell	0.58 0.94	Not Rated Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
EdD2: Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.50 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.50 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
EdE2: Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
EeE3: Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
Edom-----	50	Poor Low content of organic matter Too clayey Droughty	0.00 0.00 0.92	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Not Rated Slope Hard to reclaim Rock fragments	0.00 0.00 0.12
E1A: Elliber-----	100	Poor Low content of organic matter Too acid No cobble limitation	0.00 0.12 0.99	Not Rated Cobble content	0.75	Not Rated Rock fragments Hard to reclaim Too acid	0.00 0.00 0.59
E1B2: Elliber-----	100	Poor Low content of organic matter Too acid No cobble limitation	0.00 0.12 0.99	Not Rated Cobble content	0.75	Not Rated Rock fragments Hard to reclaim Too acid Slope	0.00 0.00 0.59 0.96
E1C2: Elliber-----	100	Poor Low content of organic matter Too acid No cobble limitation	0.00 0.12 0.99	Not Rated Slope Cobble content	0.68 0.75	Not Rated Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
E1D: Elliber-----	50	Poor Low content of organic matter Too acid No cobble limitation	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.75	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.00 0.59
Elliber-----	50	Poor Low content of organic matter Too acid No cobble limitation	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.75	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.00 0.59
EmC: Elliber-----	100	Poor Low content of organic matter Too acid Cobble content	0.00 0.12 0.99	Not Rated Cobble content	0.72	Not Rated Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.16 0.59
EmD: Elliber-----	50	Poor Low content of organic matter Too acid Cobble content	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.72	Not Rated Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.00 0.59
Elliber-----	50	Poor Low content of organic matter Too acid Cobble content	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.72	Not Rated Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.00 0.59
EmF: Elliber-----	50	Poor Low content of organic matter Too acid Cobble content	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.72	Not Rated Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.00 0.59
Elliber-----	50	Poor Low content of organic matter Too acid Cobble content	0.00 0.12 0.99	Not Rated Slope Cobble content	0.00 0.72	Not Rated Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ErA: Ernest-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.76 0.99	Not Rated Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.76 0.88 0.88 0.88
ErB2: Ernest-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.76 0.99	Not Rated Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.76 0.88 0.88 0.88
ErC2: Ernest-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.76 0.99	Not Rated Slope Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.37 0.76 0.88 0.88 0.88
ErD2: Ernest-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Slope Depth to saturated zone Shrink-swell	0.50 0.76 0.99	Not Rated Slope Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.00 0.76 0.88 0.88 0.88
EuB: Ernest-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone Shrink-swell	0.76 0.99	Not Rated Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.76 0.88 0.88 0.88
Landisburg-----	30	Not Rated Low content of organic matter Water erosion Droughty	0.00 0.90 0.99	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.87	Not Rated Depth to saturated zone Rock fragments Hard to reclaim	0.00 0.12 0.24
Urban Land-----	20	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EuD: Ernest-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone Slope Shrink-swell	0.76 0.92 0.99	Not Rated Slope Depth to saturated zone Hard to reclaim Rock fragments Too acid	0.00 0.76 0.88 0.88 0.88
Landisburg-----	30	Fair Low content of organic matter Too acid Water erosion	0.12 0.84 0.99	Not Rated Depth to saturated zone Shrink-swell Slope	0.76 0.89 0.92	Poor Slope Hard to reclaim Rock fragments Depth to saturated zone	0.00 0.32 0.72 0.76
Urban Land-----	20	Not rated		Not rated		Not rated	
G1B2: Gilpin-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.59
G1C2: Gilpin-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
G1D2: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.58 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GnB2: Gilpin-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.59
GnC2: Gilpin-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
GnD2: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
GnE: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
GsB: Gilpin-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.13 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.99	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsD: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.13 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.50 0.99	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.13 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.50 0.99	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
GuB: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.58 0.59
Urban Land-----	30	Not rated		Not rated		Not rated	
GuD: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.27 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.50	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Urban Land-----	50	Not rated		Not rated		Not rated	
GwF: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.13 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.99	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.59
Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.50	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.59
Gx: Gravel Pits-----	100	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HeC2: Hagerstown-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.68	Not Rated Shrink-swell	0.87	Not Rated Slope	0.04
HeE2: Hagerstown-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.68	Not Rated Slope Shrink-swell	0.00 0.87	Not Rated Slope	0.00
Hn: Huntington-----	100	Poor Low content of organic matter	0.00	Not Rated		Not Rated	
HxA: Huntington-----	100	Poor Low content of organic matter	0.00	Not Rated		Not Rated	
HxB: Huntington-----	100	Poor Low content of organic matter	0.00	Not Rated		Not Rated	
HxC: Huntington-----	100	Poor Low content of organic matter	0.00	Not Rated		Not Rated Slope	0.37
LaB2: Laidig-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Hard to reclaim Too acid	0.00 0.50 0.59
LaC2: Laidig-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Slope Hard to reclaim Too acid	0.00 0.37 0.50 0.59
LaD2: Laidig-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Slope	0.50	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.50 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LbC: Laidig-----	100	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Hard to reclaim Too acid Slope	0.00 0.50 0.59 0.96
LbD: Laidig-----	100	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated Slope	0.50	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.50 0.59
LdA: Landisburg-----	100	Not Rated Low content of organic matter Water erosion Droughty	0.00 0.90 0.99	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.87	Not Rated Depth to saturated zone Rock fragments Hard to reclaim	0.00 0.00 0.12 0.24
LdB2: Landisburg-----	100	Not Rated Low content of organic matter Water erosion Droughty	0.00 0.90 0.99	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.87	Not Rated Depth to saturated zone Rock fragments Hard to reclaim	0.00 0.00 0.12 0.24
LdC2: Landisburg-----	100	Fair Low content of organic matter Too acid	0.12 0.84	Not Rated Depth to saturated zone Shrink-swell	0.76 0.89	Fair Hard to reclaim Slope Rock fragments Depth to saturated zone	0.32 0.37 0.72 0.76
LdD2: Landisburg-----	100	Fair Low content of organic matter Too acid	0.12 0.84	Not Rated Slope Depth to saturated zone Shrink-swell	0.50 0.76 0.89	Poor Slope Hard to reclaim Rock fragments Depth to saturated zone	0.00 0.32 0.72 0.76
LgD: Leetonia-----	100	Not Rated Droughty Low content of organic matter Too acid Cobble content	0.00 0.00 0.50 0.99	Not Rated Cobble content Depth to bedrock	0.25 0.58	Not Rated Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.16 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LhB2: Lehew-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.00 0.76	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
LhC2: Lehew-----	100	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.00 0.76	Not Rated Rock fragments Slope Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.88
LhE: Lehew-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.00 0.76	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.88
Lehew-----	50	Poor Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.00 0.76	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.88
LlB: Lehew-----	100	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.00 0.50 0.58	Not Rated Depth to bedrock Cobble content	0.00 0.00 0.79	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
LlD: Lehew-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.50 0.85	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.88
Lehew-----	50	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.12 0.50 0.58	Not Rated Depth to bedrock Slope Cobble content	0.00 0.00 0.50 0.85	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lm: Lickdale-----	100	Not Rated Low content of organic matter Too acid Water erosion Droughty	0.00 0.50 0.90 0.98	Not Rated Depth to saturated zone Depth to bedrock Shrink-swell	0.00 0.00 0.97	Not Rated Depth to saturated zone Too acid Rock fragments Hard to reclaim	0.00 0.76 0.88 0.98
Ln: Lindside-----	95	Poor Low content of organic matter Water erosion	0.00 0.99	Not Rated Depth to saturated zone	0.76	Not Rated Depth to saturated zone	0.76
LsB2: Litz-----	100	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.58 0.88
LsC2: Litz-----	100	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.00 0.58 0.88
LsD2: Litz-----	50	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
Litz-----	50	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
LsE: Litz-----	50	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Litz-----	50	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.04 0.12 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.58 0.88
LyB: Loysville-----	100	Not Rated Low content of organic matter Water erosion Droughty	0.00 0.90 0.99	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.87	Not Rated Depth to saturated zone Rock fragments Hard to reclaim	0.00 0.12 0.24
McB2: Meckesville-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Too acid Hard to reclaim	0.28 0.59 0.68
McC2: Meckesville-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Slope Too acid Hard to reclaim	0.28 0.37 0.59 0.68
McD2: Meckesville-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated Slope	0.50	Not Rated Slope Rock fragments Too acid Hard to reclaim	0.00 0.28 0.59 0.68
MdC: Meckesville-----	100	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Rock fragments Too acid Hard to reclaim	0.28 0.59 0.68
MdD: Meckesville-----	100	Not Rated Low content of organic matter Too acid	0.00 0.12	Not Rated Slope	0.50	Not Rated Slope Rock fragments Too acid Hard to reclaim	0.00 0.28 0.59 0.68
Me: Melvin-----	100	Fair Low content of organic matter Water erosion	0.68 0.90	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhA: Monongahela-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone	0.76	Not Rated Rock fragments Depth to saturated zone Too acid	0.50 0.76 0.88
MhB2: Monongahela-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone	0.76	Not Rated Rock fragments Depth to saturated zone Too acid	0.50 0.76 0.88
MhC2: Monongahela-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.32 0.90	Not Rated Depth to saturated zone	0.76	Not Rated Slope Rock fragments Depth to saturated zone Too acid	0.37 0.50 0.76 0.88
NoA: Nolo-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.50 0.85	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.58	Not Rated Depth to saturated zone Rock fragments Too acid Hard to reclaim	0.00 0.12 0.32 0.95
NoB: Nolo-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.50 0.85	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.58	Not Rated Depth to saturated zone Rock fragments Too acid Hard to reclaim	0.00 0.12 0.32 0.95
NoC2: Nolo-----	100	Poor Low content of organic matter Too acid Droughty	0.00 0.50 0.85	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.58	Not Rated Depth to saturated zone Rock fragments Slope Too acid Hard to reclaim	0.00 0.12 0.16 0.32 0.95
NsC: Nolo-----	100	Not Rated Low content of organic matter Too acid Droughty	0.00 0.50 0.82	Not Rated Depth to saturated zone Depth to bedrock	0.00 0.58	Not Rated Depth to saturated zone Rock fragments Too acid Hard to reclaim	0.00 0.12 0.32 0.95

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OpB2: Opequon-----	100	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Depth to bedrock Shrink-swell	0.58 0.94	Poor Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.12
OpC2: Opequon-----	100	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Depth to bedrock Shrink-swell	0.58 0.94	Poor Too Clayey Hard to reclaim Rock fragments Slope	0.00 0.00 0.12 0.37
OpD2: Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Depth to bedrock Shrink-swell	0.50 0.58 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.12
Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Depth to bedrock Shrink-swell	0.50 0.58 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.12
OpE2: Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.12
Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Depth to bedrock Shrink-swell	0.00 0.58 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.12
OuD: Opequon-----	100	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Shrink-swell	0.94	Poor Too Clayey Hard to reclaim Slope Rock fragments	0.00 0.00 0.04 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OuE: Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Shrink-swell	0.00 0.00 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.00 0.12
Opequon-----	50	Poor Too clayey Low content of organic matter Droughty	0.00 0.12 0.77	Not Rated Slope Shrink-swell	0.00 0.00 0.94	Poor Slope Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.00 0.00 0.12
Ph: Philo-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Depth to bedrock Depth to saturated zone	0.00 0.76	Not Rated Depth to saturated zone Rock fragments Too acid	0.76 0.97 0.98
Pn: Pope-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.82
Ps: Pope-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Not Rated		Not Rated Too acid Hard to reclaim	0.59 0.82
RbB: Robertsville-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated Depth to saturated zone	0.00	Not Rated Depth to saturated zone Too acid	0.00 0.59
Rc: Rock Outcrop-----	100	Not rated		Not rated		Not rated	
ShB2: Shelocta-----	100	Fair Too acid	0.32	Not Rated Depth to bedrock	0.39	Fair Rock fragments Too acid Hard to reclaim	0.03 0.88 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShC2: Shelocta-----	100	Fair Too acid	0.32	Not Rated Depth to bedrock	0.39	Fair Rock fragments Slope Too acid Hard to reclaim	0.03 0.37 0.88 0.98
ShD2: Shelocta-----	50	Fair Too acid	0.32	Not Rated Depth to bedrock Slope	0.39 0.50	Poor Slope Rock fragments Too acid Hard to reclaim	0.00 0.03 0.88 0.98
Shelocta-----	50	Fair Too acid	0.32	Not Rated Depth to bedrock Slope	0.39 0.50	Poor Slope Rock fragments Too acid Hard to reclaim	0.00 0.03 0.88 0.98
SrC: Stony Land-----	50	Not rated		Not rated		Not rated	
Stony Land-----	50	Not rated		Not rated		Not rated	
SrF: Stony Land-----	100	Not rated		Not rated		Not rated	
St: Strip Mines And Dump	95	Not rated		Not rated		Not rated	
TyA: Tyler-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated Depth to saturated zone	0.04	Not Rated Hard to reclaim Depth to saturated zone Too acid	0.00 0.04 0.59
TyB: Tyler-----	95	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated Depth to saturated zone	0.04	Not Rated Hard to reclaim Depth to saturated zone Too acid	0.00 0.04 0.59
W: Water-----	100	Not Rated Low content of organic matter	0.00	Not Rated		Not Rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeB2: Weikert-----	100	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
WeC2: Weikert-----	100	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.98
WeE: Weikert-----	50	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.12 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
Weikert-----	50	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.12 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
WkD: Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.50	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.59
Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.50	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.59
WlB: Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W1C: Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.00 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
W1E: Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.00 0.98
Urban Land-----	30	Not rated		Not rated		Not rated	
WnF: Gilpin-----	50	Not Rated Low content of organic matter Droughty Too acid Depth to bedrock	0.00 0.23 0.50 0.58	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.58 0.59
Weikert-----	50	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.54	Not Rated Depth to bedrock Slope	0.00 0.00	Not Rated Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.00 0.98
WsB2: Westmoreland-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Depth to bedrock	0.00	Not Rated Rock fragments Hard to reclaim Too acid	0.12 0.18 0.98
WsC2: Westmoreland-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Depth to bedrock	0.00	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.12 0.18 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsD2: Westmoreland-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Slope Depth to bedrock	0.00 0.00	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.12 0.18 0.98
Westmoreland-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Slope Depth to bedrock	0.00 0.00	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.12 0.18 0.98
WsE: Westmoreland-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Slope Depth to bedrock	0.00 0.00	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.12 0.18 0.98
Westmoreland-----	50	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Not Rated Slope Depth to bedrock	0.00 0.00	Not Rated Slope Rock fragments Hard to reclaim Too acid	0.00 0.12 0.18 0.98

