

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cb: Coastal Beaches-----	70	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Not Rated		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
DoB: Downer-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Not Rated		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
DoC: Downer-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Not Rated		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
DoC3: Downer-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Not Rated		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
Fa: Fallsington-----	100	Fair Too acid Low content of organic matter	0.12 0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fb: Fallsington-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12			Hard to reclaim	0.71
FdA: Dragston-----	50	Poor Low content of organic matter Too acid	0.00 0.32	Not Rated Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.88
Fallsington-----	50	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12			Hard to reclaim	0.71
FdB: Dragston-----	50	Poor Low content of organic matter Too acid	0.00 0.32	Not Rated Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.88
Fallsington-----	50	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12			Hard to reclaim	0.71
FgA: Dragston-----	50	Poor Low content of organic matter Too acid	0.00 0.32	Not Rated Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.88
Fallsington-----	50	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12			Hard to reclaim	0.71
FgB: Dragston-----	50	Poor Low content of organic matter Too acid	0.00 0.32	Not Rated Depth to saturated zone	0.29	Fair Depth to saturated zone Too acid	0.29 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
						Hard to reclaim	0.71
GcB: Galestown-----	100	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.59
		Too acid	0.12				
		Low content of organic matter	0.12				
		Droughty	0.25				
GLB: Galestown-----	50	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.59
		Too acid	0.12				
		Low content of organic matter	0.12				
		Droughty	0.25				
Lakeland-----	30	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.98
		Too acid	0.54				
		Droughty	0.75				
		Low content of organic matter	0.88				
GLC: Galestown-----	50	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.59
		Too acid	0.12				
		Low content of organic matter	0.12				
		Droughty	0.25				
Lakeland-----	30	Poor Too sandy	0.00	Not Rated		Poor Too sandy	0.00
		Wind erosion	0.00			Too acid	0.98
		Too acid	0.54				
		Droughty	0.75				
		Low content of organic matter	0.88				
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
Jo: Johnston Loam-----	100	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KfA: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.99	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KmA: Keyport-----	95	Poor Too clayey Too acid  Low content of organic matter Water erosion	0.00 0.12  0.12 0.90	Not Rated Shrink-swell Depth to saturated zone	0.87 0.98	Poor Too Clayey Too acid  Depth to saturated zone	0.00 0.88  0.98
KnA: Klej-----	95	Poor Wind erosion  Too sandy  Too acid Low content of organic matter Droughty	0.00  0.06  0.12 0.12 0.98	Not Rated Depth to saturated zone	0.14	Fair Too sandy  Depth to saturated zone Too acid	0.06  0.14 0.59
KnB: Klej-----	95	Poor Wind erosion  Too sandy  Too acid Low content of organic matter Droughty	0.00  0.06  0.12 0.12 0.98	Not Rated Depth to saturated zone	0.14	Fair Too sandy  Depth to saturated zone Too acid	0.06  0.14 0.59
LaB: Lakeland-----	100	Poor Too sandy Wind erosion Too acid Droughty Low content of organic matter	0.00 0.00 0.54 0.75 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.98
LgB: Lakeland-----	50	Poor Too sandy Wind erosion Too acid Droughty Low content of organic matter	0.00 0.00 0.54 0.75 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Galestown-----	30	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Not Rated		Poor Too sandy Too acid	0.00 0.59
LmC: Lakeland-----	50	Poor Too sandy Wind erosion Too acid Droughty Low content of organic matter	0.00 0.00 0.54 0.75 0.88	Not Rated		Poor Too sandy Too acid	0.00 0.98
Galestown-----	30	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Not Rated		Poor Too sandy Too acid	0.00 0.59
Lo: Leon-----	100	Poor Too sandy Wind erosion Low content of organic matter Too acid	0.00 0.00 0.12 0.39	Not Rated Depth to saturated zone	0.00	Poor Too sandy Depth to saturated zone Too acid	0.00 0.00 0.92
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MfA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MfB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MfC: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MkA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MkB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MkC2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MkC3: Matapeake-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.68	Not Rated		Fair Too acid Hard to reclaim	0.59 0.84
MkD: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Not Rated		Fair Slope Too acid Hard to reclaim	0.16 0.59 0.84
MpA: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MpB2: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Not Rated Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsA: Mattapex-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
MsB2: Mattapex-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.76	Fair Too acid	0.59
		Low content of organic matter	0.12			Depth to saturated zone	0.76
		Water erosion	0.90				
Mx: Mixed Alluvial Land-	70	Not rated		Not rated		Not rated	
My: Muck And Peat-----	100	Not rated		Not rated		Not rated	
OhA: Othello-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
		Water erosion	0.90				
OhB2: Othello-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
		Water erosion	0.90				
Om: Othello-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
		Water erosion	0.90				
Oo: Othello-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.12			Too acid	0.59
		Water erosion	0.90				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Os: Othello-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12				
		Water erosion	0.90				
Ot: Othello-----	100	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Low content of organic matter	0.12				
		Water erosion	0.90				
Pd: Plummer-----	100	Poor Too sandy	0.00	Not Rated Depth to saturated zone	0.00	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Too acid	0.12			Too acid	0.59
Pk: Pocomoke-----	100	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Too acid	0.12				
Pm: Pocomoke-----	100	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Too acid	0.12				
Po: Portsmouth-----	100	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Too acid	0.12				
Pr: Portsmouth-----	100	Poor Low content of organic matter	0.00	Not Rated Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
		Too acid	0.12				
Sa: St Johns-----	100	Poor Too sandy	0.00	Not Rated Depth to saturated zone	0.00	Poor Too sandy	0.00
		Wind erosion	0.00			Depth to saturated zone	0.00
		Too acid	0.12			Too acid	0.59
		Low content of organic matter	0.12				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfA: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SfB2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SfC2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SfC3: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Too acid	0.59
SfD: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Not Rated		Fair Slope Too acid	0.16 0.59
St: Steep Sandy Land----	100	Not rated		Not rated		Not rated	
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdB2: Woodstown-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoA: Woodstown-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91
WoB2: Woodstown-----	95	Fair Too acid	0.12	Not Rated Depth to saturated zone	0.91	Fair Too acid	0.59
		Low content of organic matter	0.12			Rock fragments	0.88
						Depth to saturated zone	0.91

