

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
AcC: Acquango-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding Slope	1.00
As: Askecksy-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone	1.00 1.00 1.00
BkA: Brockatonorton-----	80	Very limited Flooding	1.00	Very limited Flooding Very limited Depth to saturated zone	1.00 1.00	Very limited Flooding	1.00
BkB: Brockatonorton-----	80	Very limited Flooding	1.00	Very limited Flooding Very limited Depth to saturated zone	1.00 1.00	Very limited Flooding	1.00
Br: Broadkill-----	80	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Very limited Flooding Very limited Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BX: Boxiron-----	40	Very limited Ponding Flooding Depth to saturated zone Subsidence Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Subsidence Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Subsidence Shrink-swell	1.00 1.00 1.00 1.00 0.50
Broadkill-----	40	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
CeA: Cedartown-----	55	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
Rosedale-----	25	Not limited		Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Not limited	
CeB: Cedartown-----	55	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
Rosedale-----	25	Not limited		Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Not limited	
Ch: Chicone-----	75	Very limited Ponding Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Ek: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Em: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvA: Evesboro-----	80	Not limited		Not limited		Not limited	
EvB: Evesboro-----	80	Not limited		Not limited		Not limited	
EvC: Evesboro-----	80	Not limited		Not limited		Very limited Slope	1.00
Fa: Fallsington-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FmA: Fort Mott-----	80	Not limited		Not limited		Not limited	
FmB: Fort Mott-----	80	Not limited		Not limited		Not limited	
GaA: Galestown-----	75	Not limited		Not limited		Not limited	
GaB: Galestown-----	75	Not limited		Not limited		Not limited	
GaC: Galestown-----	75	Not limited		Not limited		Very limited Slope	1.00
HbA: Hambrook-----	75	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
HbB: Hambrook-----	75	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
HmA: Hammonton-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
HmB: Hammonton-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Hu: Hurlock-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
In: Indiantown-----	75	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Ke: Kentuck-----	85	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
KsA: Klej-----	75	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
KsB: Klej-----	75	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Ma: Manahawkin-----	80	Not Rated Not Rated; LEP Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Not Rated Not Rated; LEP Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Not Rated Not Rated; LEP Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00
MC: Mannington-----	50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Nanticoke-----	45	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
MeA: Matapeake-----	80	Not limited		Not limited		Not limited	
MeB: Matapeake-----	80	Not limited		Not limited		Not limited	
MkA: Matapeake-----	80	Not limited		Not limited		Not limited	
MkB: Matapeake-----	80	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MpB: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MqA: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MqB: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Mu: Mullica-----	55	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Berryland-----	30	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
NnA: Nassawango-----	80	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
NnB: Nassawango-----	80	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
NsA: Nassawango-----	80	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
NsB: Nassawango-----	80	Not limited		Somewhat limited Depth to saturated zone	0.24	Not limited	
Ot: Othello-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Othello-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Pk: Puckum-----	75	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00
Pu: Purnell-----	80	Very limited Ponding Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00
RoA: Rosedale-----	80	Not limited		Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Not limited	
RoB: Rosedale-----	80	Not limited		Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Not limited	
RuA: Runclint-----	75	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
RuB: Runclint-----	80	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
SaA: Sassafras-----	75	Not limited		Not limited		Not limited	
SaB: Sassafras-----	75	Not limited		Not limited		Not limited	
SaC: Sassafras-----	75	Not limited		Not limited		Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Su: Sunken-----	100	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Tk: Transquaking-----	90	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00
TP: Transquaking-----	50	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00
Mispillion-----	30	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00 1.00
Uc: Urban Land-----	55	Not rated		Not rated		Not rated	
Acquango-----	35	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Um: Urban Land-----	45	Not rated		Not rated		Not rated	
Askecksy-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Un: Brockatonorton-----	40	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding	1.00
Urban Land-----	40	Not rated		Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
Uz: Udorthents-----	85	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
W: Water-----	100	Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Fragments > 75mm		Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Unified Not Rated; Fragments > 75mm		Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Fragments > 75mm	
WdA: Woodstown-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WdB: Woodstown-----	75	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
Zk: Zekiah-----	75	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

