

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B1B2: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
B1C3: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
BtA: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
BtB2: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
BtC3: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00
Co: Coastal Beaches----	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
Es: Escarpments-----	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvB: Evesboro-----	100	Not limited		Not limited		Not limited	
EvC: Evesboro-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
EvE: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
FsA: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FsB: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Gp: Gravel And Borrow Pits-----	95	Not rated		Not rated		Not rated	
HoB2: Howell-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell	0.50
HoC2: Howell-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50
HoD2: Howell-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Slope Shrink-swell	1.00 0.50
HwB2: Howell-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HyC3: Howell-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.61	Very limited Slope	1.00
		Slope	0.04	Shrink-swell	0.50	Shrink-swell	0.50
				Slope	0.04		
HyD3: Howell-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Depth to saturated zone	0.61	Shrink-swell	0.50
				Shrink-swell	0.50		
ImB: Tuka-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
KpA: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
KpB2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
M1A: Marr-----	100	Not limited		Not limited		Not limited	
M1B2: Marr-----	100	Not limited		Not limited		Not limited	
M1C2: Marr-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
M1C3: Marr-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
M1D3: Marr-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MmA: Matapeake-----	100	Not limited		Not limited		Not limited	
MmB2: Matapeake-----	100	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnA: Matapeake-----	100	Not limited		Not limited		Not limited	
MnB2: Matapeake-----	100	Not limited		Not limited		Not limited	
MnC2: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnC3: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnD3: Matapeake-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MtA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtB2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MuA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MuB2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MuD3: Mattapex-----	100	Somewhat limited Slope	0.16	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.07	Slope	0.16	Depth to saturated zone	0.07
My: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
OcB: Ochlockonee-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
				Depth to saturated zone	0.61		

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OtA: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
OtB: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
RdB: Rumford-----	100	Not limited		Not limited		Not limited	
RdC2: Rumford-----	100	Not limited		Not limited		Very limited Slope	1.00
RdD2: Rumford-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
ReB: Rumford-----	70	Not limited		Not limited		Not limited	
Evesboro-----	30	Not limited		Not limited		Not limited	
ReC: Rumford-----	60	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Evesboro-----	40	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
ReD: Evesboro-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Rumford-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
SaA: Sassafras-----	100	Not limited		Not limited		Not limited	
SaB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
ShA: Sassafras-----	100	Not limited		Not limited		Not limited	
ShB2: Sassafras-----	100	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
ShC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
ShD2: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
ShD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SlA: Sassafras-----	100	Not limited		Not limited		Not limited	
SlB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SlC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SpB2: Sassafras-----	60	Not limited		Not limited		Not limited	
Westphalia-----	40	Not limited		Not limited		Not limited	
SpC3: Sassafras-----	60	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Westphalia-----	40	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
SrE: Sassafras-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Westphalia-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaB2: Westphalia-----	100	Not limited		Not limited		Not limited	
WaC2: Westphalia-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
WaC3: Westphalia-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
WaD2: Westphalia-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
WaD3: Westphalia-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
WoA: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoB: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

