

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1: Beaches-----	85	Not rated		Not rated		Not rated	
2: Bestpitch-----	45	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Transquaking-----	35	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
3: Chicone-----	75	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
4C: Downer-----	100	Not limited		Not limited		Very limited Slope	1.00
5A: Downer-----	100	Not limited		Not limited		Not limited	
5B: Downer-----	100	Not limited		Not limited		Not limited	
6: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
7: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
9C: Evesboro-----	100	Not limited		Not limited		Very limited Slope	1.00
9E: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10: Fallsington-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
11: Fluvaquents-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
12A: Fort Mott-----	100	Not limited		Not limited		Not limited	
12B: Fort Mott-----	100	Not limited		Not limited		Not limited	
13E: Fort Mott-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Evesboro-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Downer-----	20	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
14A: Galestown-----	100	Not limited		Not limited		Not limited	
14B: Galestown-----	100	Not limited		Not limited		Not limited	
15A: Hambrook-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
15B: Hambrook-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Hammonton-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
17: Honga-----	80	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00
18: Hurlock-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
19A: Ingleside-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
19B: Ingleside-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
20: Keyport-----	80	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
21: Klej-----	40	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Hammonton-----	30	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
22A: Matapeake-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
22B: Matapeake-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
23: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24A: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
24B: Mattapex-----	80	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
25: Nanticoke-----	70	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
26: Othello-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
27: Othello-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Kentuck-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
28: Pone-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
29: Pone-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
30: Puckum-----	80	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
31A: Runclint-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
31B: Runclint-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
32: Sassafras-----	100	Not limited		Not limited		Not limited	
33: Sunken-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
34: Udorthents-----	90	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00
35: Woodstown-----	80	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
36A: Woodstown-----	80	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
36B: Woodstown-----	80	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
W: Water-----	100	Not rated		Not rated		Not rated	

