

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
AdB2: Aldino-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.39
AuB2: Aura-----	100	Not limited		Not limited		Not limited	
AuC2: Aura-----	100	Not limited		Not limited		Very limited Slope	1.00
AvD2: Aura-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
BaA: Baile-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
BaB: Baile-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
BcA: Barclay-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
BcB: Barclay-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
BeA: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeB2: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BeC2: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
BeC3: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
BuA: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
BuB2: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
BuC2: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00
BuC3: Butlertown-----	100	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slope	1.00
BuD2: Butlertown-----	100	Somewhat limited Slope	0.84	Somewhat limited Depth to saturated zone Slope	0.95 0.84	Very limited Slope	1.00
CeA: Chester-----	100	Not limited		Not limited		Not limited	
CeB2: Chester-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
ChB2: Chillum-----	100	Not limited		Not limited		Not limited	
ChC2: Chillum-----	100	Not limited		Not limited		Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChC3: Chillum-----	100	Not limited		Not limited		Very limited Slope	1.00
ChD2: Chillum-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
ChD3: Chillum-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
ClB2: Christiana-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
CmB2: Chrome-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope	0.50
		Depth to hard bedrock	0.46	Shrink-swell	0.50	Shrink-swell	0.50
						Depth to hard bedrock	0.46
CmC2: Chrome-----	100	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	0.63	Shrink-swell	0.50
		Depth to hard bedrock	0.46	Shrink-swell	0.50	Depth to hard bedrock	0.46
CmD2: Chrome-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Depth to hard bedrock	1.00	Shrink-swell	0.50
		Depth to hard bedrock	0.46	Shrink-swell	0.50	Depth to hard bedrock	0.46
CnD3: Chrome-----	100	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	1.00	Shrink-swell	0.50
		Depth to hard bedrock	0.46	Shrink-swell	0.50	Depth to hard bedrock	0.46
CnE3: Chrome-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Depth to hard bedrock	1.00	Shrink-swell	0.50
		Depth to hard bedrock	0.46	Shrink-swell	0.50	Depth to hard bedrock	0.46

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Co: Coastal Beaches-----	90	Not rated		Not rated		Not rated	
Cp: Clay Pits-----	95	Not rated		Not rated		Not rated	
Cr: Codorus-----	100	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
CsB2: Collington-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
CsC2: Collington-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Very limited Slope Shrink-swell	1.00 0.50
CtB2: Collington-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
CtC2: Collington-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope Shrink-swell	1.00 0.50
CtC3: Collington-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope Shrink-swell	1.00 0.50
CtD2: Collington-----	100	Somewhat limited Slope Shrink-swell	0.84 0.50	Somewhat limited Slope Shrink-swell	0.84 0.50	Very limited Slope Shrink-swell	1.00 0.50
CtD3: Collington-----	100	Somewhat limited Slope Shrink-swell	0.84 0.50	Somewhat limited Slope Shrink-swell	0.84 0.50	Very limited Slope Shrink-swell	1.00 0.50
Cu: Comus-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CwC: Conowingo-----	100	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.77 0.50 0.04	Very limited Depth to saturated zone Depth to hard bedrock Slope	1.00 0.32 0.04	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.77 0.50
ElA: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
ElB: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EmA: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EmB: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EoA: Elsinboro-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoB2: Elsinboro-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Not limited	
EoC2: Elsinboro-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Very limited Slope	1.00
EvB: Evesboro-----	100	Not limited		Not limited		Not limited	
EvD: Evesboro-----	100	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
EvE: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
FaA: Fallsington-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FaB: Fallsington-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FaC: Fallsington-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00
FmA: Fallsington-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FmB: Fallsington-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GeA: Glenelg-----	100	Not limited		Not limited		Not limited	
GeB2: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
GeC2: Glenelg-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GeC3: Glenelg-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GeD2: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GeD3: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GeE: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GnA: Glenville-----	100	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
GnB2: Glenville-----	100	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
GnC2: Glenville-----	100	Somewhat limited Depth to saturated zone Slope	0.81 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.81
Gv: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
Ha: Hatboro-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
KeA: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KeB2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeC2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope	1.00
						Shrink-swell	0.50
KpA: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KpB2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KpC2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope	1.00
						Shrink-swell	0.50
KpD2: Keyport-----	100	Somewhat limited Slope	0.84	Somewhat limited Depth to saturated zone Slope	0.99 0.84	Very limited Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
KsB3: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KsC3: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope	1.00
						Shrink-swell	0.50
LeB2: Legore-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
LeC2: Legore-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
LeD2: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LgC3: Legore-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgE3: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LoA: Leonardtown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
LoB: Leonardtown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
LyC: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
MaB: Made Land-----	95	Not rated		Not rated		Not rated	
MaD: Made Land-----	100	Not rated		Not rated		Not rated	
MlB2: Manor-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
MlC2: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MlC3: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MlD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MlD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
M1E: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MmD: Manor-----	100	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
MnA: Matapeake-----	100	Not limited		Not limited		Not limited	
MnB2: Matapeake-----	100	Not limited		Not limited		Not limited	
MnC2: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnC3: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MnD2: Matapeake-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MnD3: Matapeake-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
MoA: Matapeake-----	100	Not limited		Not limited		Not limited	
MoB2: Matapeake-----	100	Not limited		Not limited		Not limited	
MpA: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MpB2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MpC2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.07
Mr: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtA: Montalto-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
MtB2: Montalto-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.50
MtC2: Montalto-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 1.00
MvD: Montalto-----	100	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Slope Shrink-swell	0.96 0.50	Very limited Slope Shrink-swell	1.00 0.50
MyC3: Montalto-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 1.00
MyD3: Montalto-----	100	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
NeA: Neshaminy-----	100	Not limited		Not limited		Not limited	
NeB2: Neshaminy-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
NeC2: Neshaminy-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
NeD2: Neshaminy-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
OhA: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
OhB: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
RuB: Rumford-----	100	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RuC: Rumford-----	100	Not limited		Not limited		Very limited Slope	1.00
RuD: Rumford-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SaA: Sassafras-----	100	Not limited		Not limited		Not limited	
SaB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SaC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SaD2: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SaD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SfB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SgB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SgC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SgC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SgD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SrE: Aura-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Sassafras-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
St: Stony Land-----	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Wa: Watchung-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
WoA: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoB2: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoC2: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
WoC3: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
WoD: Woodstown-----	100	Somewhat limited Slope	0.84	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope	1.00
WsA: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsB2: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

