

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| AbB: Albrights----- | 95 | Somewhat limited Depth to saturated zone | 0.81 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.81 |
| AbC2: Albrights----- | 95 | Somewhat limited Depth to saturated zone Slope | 0.81 0.63 | Very limited Depth to saturated zone Slope | 1.00 0.63 | Very limited Slope Depth to saturated zone | 1.00 0.81 |
| AgD: Albrights----- | 95 | Somewhat limited Slope Depth to saturated zone | 0.96 0.81 | Very limited Depth to saturated zone Slope | 1.00 0.96 | Very limited Slope Depth to saturated zone | 1.00 0.81 |
| AhA: Allegheny----- | 100 | Not limited | | Not limited | | Not limited | |
| AhB2: Allegheny----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.50 |
| AhC2: Allegheny----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| AlA: Allegheny----- | 100 | Not limited | | Not limited | | Not limited | |
| AlB2: Allegheny----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.50 |
| AlC2: Allegheny----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| AlD: Allegheny----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| AnB: Allegheny----- | 50 | Not limited | | Not limited | | Not limited | |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|---------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| AnC: Allegheny----- | 50 | Somewhat limited Slope | 0.96 | Somewhat limited Slope | 0.96 | Very limited Slope | 1.00 |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| Au: Alluvial Land----- | 100 | Not rated | | Not rated | | Not rated | |
| Av: Alluvial Land----- | 50 | Not rated | | Not rated | | Not rated | |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| Aw: Atkins----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| BeE: Belmont----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell | 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell Depth to hard bedrock | 1.00 0.50 0.42 | Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell | 1.00 0.50 |
| BkC3: Brooke----- | 100 | Not Rated Not Rated; Fragments > 75mm Shrink-swell Slope Depth to hard bedrock | 1.00 0.63 0.42 | Not Rated Not Rated; Fragments > 75mm Shrink-swell Depth to hard bedrock Slope | 1.00 1.00 0.63 | Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell Depth to hard bedrock | 1.00 1.00 0.42 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| BuB2: Buchanan----- | 95 | Somewhat limited Depth to saturated zone | 0.81 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.81 |
| BuC2: Buchanan----- | 95 | Somewhat limited Depth to saturated zone Slope | 0.81 0.63 | Very limited Depth to saturated zone Slope | 1.00 0.63 | Very limited Slope Depth to saturated zone | 1.00 0.81 |
| BvC: Buchanan----- | 95 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 0.81 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.81 |
| BvD: Buchanan----- | 95 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.81 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.81 |
| CaB: Calvin----- | 100 | Not limited | | Somewhat limited Depth to soft bedrock | 0.42 | Somewhat limited Slope | 0.12 |
| CaC: Calvin----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| ClB2: Calvin----- | 100 | Not limited | | Somewhat limited Depth to soft bedrock | 0.42 | Somewhat limited Slope | 0.12 |
| ClC2: Calvin----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| ClD2: Calvin----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|--|--------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| C1E: Calvin----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| CnB2: Calvin----- | 50 | Not limited | | Somewhat limited Depth to soft bedrock | 0.42 | Somewhat limited Slope | 0.12 |
| Weikert----- | 30 | Somewhat limited Depth to soft bedrock | 1.00 | Very limited Depth to soft bedrock | 1.00 | Somewhat limited Depth to soft bedrock Slope | 1.00 0.12 |
| CnC2: Calvin----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Weikert----- | 30 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| CnD2: Calvin----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Weikert----- | 30 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| CnE: Calvin----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Weikert----- | 30 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| CoB2: Cavode----- | 95 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell | 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell | 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell Slope | 1.00 0.50 0.12 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|--|----------------------|---|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| CoC2: Cavode----- | 95 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell | 1.00 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell | 1.00 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone Shrink-swell | 1.00 1.00 1.00 0.50 |
| CrD: Cavode----- | 95 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell | 1.00 0.84 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell | 1.00 0.84 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Shrink-swell | 1.00 1.00 1.00 0.50 |
| CsA: Chavies----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| CsB: Chavies----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding Slope | 1.00 0.50 |
| CtB2: Cookport----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 0.39 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Depth to hard bedrock | 1.00 0.04 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope | 0.39 0.12 |
| CtC2: Cookport----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.39 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope Depth to hard bedrock | 1.00 1.00 0.04 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.39 |
| CuB: Cookport----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 0.39 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Depth to hard bedrock | 1.00 0.04 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope | 0.39 0.12 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| CuD: Cookport----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| | | Depth to saturated zone | 0.39 | Depth to hard bedrock | 0.04 | Depth to saturated zone | 0.39 |
| Cv: Cut And Fill Land--- | 100 | Not rated | | Not rated | | Not rated | |
| DeB2: Dekalb----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 0.50 |
| | | | | | | Depth to hard bedrock | 0.42 |
| DeC2: Dekalb----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| | | Depth to hard bedrock | 0.42 | Slope | 1.00 | Depth to hard bedrock | 0.42 |
| DeD: Dekalb----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| | | Depth to hard bedrock | 0.42 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.42 |
| DkB: Dekalb----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 0.50 |
| | | | | | | Depth to hard bedrock | 0.42 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|--|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| DkC: Dekalb----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| | | Depth to hard bedrock | 0.42 | | 1.00 | Depth to hard bedrock | 0.42 |
| DlE: Dekalb----- | 50 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 |
| Lehew----- | 50 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.42 0.01 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.01 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.42 0.01 |
| DlF: Dekalb----- | 50 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 |
| Lehew----- | 50 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.42 0.01 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.01 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.42 0.01 |
| EdB2: Edom----- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Slope Shrink-swell | 0.50 0.50 |
| EdC2: Edom----- | 100 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| EdD2: Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| EdE2: Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|------------------|--|--------------|--|------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| EeE3: Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Edom----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| EA: Elliber----- | 100 | Not limited | | Not limited | | Not limited | |
| ElB2: Elliber----- | 100 | Somewhat limited Slope | 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope | 1.00 |
| ElC2: Elliber----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| ElD: Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| EmC: Elliber----- | 100 | Somewhat limited Slope | 0.84 | Somewhat limited Slope | 0.84 | Very limited Slope | 1.00 |
| EmD: Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| EmF: Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Elliber----- | 50 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| ErA: Ernest----- | 100 | Somewhat limited Shrink-swell Depth to saturated zone | 0.50 0.07 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Shrink-swell Depth to saturated zone | 0.50 0.07 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|-------|---|-------|---|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| ErB2: Ernest----- | 100 | Somewhat limited Shrink-swell | 0.50 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Slope | 0.50 |
| | | Depth to saturated zone | 0.07 | | | Shrink-swell | 0.50 |
| | | | | | | Depth to saturated zone | 0.07 |
| ErC2: Ernest----- | 100 | Somewhat limited Slope | 0.63 | Very limited Depth to saturated zone | 1.00 | Very limited Slope | 1.00 |
| | | Shrink-swell | 0.50 | Slope | 0.63 | Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | | | Depth to saturated zone | 0.07 |
| ErD2: Ernest----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 1.00 | Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | | | Depth to saturated zone | 0.07 |
| EuB: Ernest----- | 30 | Somewhat limited Shrink-swell | 0.50 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | | | Depth to saturated zone | 0.07 |
| Landisburg----- | 30 | Not Rated Not Rated; Fragments > 75mm | 1.00 | Not Rated Not Rated; Fragments > 75mm | 1.00 | Not Rated Not Rated; Fragments > 75mm | 1.00 |
| | | Depth to saturated zone | | Depth to saturated zone | 0.13 | Depth to saturated zone | |
| Urban Land----- | 20 | Not rated | | Not rated | | Not rated | |
| EuD: Ernest----- | 30 | Very limited Slope | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Slope | 1.00 |
| | | Shrink-swell | 0.50 | Slope | 1.00 | Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | | | Depth to saturated zone | 0.07 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|---|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Landisburg----- | 30 | Very limited Slope | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Slope | 1.00 |
| | | Shrink-swell Depth to saturated zone | 0.50 0.07 | Slope Shrink-swell | 1.00 0.50 | Shrink-swell Depth to saturated zone | 0.50 0.07 |
| Urban Land----- | 20 | Not rated | | Not rated | | Not rated | |
| G1B2: Gilpin----- | 100 | Not Rated Not Rated; Fragments > 75mm | | Not Rated Not Rated; Fragments > 75mm Depth to soft bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 0.12 |
| G1C2: Gilpin----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| G1D2: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| GnB2: Gilpin----- | 100 | Not Rated Not Rated; Fragments > 75mm | | Not Rated Not Rated; Fragments > 75mm Depth to soft bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 0.12 |
| GnC2: Gilpin----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|-------|--|--------------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| GnD2: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| GnE: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| GsB: Gilpin----- | 100 | Not Rated Not Rated; Fragments > 75mm | | Not Rated Not Rated; Fragments > 75mm Depth to soft bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 0.12 |
| GsD: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| GuB: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm | | Not Rated Not Rated; Fragments > 75mm Depth to soft bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 0.12 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| GuD: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Urban Land----- | 50 | Not rated | | Not rated | | Not rated | |
| GwF: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Weikert----- | 50 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| Gx: Gravel Pits----- | 100 | Not rated | | Not rated | | Not rated | |
| HeC2: Hagerstown----- | 100 | Somewhat limited Slope Shrink-swell | 0.96 0.50 | Somewhat limited Slope Shrink-swell | 0.96 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| HeE2: Hagerstown----- | 100 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Hn: Huntington----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| HxA: Huntington----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|---|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| HxB: Huntington----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding Slope | 1.00 0.50 |
| HxC: Huntington----- | 100 | Very limited Flooding Slope | 1.00 0.63 | Very limited Flooding Slope | 1.00 0.63 | Very limited Slope Flooding | 1.00 1.00 |
| LaB2: Laidig----- | 100 | Not limited | | Somewhat limited Depth to saturated zone | 0.90 | Not limited | |
| LaC2: Laidig----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Depth to saturated zone Slope | 0.90 0.63 | Very limited Slope | 1.00 |
| LaD2: Laidig----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to saturated zone | 1.00 0.90 | Very limited Slope | 1.00 |
| LbC: Laidig----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 0.04 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope | 0.90 0.04 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| LbD: Laidig----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.90 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| LdA: Landisburg----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Depth to hard bedrock | 1.00 0.13 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------------------|---|----------------------|---|--------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| LdB2: Landisburg----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Depth to hard bedrock | 1.00 0.13 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope | 1.00 0.50 |
| LdC2: Landisburg----- | 100 | Somewhat limited Slope Shrink-swell Depth to saturated zone | 0.63 0.50 0.07 | Very limited Depth to saturated zone Slope Shrink-swell | 1.00 0.63 0.50 | Very limited Slope Shrink-swell Depth to saturated zone | 1.00 0.50 0.07 |
| LdD2: Landisburg----- | 100 | Very limited Slope Shrink-swell Depth to saturated zone | 1.00 0.50 0.07 | Very limited Slope Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Slope Shrink-swell Depth to saturated zone | 1.00 0.50 0.07 |
| LgD: Leetonia----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 0.84 | Not Rated Not Rated; Fragments > 75mm Slope Depth to hard bedrock | 0.84 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| LhB2: Lehew----- | 100 | Somewhat limited Depth to hard bedrock | 0.42 | Very limited Depth to hard bedrock | 1.00 | Somewhat limited Slope Depth to hard bedrock | 0.88 0.42 |
| LhC2: Lehew----- | 100 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Depth to hard bedrock Slope | 1.00 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 |
| LhE: Lehew----- | 50 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 |
| Lehew----- | 50 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| LlB: Lehew----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 0.42 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock Slope | 0.42 0.12 |
| LlD: Lehew----- | 50 | Very limited Slope | 1.00 | Very limited Depth to hard bedrock | 1.00 | Very limited Slope | 1.00 |
| | | Depth to hard bedrock | 0.42 | Slope | 1.00 | Depth to hard bedrock | 0.42 |
| | | Content of large stones | 0.01 | Content of large stones | 0.01 | Content of large stones | 0.01 |
| Lehew----- | 50 | Very limited Slope | 1.00 | Very limited Depth to hard bedrock | 1.00 | Very limited Slope | 1.00 |
| | | Depth to hard bedrock | 0.42 | Slope | 1.00 | Depth to hard bedrock | 0.42 |
| | | Content of large stones | 0.01 | Content of large stones | 0.01 | Content of large stones | 0.01 |
| Lm: Lickdale----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell | 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell | 1.00 0.50 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Ln: Lindside----- | 95 | Very limited Flooding Depth to saturated zone | 1.00 0.07 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.07 |
| LsB2: Litz----- | 100 | Not limited | | Somewhat limited Depth to soft bedrock | 0.42 | Somewhat limited Slope | 0.88 |
| LsC2: Litz----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| LsD2: Litz----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|---------------------------|------------------|--|-------|---|--------------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Litz----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| LsE: Litz----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Litz----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| LyB: Loysville----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Depth to hard bedrock | 1.00 0.13 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 |
| McB2: Meckesville----- | 100 | Not limited | | Somewhat limited Depth to saturated zone | 0.90 | Not limited | |
| McC2: Meckesville----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Depth to saturated zone Slope | 0.90 0.63 | Very limited Slope | 1.00 |
| McD2: Meckesville----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to saturated zone | 1.00 0.90 | Very limited Slope | 1.00 |
| MdC: Meckesville----- | 100 | Not Rated Not Rated; Fragments > 75mm | | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 0.90 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| MdD: Meckesville----- | 100 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone | 1.00 0.90 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---|--------------|---|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Me: Melvin----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| MhA: Monongahela----- | 95 | Somewhat limited Depth to saturated zone | 0.07 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.07 |
| MhB2: Monongahela----- | 95 | Somewhat limited Depth to saturated zone | 0.07 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Slope Depth to saturated zone | 0.50 0.07 |
| MhC2: Monongahela----- | 95 | Somewhat limited Slope Depth to saturated zone | 0.63 0.07 | Very limited Depth to saturated zone Slope | 1.00 0.63 | Very limited Slope Depth to saturated zone | 1.00 0.07 |
| NoA: Nolo----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| NoB: Nolo----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Slope | 1.00 0.88 |
| NoC2: Nolo----- | 100 | Very limited Depth to saturated zone Slope | 1.00 0.84 | Very limited Depth to saturated zone Slope | 1.00 0.84 | Very limited Slope Depth to saturated zone | 1.00 1.00 |
| NsC: Nolo----- | 100 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone | 1.00 | Not Rated Not Rated; Fragments > 75mm Depth to saturated zone Slope | 1.00 1.00 |
| OpB2: Opequon----- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Slope Shrink-swell | 0.50 0.50 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|----------------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| OpC2: Opequon----- | 100 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| OpD2: Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| OpE2: Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| OuD: Opequon----- | 100 | Somewhat limited Slope Shrink-swell | 0.96 0.50 | Somewhat limited Slope Shrink-swell | 0.96 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| OuE: Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Opequon----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Ph: Philo----- | 95 | Very limited Flooding Depth to saturated zone | 1.00 0.07 | Very limited Flooding Depth to saturated zone Depth to hard bedrock | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.07 |
| Pn: Pope----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| Ps: Pope----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| RbB: Robertsville----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|-------|---|--------------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Rc: Rock Outcrop----- | 100 | Not rated | | Not rated | | Not rated | |
| ShB2: Shelocta----- | 100 | Not limited | | Somewhat limited Depth to hard bedrock | 0.61 | Somewhat limited Slope | 0.12 |
| ShC2: Shelocta----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope Depth to hard bedrock | 0.63 0.61 | Very limited Slope | 1.00 |
| ShD2: Shelocta----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.61 | Very limited Slope | 1.00 |
| Shelocta----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.61 | Very limited Slope | 1.00 |
| SrC: Stony Land----- | 50 | Not rated | | Not rated | | Not rated | |
| Stony Land----- | 50 | Not rated | | Not rated | | Not rated | |
| SrF: Stony Land----- | 100 | Not rated | | Not rated | | Not rated | |
| St: Strip Mines And Dump | 95 | Not rated | | Not rated | | Not rated | |
| TyA: Tyler----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|--|--------------|--|--------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| TyB: Tyler----- | 95 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Slope | 1.00 0.50 |
| W: Water----- | 100 | Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Unified Not Rated; Fragments > 75mm | | Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Unified Not Rated; Fragments > 75mm | | Not Rated Not Rated; Slope Not Rated; LEP Not Rated; Unified Not Rated; Fragments > 75mm | |
| WeB2: Weikert----- | 100 | Somewhat limited Depth to soft bedrock | 1.00 | Very limited Depth to soft bedrock | 1.00 | Somewhat limited Depth to soft bedrock Slope | 1.00 0.12 |
| WeC2: Weikert----- | 100 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 1.00 |
| WeE: Weikert----- | 50 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 1.00 |
| Weikert----- | 50 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 1.00 |
| WkD: Weikert----- | 50 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 1.00 |
| Weikert----- | 50 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 1.00 |
| WlB: Weikert----- | 50 | Somewhat limited Depth to soft bedrock | 1.00 | Very limited Depth to soft bedrock | 1.00 | Somewhat limited Depth to soft bedrock Slope | 1.00 1.00 0.12 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|----------------------------|------------------|--|--------------|---|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| WlC: Weikert----- | 50 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Depth to soft bedrock Slope | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| WlE: Weikert----- | 50 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| Urban Land----- | 30 | Not rated | | Not rated | | Not rated | |
| WnF: Gilpin----- | 50 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 | Not Rated Not Rated; Fragments > 75mm Slope Depth to soft bedrock | 1.00 0.42 | Not Rated Not Rated; Fragments > 75mm Slope | 1.00 |
| Weikert----- | 50 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 | Very limited Slope Depth to soft bedrock | 1.00 1.00 |
| WsB2: Westmoreland----- | 100 | Not limited | | Very limited Depth to hard bedrock | 1.00 | Somewhat limited Slope | 0.88 |
| WsC2: Westmoreland----- | 100 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---------------------------------------|-------|---|--------------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| WsD2: Westmoreland----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope | 1.00 |
| Westmoreland----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope | 1.00 |
| WsE: Westmoreland----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope | 1.00 |
| Westmoreland----- | 50 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 1.00 | Very limited Slope | 1.00 |

