

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1: Beaches-----	85	Not rated		Not rated		Not rated	
2: Bestpitch-----	45	Very limited Depth to saturated zone Subsidence Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Flooding Content of organic matter Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00 1.00 1.00
Transquaking-----	35	Very limited Depth to saturated zone Subsidence Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Flooding Content of organic matter Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00 1.00 1.00
3: Chicone-----	75	Very limited Depth to saturated zone Flooding Frost action	1.00 1.00 0.50	Very limited Depth to saturated zone Cutbanks cave Content of organic matter Flooding	1.00 1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
4C: Downer-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
5A: Downer-----	100	Not limited		Very limited Cutbanks cave	1.00	Not limited	
5B: Downer-----	100	Not limited		Very limited Cutbanks cave	1.00	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
7: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
8: Elkton-----	80	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
9C: Evesboro-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Too sandy	0.65 0.50
9E: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty Too sandy	1.00 0.66 0.50
10: Fallsington-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
11: Fluvaquents-----	85	Very limited Depth to saturated zone Flooding Frost action	1.00 1.00 0.50	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
12A: Fort Mott-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.03
12B: Fort Mott-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.01
13E: Fort Mott-----	35	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty Too sandy	1.00 0.69 0.50
Downer-----	20	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
14A: Galestown-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.87
14B: Galestown-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.88
15A: Hambrook-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	
15B: Hambrook-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	
16: Hammonton-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
17: Honga-----	80	Very limited Depth to saturated zone Flooding Subsidence	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Flooding Cutbanks cave	1.00 1.00 1.00 0.80 0.10	Very limited Flooding Content of organic matter Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00 1.00 1.00
18: Hurlock-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
19A: Ingleside-----	100	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
19B: Ingleside-----	100	Not limited		Somewhat limited Depth to saturated zone Cutbanks cave	0.15 0.10	Not limited	
20: Keyport-----	80	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.99	Not limited	
21: Klej-----	40	Somewhat limited Depth to saturated zone Frost action	0.75 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Somewhat limited Depth to saturated zone Droughty	0.75 0.28
Hammonton-----	30	Very limited Frost action	1.00	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Somewhat limited Droughty	0.01
22A: Matapeake-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	
22B: Matapeake-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Not limited	
23: Mattapex-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
24A: Mattapex-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
24B: Mattapex-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
25: Nanticoke-----	70	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
26: Othello-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
27: Othello-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Kentuck-----	30	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
28: Pone-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
29: Pone-----	80	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
30: Puckum-----	80	Very limited Depth to saturated zone Subsidence Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Flooding Content of organic matter Depth to saturated zone	1.00 1.00 1.00
31A: Runclint-----	100	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Somewhat limited Droughty Too sandy	0.65 0.50
31B: Runclint-----	100	Not limited		Very limited Cutbanks cave Depth to saturated zone	1.00 0.15	Somewhat limited Droughty Too sandy	0.85 0.50

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
32: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
33: Sunken-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Salinity	1.00
		Flooding	1.00	Cutbanks cave	1.00	Depth to saturated zone	1.00
		Frost action	0.50	Flooding	0.60	Flooding	0.60
34: Udorthents-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Too sandy	0.50
				Depth to saturated zone	0.95	Gravel content	0.01
35: Woodstown-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
				Depth to saturated zone	1.00		
36A: Woodstown-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
				Depth to saturated zone	1.00		
36B: Woodstown-----	80	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
				Depth to saturated zone	1.00		
W: Water-----	100	Not rated		Not rated		Not rated	

