

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|----------------------------|------------------|---|----------------------|--|--------------|---|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| BaA: Barclay----- | 100 | Somewhat limited Depth to saturated zone | 0.94 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Somewhat limited Depth to saturated zone | 0.94 |
| BaB2: Barclay----- | 100 | Somewhat limited Depth to saturated zone | 0.94 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Somewhat limited Depth to saturated zone | 0.94 |
| Bp: Borrow Pits----- | 95 | Not rated | | Not rated | | Not rated | |
| Cb: Coastal Beaches---- | 100 | Not rated | | Not rated | | Not rated | |
| DoA: Downer----- | 100 | Not limited | | Very limited Cutbanks cave | 1.00 | Somewhat limited Droughty | 0.43 |
| DoB2: Downer----- | 100 | Not limited | | Very limited Cutbanks cave | 1.00 | Somewhat limited Droughty | 0.43 |
| DoC2: Downer----- | 100 | Not limited | | Very limited Cutbanks cave | 1.00 | Somewhat limited Droughty | 0.43 |
| Ek: Elkton----- | 50 | Very limited Depth to saturated zone Shrink-swell Frost action | 1.00 0.50 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Very limited Depth to saturated zone | 1.00 |
| Elkton----- | 50 | Very limited Depth to saturated zone Shrink-swell Frost action | 1.00 0.50 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Very limited Depth to saturated zone | 1.00 |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|--------------------------|------------------|---|----------------------|--|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Es: Elkton----- | 50 | Very limited Depth to saturated zone Shrink-swell Frost action | 1.00 0.50 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Very limited Depth to saturated zone | 1.00 |
| Elkton----- | 50 | Very limited Depth to saturated zone Shrink-swell Frost action | 1.00 0.50 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Very limited Depth to saturated zone | 1.00 |
| Fa: Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Ff: Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Fg: Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| Fallsington----- | 50 | Very limited Depth to saturated zone Frost action | 1.00 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| GaB: Galestown----- | 100 | Not limited | | Very limited Cutbanks cave | 1.00 | Somewhat limited Droughty | 0.87 |
| GaC: Galestown----- | 100 | Somewhat limited Slope | 0.16 | Very limited Cutbanks cave Slope | 1.00 0.16 | Somewhat limited Droughty Slope | 0.87 0.16 |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|--------------------------|------------------|--|--------------------------|--|--------------------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| KmA: Keyport----- | 100 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KmB2: Keyport----- | 100 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KmC2: Keyport----- | 95 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KmD: Keyport----- | 100 | Very limited Frost action Slope Shrink-swell | 1.00 0.84 0.50 | Very limited Cutbanks cave Depth to saturated zone Slope | 1.00 0.99 0.84 | Somewhat limited Slope | 0.84 |
| KpA: Keyport----- | 100 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KpB2: Keyport----- | 100 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KsC3: Keyport----- | 100 | Very limited Frost action Shrink-swell | 1.00 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.99 | Not limited | |
| KsD3: Keyport----- | 100 | Very limited Frost action Slope Shrink-swell | 1.00 0.84 0.50 | Very limited Cutbanks cave Depth to saturated zone Slope | 1.00 0.99 0.84 | Somewhat limited Slope | 0.84 |
| Ky: Klej----- | 100 | Somewhat limited Depth to saturated zone Frost action | 0.75 0.50 | Very limited Depth to saturated zone Cutbanks cave | 1.00 1.00 | Somewhat limited Depth to saturated zone Droughty | 0.75 0.27 |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|--------------------------|------------------|---|--------------|--|--------------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ma: Madeland----- | 95 | Not rated | | Not rated | | Not rated | |
| MkA: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MkB2: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MkC2: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MkD: Matapeake----- | 100 | Somewhat limited Slope Frost action | 0.84 0.50 | Somewhat limited Slope Cutbanks cave | 0.84 0.10 | Somewhat limited Slope | 0.84 |
| MlA: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MlB2: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MlC2: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MlC3: Matapeake----- | 100 | Somewhat limited Frost action | 0.50 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| MlD3: Matapeake----- | 100 | Somewhat limited Slope Frost action | 0.84 0.50 | Somewhat limited Slope Cutbanks cave | 0.84 0.10 | Somewhat limited Slope | 0.84 |
| MpA: Mattapex----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Somewhat limited Depth to saturated zone | 0.03 |
| | | Depth to saturated zone | 0.03 | Depth to saturated zone | 1.00 | | |
| MpB2: Mattapex----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Somewhat limited Depth to saturated zone | 0.03 |
| | | Depth to saturated zone | 0.03 | Depth to saturated zone | 1.00 | | |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|----------------------------|------------------|--------------------------------------|-------|--------------------------------------|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MxA: Mattapex----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Somewhat limited Depth to saturated zone | 0.03 |
| | | Depth to saturated zone | 0.03 | Depth to saturated zone | 1.00 | | |
| MxB2: Mattapex----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Somewhat limited Depth to saturated zone | 0.03 |
| | | Depth to saturated zone | 0.03 | Depth to saturated zone | 1.00 | | |
| My: Mixed Alluvial Land | 100 | Not rated | | Not rated | | Not rated | |
| Oh: Othello----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Frost action | 0.50 | Cutbanks cave | 1.00 | | |
| Ot: Othello----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Frost action | 0.50 | Cutbanks cave | 1.00 | | |
| Pe: Plummer----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | | | Cutbanks cave | 1.00 | Droughty | 0.69 |
| Pk: Pocomoke----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | | | Cutbanks cave | 1.00 | | |
| Pm: Pocomoke----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | | | Cutbanks cave | 1.00 | | |
| Pt: Portsmouth----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | | | Cutbanks cave | 1.00 | | |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|-----------------------------|---------------------------|---|--------------|--|--------------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| SaA: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SaB2: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SaC2: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SaC3: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SaD: Sassafras----- | 100 | Somewhat limited Slope Frost action | 0.84 0.50 | Very limited Cutbanks cave Slope | 1.00 0.84 | Somewhat limited Slope | 0.84 |
| SaD3: Sassafras----- | 100 | Somewhat limited Slope Frost action | 0.84 0.50 | Very limited Cutbanks cave Slope | 1.00 0.84 | Somewhat limited Slope | 0.84 |
| SfA: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SfB2: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SmA: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SmB2: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SmC2: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| SmC3: Sassafras----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave | 1.00 | Not limited | |
| St: Steep Land----- | 100 | Not rated | | Not rated | | Not rated | |

Table ENG-4.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Local roads and streets | | Shallow excavations | | Lawns and landscaping | |
|--------------------------|------------------|------------------------------------|-------|---|--------------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Tm: Tidal Marsh----- | 100 | Not rated | | Not rated | | Not rated | |
| WdA: Woodstown----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 1.00 | Not limited | |
| WdB2: Woodstown----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 1.00 | Not limited | |
| WfA: Woodstown----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 1.00 | Not limited | |
| WoA: Woodstown----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 1.00 | Not limited | |
| WoB2: Woodstown----- | 100 | Somewhat limited Frost action | 0.50 | Very limited Cutbanks cave Depth to saturated zone | 1.00 1.00 | Not limited | |

