

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Too clayey Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
Bm: Bibb-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Ek: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Em: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	50	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
GaA: Galestown-----	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.87
GaB: Galestown-----	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.87
GaC: Galestown-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.87
GaD: Galestown-----	100	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Droughty Slope	0.87 0.84
GaE: Galestown-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty	1.00 0.87
GaF: Galestown-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty	1.00 0.87
GsA: Galestown-----	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Too sandy	0.87 0.50
GsB: Galestown-----	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Too sandy	0.87 0.50
GsC: Galestown-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty Too sandy	0.87 0.50
GsD: Galestown-----	100	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Droughty Slope Too sandy	0.87 0.84 0.50

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsE: Galestown-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty Too sandy	1.00 0.87 0.50
Jo: Johnston-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
KsA: Klej-----	95	Somewhat limited Depth to saturated zone Frost action	0.75 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Somewhat limited Depth to saturated zone Droughty	0.75 0.10
KsB: Klej-----	95	Somewhat limited Depth to saturated zone Frost action	0.75 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Somewhat limited Depth to saturated zone Droughty	0.75 0.10
LaA: Lakeland-----	100	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69
LaB: Lakeland-----	100	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69
LaC: Lakeland-----	100	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty	0.69
LcC: Lakeland-----	100	Not limited		Very limited Cutbanks cave Too clayey	1.00 0.28	Somewhat limited Droughty Too sandy	0.69 0.50
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MkB2: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MkE: Matapeake-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
MsA: Mattapex-----	95	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
MsB2: Mattapex-----	95	Somewhat limited Frost action Depth to saturated zone	0.50 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
MsE: Mattapex-----	100	Very limited Slope Frost action Depth to saturated zone	1.00 0.50 0.03	Very limited Slope Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Slope Depth to saturated zone	1.00 0.03
Mt: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
Mu: Muck-----	100	Not rated		Not rated		Not rated	
Oh: Othello-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Pm: Plummer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone Droughty	1.00 0.69
Po: Pocomoke-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ps: Pocomoke-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Pt: Portsmouth-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
SaA: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaB2: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
ShA: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SmA: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.03
SmB: Sassafras-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.43
SmB2: Sassafras-----	95	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.43
SmC: Sassafras-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.43
SmC2: Sassafras-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.43
SmC3: Sassafras-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.43
SmD: Sassafras-----	100	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope Droughty	0.84 0.43
SmE: Sassafras-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnA: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnB: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnB2: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnB3: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnC: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnC2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnC3: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SnD: Sassafras-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SnD2: Sassafras-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SnE: Sassafras-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
SnF: Sassafras-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
SsA: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SsB: Sassafras-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WdB2: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoA: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoB: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoB2: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoC: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	

