

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ax: Axis-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Be: Beaches-----	100	Not rated		Not rated	
Bs: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Bt: Bibb Variant-----	100	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
BuA: Butlertown-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
Mattapex-----	40	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BuB2: Butlertown-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.32
Mattapex-----	40	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
BuC2: Butlertown-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Mattapex-----	35	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
CeB2: Colts Neck-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
CeC2: Colts Neck-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 1.00
CgC2: Colts Neck-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CgC3: Colts Neck-----	100	Very limited Filtering capacity Restricted permeability	1.00  0.50	Very limited Seepage  Slope	1.00  1.00
CgD2: Colts Neck-----	95	Very limited Filtering capacity Slope Restricted permeability	1.00  0.84 0.50	Very limited Slope  Seepage	1.00  1.00
CgD3: Colts Neck-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00  0.84 0.50	Very limited Slope  Seepage	1.00  1.00
CnE: Colts Neck-----	35	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
Sassafras-----	35	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
Em: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fh: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
FmB: Fort Mott-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
FmC2: Fort Mott-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
GaB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GaD: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GaE: Galestown-----	95	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Ih: Ipswich-----	100	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 1.00
Ik: Iuka-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
KmA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KmB2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KpA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KpB2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KpC2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ks: Kingsland-----	100	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Flooding Content of organic matter Depth to saturated zone	1.00 1.00 1.00
MfB: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage  Slope	1.00  0.32
MnA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MnB: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage  Slope	1.00  0.32
MnC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope  Seepage	1.00  1.00
MnC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope  Seepage	1.00  1.00
MnD2: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
MpA: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MpB: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage  Slope	1.00 1.00  0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MtA: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  0.68	Very limited Depth to saturated zone Seepage	1.00  1.00
MtB: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  0.68	Very limited Depth to saturated zone Seepage  Slope	1.00  1.00  0.32
MtC2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00  1.00  0.68	Very limited Depth to saturated zone Slope  Seepage	1.00  1.00  1.00
MwD: Mattapex-----	40	Very limited Depth to saturated zone Slope  Restricted permeability	1.00  0.84  0.68	Very limited Slope  Depth to saturated zone Seepage	1.00  1.00  1.00
Woodstown-----	35	Very limited Depth to saturated zone Slope	1.00  0.84	Very limited Slope  Depth to saturated zone Seepage	1.00  1.00  1.00
MxA: Mattapex-----	40	Very limited Depth to saturated zone Restricted permeability	1.00  0.68	Very limited Depth to saturated zone Seepage	1.00  1.00
Matapeake-----	28	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
Butlertown-----	27	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone Seepage	1.00  0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MxB: Mattapex-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
Matapeake-----	35	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
Butlertown-----	20	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.32
MzA: Mattapex Variant----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MzB: Mattapex Variant----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
Oh: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.32
Pt: Pits-----	100	Not rated		Not rated	
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaB: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SaD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SfA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SfB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SfC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SfC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SfD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SgB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.08
SgC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SgC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SgD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00
W: Water-----	100	Not rated		Not rated	
We: Westbrook-----	100	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.82	Very limited Flooding Depth to saturated zone Seepage Content of organic matter	1.00 1.00 1.00 1.00
WoA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WoB: Woodstown-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WsA: Woodstown-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WsB: Woodstown-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

