

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Bb: Bayboro-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Be: Beaches-----	80	Not rated		Not rated	
Bo: Borrow Pits-----	95	Not rated		Not rated	
DoA: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
DoB2: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
DoC: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Ea: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ek: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Em: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
En: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
EoD: Evesboro-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
EpB: Evesboro-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
ErD: Evesboro-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
EsB: Evesboro-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
EtF: Evesboro-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
EvD: Evesboro-----	50	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Galestown-----	30	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
EwB: Evesboro-----	50	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
Galestown-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
EyC: Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
Galestown-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
Downer-----	20	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
Fa: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Fg: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Fs: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GaD: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
GcB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
KeA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KeB: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KsA: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage	1.00
KsB: Klej-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Slope	1.00 0.32
Le: Leon-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Made Land-----	95	Not rated		Not rated	
MdA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MdB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MeA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MeB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MeC: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MfA: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00
MfB: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00
MmB: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage Slope	1.00 0.32
MmC: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00
MmE: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Slope Filtering capacity	1.00 1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00
MnA: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00
MnB: Matawan-----	100	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MpB: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
MtA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MtB: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
Mu: Muck-----	100	Not rated		Not rated	
Mv: Mixed Alluvial Land-	100	Not rated		Not rated	
NoA: Norfolk-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NoB: Norfolk-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage Slope	0.50 0.32
NoC: Norfolk-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Very limited Slope Seepage	1.00 0.50
NsD: Norfolk-----	50	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Very limited Slope Seepage	1.00 0.50
Sassafras-----	50	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
NsE: Norfolk-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Sassafras-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Ow: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pe: Plummer-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Somewhat limited Seepage	0.32
Pk: Pocomoke-----	100	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.50	Very limited Seepage Ponding	1.00 1.00
Po: Pocomoke-----	100	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.50	Very limited Seepage Ponding	1.00 1.00
Pr: Portsmouth-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage	1.00
Pt: Portsmouth-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage	1.00
Ru: Rutlege-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SsA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SsB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SsC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
St: St. Johns-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Su: St. Johns-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Sw: Swamp-----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WfA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
WfB: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32
WoA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
WsA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
WsB: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32

