

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Bm: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Ek: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Em: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.68		
Fs: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.68		
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.68		
GaA: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
GaB: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
GaC: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
GaD: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.84	Seepage	1.00
GaE: Galestown-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GaF: Galestown-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
GsA: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
GsB: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GsC: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
GsD: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
GsE: Galestown-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Jo: Johnston-----	100	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
KsA: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Depth to saturated zone	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KsB: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.32
LaA: Lakeland-----	100	Very limited Restricted permeability	1.00	Not limited	
LaB: Lakeland-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
LaC: Lakeland-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
LcC: Lakeland-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.92
Ma: Madeland-----	95	Not rated		Not rated	
MkA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.32
MkB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MkE: Matapeake-----	100	Very limited Slope Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
MsA: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MsB2: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MsE: Mattapex-----	100	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 0.68	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Mt: Mixed Alluvial Land-	100	Not rated		Not rated	
Mu: Muck-----	100	Not rated		Not rated	
Oh: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
Pm: Plummer-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 0.32
Po: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00
Ps: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pt: Portsmouth-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50		
SaA: Sassafras-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68		
SaB2: Sassafras-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.32
ShA: Sassafras-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68		
SmA: Sassafras-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
SmB: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
SmB2: Sassafras-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
SmC: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
SmC2: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SmC3: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
SmD: Sassafras-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
SmE: Sassafras-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
SnA: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SnB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SnB2: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SnB3: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SnC: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SnC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SnC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SnD: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SnD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SnE: Sassafras-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
SnF: Sassafras-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
SsA: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SsB: Sassafras-----	95	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
Sw: Swamp-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WdA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WdB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoB: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoC: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit				

