

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage Slope	1.00 1.00 0.32
AcC: Acquango-----	90	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage Slope	1.00 1.00 1.00
As: Askecksy-----	80	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Be: Beaches-----	100	Not rated		Not rated	
Bh: Berryland-----	80	Very limited Ponding Depth to saturated zone Filtering capacity Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Seepage Flooding	1.00 1.00 0.40
BkA: Brockatonorton-----	80	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Content of organic matter	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BkB: Brockatonorton-----	80	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Content of organic matter Slope	1.00 1.00 1.00 0.32
Br: Broadkill-----	80	Very limited Flooding Ponding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00 0.68	Very limited Ponding Flooding Seepage	1.00 1.00 1.00
BX: Boxiron-----	40	Very limited Flooding Ponding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00 0.68	Very limited Ponding Flooding Seepage	1.00 1.00 0.32
Broadkill-----	40	Very limited Flooding Ponding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00 0.68	Very limited Ponding Flooding Seepage	1.00 1.00 1.00
CeA: Cedartown-----	55	Very limited Filtering capacity Depth to saturated zone	1.00 0.65	Very limited Seepage Depth to saturated zone	1.00 0.02
Rosedale-----	25	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CeB: Cedartown-----	55	Very limited Filtering capacity Depth to saturated zone	1.00 0.65	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.02
Rosedale-----	25	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage Slope	1.00 0.32
Ch: Chicone-----	75	Very limited Flooding Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage Content of organic matter	1.00 1.00 1.00 1.00
Ek: Elkton-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Em: Elkton-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
EvA: Evesboro-----	80	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
EvB: Evesboro-----	80	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
EvC: Evesboro-----	80	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	75	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
FmA: Fort Mott-----	80	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
FmB: Fort Mott-----	80	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GaA: Galestown-----	75	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
GaB: Galestown-----	75	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GaC: Galestown-----	75	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
HbA: Hambrook-----	75	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Somewhat limited Seepage	0.50
HbB: Hambrook-----	75	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Somewhat limited Seepage Slope	0.50 0.32
HmA: Hammonton-----	75	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HmB: Hammonton-----	75	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Slope	1.00 0.32
Hu: Hurlock-----	80	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Seepage	1.00
In: Indiantown-----	75	Very limited Flooding Ponding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00 0.50	Very limited Ponding Flooding Seepage	1.00 1.00 1.00
Ke: Kentuck-----	85	Very limited Ponding Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00 1.00	Very limited Ponding Seepage	1.00 1.00
KsA: Klej-----	75	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage	1.00
KsB: Klej-----	75	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Manahawkin-----	80	Very limited Flooding Ponding Depth to saturated zone Filtering capacity Subsidence	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage Content of organic matter	1.00 1.00 1.00 1.00
MC: Mannington-----	50	Very limited Flooding Ponding Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage Content of organic matter	1.00 1.00 1.00 1.00
Nanticoke-----	45	Very limited Flooding Ponding Depth to saturated zone Restricted permeability	1.00 1.00 1.00 1.00	Very limited Ponding Flooding	1.00 1.00
MeA: Matapeake-----	80	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MeB: Matapeake-----	80	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MkA: Matapeake-----	80	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MkB: Matapeake-----	80	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MpB: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
MqA: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MqB: Mattapex-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
Mu: Mullica-----	55	Very limited Depth to saturated zone Filtering capacity Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40
Berryland-----	30	Very limited Ponding Depth to saturated zone Filtering capacity Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Seepage Flooding	1.00 1.00 0.40

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NnA: Nassawango-----	80	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.65	Very limited Seepage	1.00
NnB: Nassawango-----	80	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.65	Very limited Seepage Slope	1.00 0.32
NsA: Nassawango-----	80	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.65	Very limited Seepage	1.00
NsB: Nassawango-----	80	Very limited Restricted permeability Filtering capacity Depth to saturated zone	1.00 1.00 0.65	Very limited Seepage Slope	1.00 0.32
Ot: Othello-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Othello-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Pk: Puckum-----	75	Very limited Flooding Ponding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Content of organic matter Seepage	1.00 1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pu: Purnell-----	80	Very limited Flooding Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage	1.00 1.00 1.00
RoA: Rosedale-----	80	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage	1.00
RoB: Rosedale-----	80	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage Slope	1.00 0.32
RuA: Runclint-----	75	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage	1.00
RuB: Runclint-----	80	Very limited Filtering capacity Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Very limited Seepage Slope	1.00 0.32
SaA: Sassafras-----	75	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SaB: Sassafras-----	75	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaC: Sassafras-----	75	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
Su: Sunken-----	100	Very limited Flooding Restricted permeability Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Seepage	1.00 1.00 0.50
Tk: Transquaking-----	90	Very limited Flooding Restricted permeability Ponding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Content of organic matter Seepage	1.00 1.00 1.00 1.00
TP: Transquaking-----	50	Very limited Flooding Restricted permeability Ponding Depth to saturated zone Subsidence	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Content of organic matter Seepage	1.00 1.00 1.00 1.00
Mispillion-----	30	Very limited Flooding Ponding Depth to saturated zone Restricted permeability Subsidence	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Content of organic matter	1.00 1.00 1.00
Uc: Urban Land-----	55	Not rated		Not rated	
Acquango-----	35	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Um: Urban Land-----	45	Not rated		Not rated	
Askecksy-----	35	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Un: Brookatonorton-----	40	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Content of organic matter	1.00 1.00 1.00
Urban Land-----	40	Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated	
Udorthents-----	44	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Uz: Udorthents-----	85	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Slope	1.00 0.08
W: Water-----	100	Not Rated Not Rated; Slope Not Rated; Fragments > 75mm		Not Rated Not Rated; Slope Not Rated; Fragments > 75mm Not Rated; Ksat	
WdA: Woodstown-----	75	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WdB: Woodstown-----	75	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32
Zk: Zekiah-----	75	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00

