

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Bp: Bestpitch-----	75	Very limited Flooding Restricted permeability Depth to saturated zone Subsidence Filtering capacity	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Flooding Seepage Content of organic matter Depth to saturated zone	1.00 1.00 1.00 1.00 1.00
Ca: Carmichael-----	35	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
Carmichael-----	30	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
Co: Corsica-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Depth to saturated zone	1.00 1.00
Corsica-----	20	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Depth to saturated zone	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DhC: Downer-----	35	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Hammonton-----	35	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 1.00 1.00
DoB: Downer-----	60	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
DOE: Downer-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
DUD: Downer-----	40	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
Unicorn-----	40	Very limited Filtering capacity Slope Depth to saturated zone Restricted permeability	1.00 0.84 0.65 0.50	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.02
Fg: Fallsington-----	35	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Depth to saturated zone	1.00 1.00
Fallsington-----	20	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Depth to saturated zone	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FmA: Fort Mott-----	60	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
FmB: Fort Mott-----	60	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GfB: Galestown-----	40	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
Fort Mott-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GfC: Galestown-----	40	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Fort Mott-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
GrA: Greenwich-----	60	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
HnA: Hammonton-----	55	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
HnB: Hammonton-----	65	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Honga-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
Hr: Hurlock-----	35	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Hurlock-----	30	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00		
IgA: Ingleside-----	65	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	0.65	Depth to saturated zone	0.02
IgB: Ingleside-----	60	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	0.65	Slope	0.32
				Depth to saturated zone	0.02
IgC: Ingleside-----	55	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Depth to saturated zone	0.65	Slope	1.00
				Depth to saturated zone	0.02
Kn: Kentuck-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lo: Longmarsh-----	65	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
LZ: Longmarsh-----	30	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Zekiah-----	30	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
M-W: Water-----	100	Not rated		Not rated	
MkA: Matapeake-----	80	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.32
MkB: Matapeake-----	70	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.32 0.32
MkC: Matapeake-----	70	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 0.32
MtA: Mattapex-----	45	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Seepage Depth to saturated zone	1.00 1.00
Butlertown-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MtB: Mattapex-----	45	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Depth to saturated zone	1.00
				Slope	0.32
Butlertown-----	30	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.50
				Slope	0.32
MtC: Mattapex-----	70	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
				Depth to saturated zone	1.00
NsA: Nassawango-----	65	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.32
		Depth to saturated zone	0.65	Depth to saturated zone	0.02
NsB: Nassawango-----	70	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.32
		Depth to saturated zone	0.65	Slope	0.32
				Depth to saturated zone	0.02
Ot: Othello-----	35	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
Othello-----	25	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PiA: Pineyneck-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage Depth to saturated zone	1.00 1.00
PiB: Pineyneck-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.32
PiC: Pineyneck-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 1.00
Pk: Puckum-----	65	Very limited Flooding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Flooding Content of organic matter Seepage Depth to saturated zone	1.00 1.00 1.00 1.00
UbB: Udorthents-----	85	Not rated		Not rated	
UdB: Udorthents-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 0.43	Somewhat limited Slope	0.08
ULB: Udorthents, Landfill	80	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UoA: Unicorn-----	65	Very limited Filtering capacity Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Seepage Depth to saturated zone	1.00 0.02
UoB: Unicorn-----	55	Very limited Filtering capacity Depth to saturated zone	1.00 0.65	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.02
Ur: Urban Land-----	80	Not rated		Not rated	
UsA: Unicorn-----	45	Very limited Filtering capacity Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Seepage Depth to saturated zone	1.00 0.02
Sassafras-----	25	Very limited Filtering capacity Restricted permeability	1.00 0.48	Very limited Seepage	1.00
UsB: Unicorn-----	35	Very limited Filtering capacity Depth to saturated zone	1.00 0.65	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.02
Sassafras-----	30	Very limited Filtering capacity Restricted permeability	1.00 0.48	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UsC: Unicorn-----	40	Very limited Filtering capacity Depth to saturated zone	1.00 0.65	Very limited Seepage Slope Depth to saturated zone	1.00 1.00 0.02
Sassafras-----	25	Very limited Filtering capacity Restricted permeability	1.00 0.48	Very limited Slope Seepage	1.00 1.00
W: Water-----	100	Not rated		Not rated	
Wh: Whitemarsh-----	30	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00

