

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AmB: Airmont-----	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Content of large stones	0.01	Slope	0.92
				Depth to saturated zone	0.56
				Content of large stones	0.13
AmD: Airmont-----	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Seepage	1.00
		Content of large stones	0.01	Depth to saturated zone	0.56
				Content of large stones	0.13
AnB: Andover-----	45	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	0.50
				Slope	0.32
Buchanan-----	40	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	0.50
				Slope	0.32
At: Atkins-----	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	0.79		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BaB: Bagtown-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.65	Very limited Seepage Slope	1.00 0.92
BaC: Bagtown-----	85	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.65 0.63	Very limited Slope Seepage	1.00 1.00
BaD: Bagtown-----	85	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.65	Very limited Slope Seepage	1.00 1.00
BbD: Bagtown-----	85	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.40	Very limited Slope Seepage	1.00 1.00
BbE: Bagtown-----	85	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.40	Very limited Slope Seepage	1.00 1.00
Bc: Basher-----	80	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.72	Very limited Flooding Seepage	1.00 1.00
BeB: Berks-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BeC: Berks-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
BfB: Berks-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.92
Weikert-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.92
BfC: Berks-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
Weikert-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
BkB: Berks-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.32
Weikert-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.32
Urban Land-----	20	Not rated		Not rated	
BkD: Berks-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Weikert-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
Urban Land-----	20	Not rated		Not rated	
Bp: Bigpool-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00	Seepage	0.27
		Depth to saturated zone	1.00		
BrB: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.92
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Restricted permeability	0.50	Slope	0.92
		Depth to saturated zone	0.40	Seepage	0.50
BrC: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Slope	0.63	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Slope	0.63	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to saturated zone	0.40		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BrD: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to saturated zone	1.00 0.50 0.40	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 0.50
BtB: Brinkerton-----	80	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Seepage Slope	1.00 0.50 0.32
BuB: Buchanan-----	85	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Slope Seepage	1.00 0.92 0.50
BuC: Buchanan-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Depth to cemented pan Slope Seepage	1.00 1.00 0.50
BuD: Buchanan-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to cemented pan Slope Seepage	1.00 1.00 0.50
CaB: Calvin-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CaC: Calvin-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
CaD: Calvin-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
CcB: Catoctin-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
				Seepage Slope	1.00 0.92
Myersville-----	45	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope	0.92
		Depth to bedrock	0.27	Seepage	0.50
CcC: Catoctin-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
Myersville-----	30	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		
CcD: Catoctin-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
Myersville-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CkB: Clearbrook-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to saturated zone	1.00	Slope	0.32
		Content of large stones	0.01	Content of large stones	0.14
Cm: Codorus-----	80	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00		
		Restricted permeability	0.50		
Cn: Codorus-----	80	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00		
		Restricted permeability	0.50		
Co: Combs-----	85	Somewhat limited Flooding	0.40	Very limited Seepage	1.00
				Flooding	0.40
Cp: Combs-----	85	Somewhat limited Flooding	0.40	Very limited Seepage	1.00
				Flooding	0.40
DaB: DeKalb-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity	1.00	Seepage	1.00
				Slope	0.92
				Content of large stones	0.08
DaC: DeKalb-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity	1.00	Slope	1.00
		Slope	0.63	Seepage	1.00
				Content of large stones	0.08

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DaD: DeKalb-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
				Content of large stones	0.08
DeA: DeKalb-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.96	Content of large stones	1.00
Rock Outcrop-----	35	Not rated		Not rated	
DeB: DeKalb-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.96	Content of large stones	1.00
				Slope	0.92
Rock Outcrop-----	35	Not rated		Not rated	
DeC: DeKalb-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Filtering capacity	1.00	Slope	1.00
		Content of large stones	0.96	Seepage	1.00
		Slope	0.63	Content of large stones	1.00
Rock Outcrop-----	35	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DeD: DeKalb-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.96	Content of large stones	1.00
Rock Outcrop-----	35	Not rated		Not rated	
DgF: Bagtown-----	35	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Seepage	1.00
		Depth to saturated zone	0.65		
DeKalb-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.96	Content of large stones	1.00
Rock Outcrop-----	20	Not rated		Not rated	
DhF: DeKalb-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.96	Content of large stones	1.00
Hazleton-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	1.00	Content of large stones	1.00
		Content of large stones	0.18	Depth to hard bedrock	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Dk: Deposit-----	80	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Flooding	0.40
		Flooding	0.40		
DnB: Deposit-----	80	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Flooding	0.40
		Flooding	0.40	Slope	0.32
DoA: Downsville-----	85	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
DoB: Downsville-----	85	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.92
				Seepage	0.50
DoC: Downsville-----	85	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
DoD: Downsville-----	85	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Seepage	0.50
DoE: Downsville-----	85	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Seepage	0.50
DrA: Dryrun-----	85	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00		
		Restricted permeability	0.79		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DrB: Dryrun-----	85	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.79	Very limited Seepage Slope	1.00 0.92
DsA: Duffield-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
DsB: Duffield-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
DsC: Duffield-----	85	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
DsD: Duffield-----	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
DuB: Duffield-----	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
DuC: Duffield-----	80	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
DvB: Duffield-----	45	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
Rock Outcrop-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DvC: Duffield-----	45	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Rock Outcrop-----	40	Not rated		Not rated	
DvD: Duffield-----	45	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Rock Outcrop-----	40	Not rated		Not rated	
Fa: Fairplay-----	80	Very limited Flooding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00		
		Restricted permeability	0.79		
FO: Foxville-----	55	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Content of large stones	1.00
		Restricted permeability	1.00	Seepage	0.27
		Content of large stones	1.00		
Hatboro-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	0.50		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ft: Funkstown-----	80	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50
HaA: Hagerstown-----	85	Somewhat limited Depth to bedrock	0.01	Somewhat limited Seepage	0.50
HaB: Hagerstown-----	85	Somewhat limited Depth to bedrock	0.01	Somewhat limited Slope Seepage	0.92 0.50
HaC: Hagerstown-----	85	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.01	Very limited Slope Seepage	1.00 0.50
HaD: Hagerstown-----	85	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.01	Very limited Slope Seepage	1.00 0.50
HbB: Hagerstown-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
HbC: Hagerstown-----	85	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
HbD: Hagerstown-----	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
HcB: Hagerstown-----	70	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	15	Not rated		Not rated	
HcC: Hagerstown-----	70	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Rock Outcrop-----	15	Not rated		Not rated	
HcD: Hagerstown-----	70	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Rock Outcrop-----	15	Not rated		Not rated	
HdB: Duffield-----	35	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Hagerstown-----	35	Somewhat limited Depth to bedrock	0.01	Somewhat limited Seepage Slope	0.50 0.32
Urban Land-----	20	Not rated		Not rated	
HdD: Duffield-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Hagerstown-----	35	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.50 0.01	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	20	Not rated		Not rated	
HgB: Hagerstown-----	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Opequon-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.32 0.27
Rock Outcrop-----	20	Not rated		Not rated	
Hh: Hatboro-----	85	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
HnB: Hazel-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
HnC: Hazel-----	85	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
HnD: Hazel-----	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
HrE: Hazel-----	45	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	40	Not rated		Not rated	
HsD: Hazleton-----	80	Very limited Slope Filtering capacity Depth to bedrock Content of large stones	 1.00 1.00 1.00 0.18	Very limited Slope Seepage Content of large stones Depth to hard bedrock	 1.00 1.00 1.00 1.00
HsE: Hazleton-----	85	Very limited Slope Filtering capacity Depth to bedrock Content of large stones	 1.00 1.00 1.00 0.18	Very limited Slope Seepage Content of large stones Depth to hard bedrock	 1.00 1.00 1.00 1.00
HtB: Highfield-----	85	Not Rated Not Rated; Fragments > 75mm Restricted permeability Depth to bedrock	 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	 0.92 0.50
HtC: Highfield-----	80	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to bedrock	 0.63 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	 1.00 0.50
HtD: Highfield-----	80	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to bedrock	 1.00 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	 1.00 0.50
KcB: Klinesville-----	45	Very limited Depth to bedrock	 1.00	Very limited Depth to soft bedrock Seepage Slope	 1.00 1.00 0.92

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Calvin-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
KcC: Klinesville-----	45	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Calvin-----	40	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
KcD: Klinesville-----	55	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Calvin-----	30	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
KcF: Klinesville-----	55	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Calvin-----	30	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
LaB: Lantz-----	50	Not Rated Not Rated; Fragments > 75mm Restricted permeability Depth to saturated zone Flooding Depth to bedrock	1.00 1.00 0.40 0.01	Not Rated Not Rated; Fragments > 75mm Flooding Slope Seepage	0.40 0.32 0.27

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rohrersville-----	40	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
		Depth to saturated zone	1.00	Slope	0.32
Lb: Lappans-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	0.40		
Ln: Lindside-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	0.72		
Me: Melvin-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	0.50		
MgA: Monongahela-----	85	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.56
		Restricted permeability	1.00	Seepage	0.50
MgB: Monongahela-----	85	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.92
		Restricted permeability	1.00	Depth to saturated zone	0.56
				Seepage	0.50
MgC: Monongahela-----	85	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.56
		Slope	0.63	Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MgD: Monongahela-----	85	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone Seepage	0.56 0.50
MhA: Monongahela-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Depth to saturated zone Seepage	0.56 0.50
MhB: Monongahela-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Slope Depth to saturated zone Seepage	0.92 0.56 0.50
MhC: Monongahela-----	85	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone Seepage	1.00 0.56 0.50
MkB: Mt. Zion-----	85	Very limited Depth to saturated zone Restricted permeability Depth to bedrock	1.00 0.79 0.01	Somewhat limited Slope Seepage	0.92 0.50
MkC: Mt. Zion-----	85	Very limited Depth to saturated zone Restricted permeability Slope Depth to bedrock	1.00 0.79 0.63 0.01	Very limited Slope Seepage	1.00 0.50
MmA: Mt. Zion-----	45	Very limited Depth to saturated zone Restricted permeability Depth to bedrock	1.00 0.79 0.01	Somewhat limited Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rohrersville-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage	0.50
MoB: Murrill-----	85	Somewhat limited Restricted permeability	0.72	Somewhat limited Slope Seepage	0.92 0.50
MoC: Murrill-----	85	Somewhat limited Restricted permeability Slope	0.72 0.63	Very limited Slope Seepage	1.00 0.50
MsB: Murrill-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
MsC: Murrill-----	85	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
MsD: Murrill-----	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
MuB: Murrill-----	45	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Urban Land-----	45	Not rated		Not rated	
MuD: Murrill-----	45	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Urban Land-----	45	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MvB: Myersville-----	90	Somewhat limited Restricted permeability Depth to bedrock	0.50 0.27	Somewhat limited Slope Seepage	0.92 0.50
MvC: Myersville-----	90	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.27	Very limited Slope Seepage	1.00 0.50
MwB: Myersville-----	85	Somewhat limited Restricted permeability Depth to bedrock	0.50 0.27	Somewhat limited Slope Seepage	0.92 0.50
MwC: Myersville-----	85	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.27	Very limited Slope Seepage	1.00 0.50
MwD: Myersville-----	80	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.50 0.27	Very limited Slope Seepage	1.00 0.50
NoB: Nollville-----	85	Somewhat limited Restricted permeability Depth to bedrock	0.50 0.27	Somewhat limited Slope Seepage	0.92 0.50
NoC: Nollville-----	85	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.27	Very limited Slope Seepage	1.00 0.50
NoD: Nollville-----	85	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.50 0.27	Very limited Slope Seepage	1.00 0.50
OpA: Opequon-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage	1.00 0.27

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OpB: Opequon-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.92 0.27
OpC: Opequon-----	85	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.27
OrB: Opequon-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.92 0.27
Rock Outcrop-----	40	Not rated		Not rated	
OrC: Opequon-----	45	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.27
Rock Outcrop-----	40	Not rated		Not rated	
OrD: Opequon-----	45	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.27
Rock Outcrop-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OrF: Opequon-----	45	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.27
Rock Outcrop-----	40	Not rated		Not rated	
PaB: Pecktonville-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.65	Somewhat limited Slope Seepage	0.92 0.50
PaC: Pecktonville-----	85	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.65 0.63	Very limited Slope Seepage	1.00 0.50
PaD: Pecktonville-----	85	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.65	Very limited Slope Seepage	1.00 0.50
PcB: Pecktonville-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.65	Somewhat limited Slope Seepage	0.92 0.50
PcC: Pecktonville-----	85	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.65 0.63	Very limited Slope Seepage	1.00 0.50
PcD: Pecktonville-----	85	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.65	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PeE: Pecktonville-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.65	Seepage	0.50
Rock Outcrop-----	35	Not rated		Not rated	
Pg: Philo-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Restricted permeability	0.50		
Ph: Philo-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00		
Pn: Pope-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
				Seepage	1.00
Po: Pope-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Flooding	1.00	Flooding	1.00
				Seepage	1.00
Qa: Quarry-----	100	Not rated		Not rated	
Qm: Quarry-----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Qr: Quarry-----	100	Not rated		Not rated	
Qs: Quarry-----	100	Not rated		Not rated	
RaC: Ravenrock-----	85	Somewhat limited Depth to saturated zone Restricted permeability Slope	0.65 0.50 0.04	Very limited Slope Seepage	1.00 0.50
RaD: Ravenrock-----	85	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Slope Seepage	1.00 0.50
RcC: Ravenrock-----	45	Somewhat limited Depth to saturated zone Restricted permeability Slope	0.65 0.50 0.04	Very limited Slope Seepage	1.00 0.50
Rohrersville-----	45	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Slope Seepage	1.00 0.50
ReC: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to bedrock	0.63 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 0.50
Ravenrock-----	40	Somewhat limited Depth to saturated zone Slope Restricted permeability	0.65 0.63 0.50	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	10	Not rated		Not rated	
ReD: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to bedrock	1.00 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 0.50
Ravenrock-----	40	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Slope Seepage	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated	
ReF: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope Restricted permeability Depth to bedrock	1.00 0.50 0.27	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 0.50
Ravenrock-----	40	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Slope Seepage	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated	
RhB: Rohrersville-----	55	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lantz-----	40	Not Rated Not Rated; Fragments > 75mm Restricted permeability Depth to saturated zone Flooding Depth to bedrock	1.00 1.00 0.40 0.01	Not Rated Not Rated; Fragments > 75mm Flooding Slope Seepage	0.40 0.32 0.27
RmB: Ryder-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
Duffield-----	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
RmC: Ryder-----	55	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Duffield-----	40	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
RmD: Ryder-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Duffield-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
RnB: Ryder-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
Nollville-----	40	Somewhat limited Restricted permeability Depth to bedrock	0.50 0.27	Somewhat limited Slope Seepage	0.92 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RnC: Ryder-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope	1.00
				Seepage	1.00
Nollville-----	40	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		
RnD: Ryder-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Nollville-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		
RvC: Ryder-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope	1.00
				Seepage	1.00
Nollville-----	40	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		
RyB: Ryder-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage	1.00
				Slope	0.92
Rock Outcrop-----	40	Not rated		Not rated	
RyC: Ryder-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope	1.00
				Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	40	Not rated		Not rated	
RyD: Ryder-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rock Outcrop-----	40	Not rated		Not rated	
SdB: Sideling-----	85	Somewhat limited Depth to saturated zone	0.65	Somewhat limited Slope	0.92
		Restricted permeability	0.50	Seepage	0.50
SdC: Sideling-----	85	Somewhat limited Depth to saturated zone	0.65	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
		Restricted permeability	0.50		
SdD: Sideling-----	85	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.65	Seepage	0.50
		Restricted permeability	0.50		
SgB: Sideling-----	85	Somewhat limited Depth to saturated zone	0.65	Somewhat limited Slope	0.92
		Restricted permeability	0.50	Seepage	0.50
SgC: Sideling-----	85	Somewhat limited Depth to saturated zone	0.65	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
		Restricted permeability	0.50		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SgD: Sideling-----	85	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.65 0.50	Very limited Slope Seepage	1.00 0.50
SpA: Swanpond-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
SpB: Swanpond-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Slope	0.92
SsA: Swanpond-----	60	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Funkstown-----	35	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50
SuA: Funkstown-----	35	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50
Swanpond-----	35	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Urban Land-----	20	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TaB: Talladega-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	0.92
				Seepage	0.50
TaC: Talladega-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
TaD: Talladega-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
ThB: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Restricted permeability	0.50	Slope	0.92
		Depth to saturated zone	0.40	Seepage	0.50
ThC: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Slope	0.63	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to saturated zone	0.40		
ThD: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to saturated zone	0.40		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TrA: Trego-----	85	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Seepage	1.00 0.27
TrB: Trego-----	85	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Slope Seepage	1.00 0.92 0.27
TrC: Trego-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Depth to cemented pan Slope Seepage	1.00 1.00 0.27
TyA: Tyler-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
TyB: Tyler-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Slope	0.92
Ud: Udorthents-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.43	Not limited	
UrB: Urban Land-----	55	Not rated		Not rated	
UrD: Urban Land-----	55	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated	
WaA: Walkersville-----	85	Somewhat limited Restricted permeability	0.79	Somewhat limited Seepage	0.27
WaB: Walkersville-----	85	Somewhat limited Restricted permeability	0.79	Somewhat limited Slope Seepage	0.92 0.27
WaC: Walkersville-----	90	Somewhat limited Restricted permeability Slope	0.79 0.63	Very limited Slope Seepage	1.00 0.27
WcA: Walkersville-----	85	Somewhat limited Restricted permeability	0.79	Somewhat limited Seepage	0.27
WcB: Walkersville-----	85	Somewhat limited Restricted permeability	0.79	Somewhat limited Slope Seepage	0.92 0.27
WcC: Walkersville-----	90	Somewhat limited Restricted permeability Slope	0.79 0.63	Very limited Slope Seepage	1.00 0.27
WeB: Weikert-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
WeC: Weikert-----	85	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WeD: Weikert-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
WeF: Weikert-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
WkB: Berks-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.92
Weikert-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage Slope	1.00 0.92
WkC: Weikert-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
Berks-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
WkD: Weikert-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
Berks-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WrC: Weverton-----	80	Very limited Content of large stones Depth to bedrock	1.00 0.78	Very limited Slope Content of large stones Seepage Depth to soft bedrock	1.00 1.00 0.50 0.42
WrD: Weverton-----	85	Very limited Slope Content of large stones Depth to bedrock Restricted permeability	1.00 1.00 0.78 0.50	Very limited Slope Content of large stones Seepage Depth to soft bedrock	1.00 1.00 0.50 0.42
WrE: Weverton-----	85	Very limited Slope Content of large stones Depth to bedrock Restricted permeability	1.00 1.00 0.78 0.50	Very limited Slope Content of large stones Seepage Depth to soft bedrock	1.00 1.00 0.50 0.42
WuB: Wurno-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 0.92 0.50
Nollville-----	40	Somewhat limited Restricted permeability Depth to bedrock	0.50 0.27	Somewhat limited Slope Seepage	0.92 0.50
WuC: Wurno-----	60	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.50
Nollville-----	40	Somewhat limited Slope Restricted permeability Depth to bedrock	0.63 0.50 0.27	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WuD: Wurno-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.50
Nollville-----	40	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		
WuE: Wurno-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Nollville-----	35	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to bedrock	0.27		

