

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	95	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Somewhat limited Depth to soft bedrock Seepage Depth to saturated zone	1.00 0.50 0.25
AdB2: Aldino-----	95	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Somewhat limited Depth to soft bedrock Slope Seepage Depth to saturated zone	1.00 0.92 0.50 0.25
AdC2: Aldino-----	95	Very limited Restricted permeability Depth to saturated zone Depth to bedrock Slope	1.00 1.00 1.00 0.63	Very limited Slope Depth to soft bedrock Seepage Depth to saturated zone	1.00 1.00 0.50 0.25
AsC: Aldino-----	95	Very limited Restricted permeability Depth to saturated zone Content of large stones Depth to bedrock	1.00 1.00 1.00 1.00	Very limited Slope Content of large stones Depth to soft bedrock Seepage Depth to saturated zone	1.00 1.00 1.00 0.50 0.25
AuB: Aldino-----	50	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Somewhat limited Depth to soft bedrock Seepage Slope Depth to saturated zone	1.00 0.50 0.32 0.25

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated	
Av: Alluvial Land-----	100	Not rated		Not rated	
BaA: Baile-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
BaB: Baile-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.92
BmA: Baltimore-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
BmB2: Baltimore-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
BmC2: Baltimore-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
BnB: Baltimore-----	50	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Urban Land-----	30	Not rated		Not rated	
Br: Barclay-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BtA: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.25
BtB: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BtC2: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BuB: Beltsville-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 0.25 0.08
Urban Land-----	30	Not rated		Not rated	
BuC: Beltsville-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
Urban Land-----	30	Not rated		Not rated	
BwB2: Brandywine-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.92

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BwC2: Brandywine-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
ByD2: Brandywine-----	100	Very limited Slope Filtering capacity Content of large stones	1.00 1.00 0.01	Very limited Slope Seepage Content of large stones	1.00 1.00 0.01
ByD3: Brandywine-----	100	Very limited Slope Filtering capacity Content of large stones	1.00 1.00 0.01	Very limited Slope Seepage Content of large stones	1.00 1.00 0.01
ByE: Brandywine-----	100	Very limited Slope Filtering capacity Content of large stones	1.00 1.00 0.01	Very limited Slope Seepage Content of large stones	1.00 1.00 0.01
CaA: Captina-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage	0.81 0.50
CaB2: Captina-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Slope Depth to saturated zone Seepage	0.92 0.81 0.50
CcA: Chester-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
CcB2: Chester-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CcC2: Chester-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
CgB2: Chester-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope	0.92
				Seepage	0.50
CgC2: Chester-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
ChB2: Chillum-----	100	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage	0.50
				Slope	0.32
ChC2: Chillum-----	100	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
				Seepage	0.50
ChC3: Chillum-----	100	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
				Seepage	0.50
CkB2: Chillum-----	50	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage	0.50
				Slope	0.32
Neshaminy-----	30	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
				Seepage	0.27
CkC2: Chillum-----	50	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
				Seepage	0.50
Neshaminy-----	30	Very limited Restricted permeability	1.00	Very limited Slope	1.00
				Seepage	0.27

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CkD2: Chillum-----	50	Somewhat limited Slope	0.84	Very limited Slope	1.00
		Restricted permeability	0.72	Seepage	0.50
Neshaminy-----	30	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.84	Seepage	0.27
ClB: Chillum-----	50	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage	0.50
				Slope	0.08
Urban Land-----	30	Not rated		Not rated	
CLD: Chillum-----	50	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
		Slope	0.16	Seepage	0.50
Urban Land-----	30	Not rated		Not rated	
CmB: Christiana-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CmC2: Christiana-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
CnB2: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	0.92
				Seepage	0.50
CoC3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.04	Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CoE3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Cp: Clay Pits-----	95	Not rated		Not rated	
Ct: Coastal Beaches----	95	Not rated		Not rated	
Cu: Codorus-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
Cv: Comus-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	0.50	Seepage	1.00
CwB2: Conestoga-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope	0.92
				Seepage	0.50
CwC2: Conestoga-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
DcB: Delanco-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.92
		Flooding	0.40	Seepage	0.50
				Flooding	0.40

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Du: Dunning-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
EdB2: Edgemont-----	100	Somewhat limited Depth to bedrock	0.17	Very limited Seepage	1.00
				Slope	0.92
EdC2: Edgemont-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
EgD: Edgemont-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
EgE: Edgemont-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
EhB2: Elioak-----	100	Somewhat limited Restricted permeability	0.72	Somewhat limited Slope	0.92
				Seepage	0.50
EhC2: Elioak-----	100	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
EkB2: Elioak-----	100	Somewhat limited Restricted permeability	0.72	Somewhat limited Slope	0.92
				Seepage	0.50
EkC2: Elioak-----	100	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50
ElC3: Elioak-----	100	Somewhat limited Restricted permeability	0.72	Very limited Slope	1.00
		Slope	0.63	Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Em: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
En: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Eo: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated	
EsB: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage Slope	1.00 0.92
EsC2: Elsinboro-----	100	Somewhat limited Slope Restricted permeability Depth to saturated zone	0.63 0.50 0.43	Very limited Slope Seepage	1.00 1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Depth to saturated zone Seepage	1.00 1.00
Fs: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FtB: Fort Mott-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GaB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GaC: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
GcB2: Glenelg-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
GcC2: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GcC3: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GcD2: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GcD3: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GgB2: Glenelg-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgC2: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GgD2: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GgD3: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
G1B: Glenelg-----	50	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Urban Land-----	30	Not rated		Not rated	
G1C: Glenelg-----	50	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Urban Land-----	30	Not rated		Not rated	
GnA: Glenville-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Seepage Depth to saturated zone	0.50 0.06
GnB: Glenville-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Slope Seepage Depth to saturated zone	0.92 0.50 0.06

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GuB: Glenville-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Seepage Slope Depth to saturated zone	0.50 0.32 0.06
Urban Land-----	30	Not rated		Not rated	
HaA: Hagerstown-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
HaB2: Hagerstown-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
HaC2: Hagerstown-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Hb: Hatboro-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
HoB2: Hollinger-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
HoC2: Hollinger-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
HrD3: Hollinger-----	50	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Conestoga-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
HsC: Hollinger-----	50	Somewhat limited Restricted permeability	0.50	Very limited Slope	1.00
		Slope	0.04	Seepage	0.50
Conestoga-----	50	Somewhat limited Restricted permeability	0.50	Very limited Slope	1.00
		Slope	0.04	Seepage	0.50
Iu: Iuka-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
JpB: Joppa-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
JpC2: Joppa-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
JpD2: Joppa-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.84	Seepage	1.00
JuD: Joppa-----	50	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KeB2: Kelly-----	95	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.78	Very limited Depth to saturated zone Slope Depth to hard bedrock Seepage	1.00 0.68 0.42 0.21
KeC2: Kelly-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
KsC: Kelly-----	95	Somewhat limited Depth to bedrock Restricted permeability	0.78 0.50	Very limited Seepage Slope Depth to hard bedrock	1.00 1.00 0.42
KuB: Kelly-----	50	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.78	Very limited Depth to saturated zone Depth to hard bedrock Slope Seepage	1.00 0.42 0.32 0.21
Urban Land-----	30	Not rated		Not rated	
LeB2: Legore-----	100	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.92
LeC2: Legore-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
LeD2: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LeE: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LfC: Legore-----	100	Very limited Restricted permeability Slope	1.00 0.04	Very limited Slope Seepage	1.00 1.00
LfD: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LfE: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LgC3: Legore-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
LgD3: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LhB: Legore-----	50	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.32
Urban Land-----	30	Not rated		Not rated	
LhC: Legore-----	50	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LlB: Lenoir-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
LmB: Lenoir-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
LmC2: Lenoir-----	85	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.04	Very limited Depth to saturated zone Slope	1.00 1.00
LnC3: Lenoir-----	85	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.04	Very limited Depth to saturated zone Slope	1.00 1.00
LoB: Lenoir-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated	
Lr: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage	1.00
Ls: Lindside-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.72	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LyB: Loamy And Clayey Lan	100	Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated	
Ma: Made Land-----	100	Not rated		Not rated	
MbB2: Manor-----	100	Not limited		Very limited Seepage Slope	1.00 0.92
MbC2: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MbC3: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MbD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MbD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
McB2: Manor-----	100	Not limited		Very limited Seepage Slope	1.00 0.92
McC2: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
McC3: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
McD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
McD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MdE: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MeD: Manor-----	50	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
MgC: Manor-----	50	Somewhat limited Slope	0.04	Very limited Slope Seepage	1.00 1.00
Glenelg-----	50	Somewhat limited Slope	0.04	Very limited Slope Seepage	1.00 1.00
MhD: Manor-----	50	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
Brandywine-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
MhE: Manor-----	50	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
Brandywine-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
MkA: Matapeake-----	100	Somewhat limited Restricted permeability	0.72	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MkB: Matapeake-----	100	Somewhat limited Restricted permeability	0.72	Very limited Seepage Slope	1.00 0.32
MkC2: Matapeake-----	100	Somewhat limited Restricted permeability Slope	0.72 0.04	Very limited Slope Seepage	1.00 1.00
MlA: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Depth to saturated zone Seepage	1.00 1.00
MlB: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MmB: Mattapex-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.72	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.08
Urban Land-----	30	Not rated		Not rated	
Mn: Melvin-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Mo: Melvin-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mr: Mine Dumps And Quarr	95	Not rated		Not rated	
MsB2: Montalto-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.92 0.50
MsC2: Montalto-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
MtB2: Mt. Airy-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.92
MtC2: Mt. Airy-----	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
MtD2: Mt. Airy-----	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
MtD3: Mt. Airy-----	100	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
NeB2: Neshaminy-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.92 0.27
NeC2: Neshaminy-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.27

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
Po: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00
ReC2: Relay-----	100	Somewhat limited Slope Depth to bedrock Restricted permeability	0.63 0.59 0.50	Very limited Slope Seepage Depth to hard bedrock	1.00 0.50 0.13
ReD2: Relay-----	100	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.59 0.50	Very limited Slope Seepage Depth to hard bedrock	1.00 0.50 0.13
RsD: Relay-----	100	Very limited Restricted permeability Slope	1.00 0.96	Very limited Slope Seepage	1.00 0.50
RsE: Relay-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
RyD3: Relay-----	100	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.59 0.50	Very limited Slope Seepage Depth to hard bedrock	1.00 0.50 0.13
Sg: Sand And Gravel Pits	95	Not rated		Not rated	
ShA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ShB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage Slope	1.00 0.32
ShC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 1.00
ShC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 1.00
ShD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.72	Very limited Slope Seepage	1.00 1.00
SlA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage	1.00
SlB: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage Slope	1.00 0.32
SlC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 1.00
SnB: Sassafras-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.72	Very limited Seepage Slope	1.00 0.08

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated	
SsD3: Sassafras-----	50	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.72	Seepage	1.00
		Slope	0.16		
Joppa-----	50	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
SsE: Sassafras-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.72		
Joppa-----	50	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
St: Stony Land-----	100	Not rated		Not rated	
SuB2: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.08
Sw: Swamp-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
Ub: Paved Areas-----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WaA: Watchung-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.27
WaB: Watchung-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.92 0.27
WcB: Watchung-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.32 0.27
WdA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WdB: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoB: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

