

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AsC: Ashe-----	100	Not Rated Not Rated; Fragments > 75mm Depth to bedrock	1.00	Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock	1.00
		Slope	0.63	Slope Seepage	1.00 1.00
AsD: Ashe-----	100	Not Rated Not Rated; Fragments > 75mm Depth to bedrock	1.00	Not Rated Not Rated; Fragments > 75mm Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
BdB: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BeB: Beltsville-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
Urban Land-----	40	Not rated		Not rated	
Bg: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BnB: Bourne-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BnC: Bourne-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.63	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BpB: Bourne-----	40	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
Urban Land-----	40	Not rated		Not rated	
BrC: Brandywine-----	100	Not Rated Not Rated; Fragments > 75mm Filtering capacity Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
BrD: Brandywine-----	100	Not Rated Not Rated; Fragments > 75mm Slope Filtering capacity	1.00 1.00	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
BtB: Brandywine-----	40	Not Rated Not Rated; Fragments > 75mm Filtering capacity	1.00	Not Rated Not Rated; Fragments > 75mm Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Not rated		Not rated	
BtC: Brandywine-----	40	Not Rated Not Rated; Fragments > 75mm Filtering capacity Slope	1.00 0.63	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
BtD: Brandywine-----	40	Not Rated Not Rated; Fragments > 75mm Slope Filtering capacity	1.00 1.00	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
CcB: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.32
CcC: Chillum-----	100	Somewhat limited Restricted permeability Slope	0.68 0.63	Very limited Slope Seepage	1.00 0.50
CcD: Chillum-----	100	Very limited Slope Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 0.50
CdB: Chillum-----	40	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Not rated		Not rated	
CdC: Chillum-----	40	Somewhat limited Restricted permeability Slope	0.68 0.63	Very limited Slope Seepage	1.00 0.50
Urban Land-----	40	Not rated		Not rated	
CdD: Chillum-----	40	Very limited Slope Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 0.50
Urban Land-----	40	Not rated		Not rated	
CeB: Christiana-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CeC: Christiana-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
CeD: Christiana-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
CfB: Christiana-----	40	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
Urban Land-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CfC: Christiana-----	40	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
Urban Land-----	40	Not rated		Not rated	
CfD: Christiana-----	40	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Urban Land-----	40	Not rated		Not rated	
Ck: Codorus-----	95	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Cn: Codorus-----	40	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
CwB: Croom-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CwC: Croom-----	100	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
CwD: Croom-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
CxB: Croom-----	40	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
Urban Land-----	40	Not rated		Not rated	
CxC: Croom-----	40	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
CxD: Croom-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Dn: Dunning-----	100	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding	1.00
Fa: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
FB: Fluvaquents-----	100	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
FD: Fluvaquents-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
FF: Fluvaquents-----	50	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Udifluents-----	35	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FH: Fluvaquents-----	30	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Udifluents-----	30	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Urban Land-----	20	Not rated		Not rated	
GeB: Galestown-----	40	Very limited Filtering capacity	1.00	Not Rated Not Rated; Ksat Slope	0.32
Urban Land-----	40	Not rated		Not rated	
GfB: Galestown-----	50	Very limited Filtering capacity	1.00	Not Rated Not Rated; Ksat Slope	0.32
Rumford-----	35	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GfC: Galestown-----	50	Very limited Filtering capacity Slope	1.00 0.63	Not Rated Not Rated; Ksat Slope	1.00
Rumford-----	35	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgB: Glenelg-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
GgC: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GgD: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GhB: Glenelg-----	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Urban Land-----	40	Not rated		Not rated	
GhC: Glenelg-----	40	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Urban Land-----	40	Not rated		Not rated	
GhD: Glenelg-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Urban Land-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
G1B: Glenelg Variant-----	100	Very limited Depth to saturated zone	1.00	Somewhat limited Seepage	0.50
		Restricted permeability	1.00	Slope	0.32
				Depth to saturated zone	0.06
GmB: Glenelg Variant-----	40	Very limited Depth to saturated zone	1.00	Somewhat limited Seepage	0.50
		Restricted permeability	1.00	Slope	0.32
				Depth to saturated zone	0.06
Urban Land-----	40	Not rated		Not rated	
Ik: Iuka-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	0.50		
Ip: Iuka-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	0.50		
Urban Land-----	40	Not rated		Not rated	
JtB: Joppa-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
JtC: Joppa-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
JtD: Joppa-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
JuB: Joppa-----	40	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
Urban Land-----	40	Not rated		Not rated	
JuC: Joppa-----	40	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
JuD: Joppa-----	40	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
KeB: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KeC: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.96

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KmB: Keyport-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
Urban Land-----	40	Not rated		Not rated	
KmC: Keyport-----	40	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.96
Urban Land-----	40	Not rated		Not rated	
Ld: Lindside-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.68	Very limited Flooding Seepage	1.00 1.00
Lp: Lindside-----	100	Very limited Flooding Depth to saturated zone Depth to bedrock Restricted permeability	1.00 1.00 0.78 0.50	Very limited Flooding Seepage Depth to hard bedrock	1.00 0.50 0.42
MbC: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MbD: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
McC: Manor-----	100	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope Seepage	1.00 1.00
MdB: Manor-----	40	Not limited		Very limited Seepage Slope	1.00 0.32
Urban Land-----	40	Not rated		Not rated	
MdC: Manor-----	40	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
MdD: Manor-----	40	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
MgB: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MgC: Matapeake-----	100	Somewhat limited Restricted permeability Slope	0.68 0.63	Very limited Slope Seepage	1.00 1.00
MhB: Matapeake-----	40	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Not rated		Not rated	
Mp: Melvin-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50
MvB: Muirkirk Variant----	100	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.32
MvC: Muirkirk Variant----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
MvD: Muirkirk Variant----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Seepage	1.00 1.00
NeC: Neshaminy-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.32
NeD: Neshaminy-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Seepage	1.00 0.32
NuC: Neshaminy-----	40	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.32
Urban Land-----	40	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NuD: Neshaminy-----	40	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Seepage	0.32
Urban Land-----	40	Not rated		Not rated	
SaB: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.32
SaC: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Slope	0.63		
ScB: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.50	Slope	0.32
ScC: Sassafras-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
		Restricted permeability	0.50		
ScD: Sassafras-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
SgB: Sassafras-----	40	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Not rated		Not rated	
SgC: Sassafras-----	40	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
SgD: Sassafras-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
SmB: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
SmC: Sunnyside-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 1.00
SmD: Sunnyside-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SpB: Sunnyside-----	40	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	40	Not rated		Not rated	
SpC: Sunnyside-----	40	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
SpD: Sunnyside-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Urban Land-----	40	Not rated		Not rated	
U1: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	0.68
U2: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	0.68
U3: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm Slope	0.04	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
U4: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm Slope	0.04	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	1.00
U5: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm Slope	0.04	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	1.00
U6: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat	
U7: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat	
U8: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat	
U9: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat	
U10: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
U11B: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	0.32
U11C: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	1.00
U11D: Udorthents-----	100	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Unified Not Rated; Fragments > 75mm Not Rated; Ksat Slope	1.00
UA: Udifluents-----	100	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Ub: Urban Land-----	100	Not rated		Not rated	
UcB: Urban Land-----	70	Not rated		Not rated	
Beltsville-----	10	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UdB: Urban Land-----	70	Not rated		Not rated	
Brandywine-----	10	Not Rated Not Rated; Fragments > 75mm Filtering capacity	1.00	Not Rated Not Rated; Fragments > 75mm Seepage Slope	1.00 0.32
UeB: Urban Land-----	70	Not rated		Not rated	
Chillum-----	10	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.32
UeC: Urban Land-----	70	Not rated		Not rated	
Chillum-----	10	Somewhat limited Restricted permeability Slope	0.68 0.63	Very limited Slope Seepage	1.00 0.50
UfB: Urban Land-----	70	Not rated		Not rated	
Christiana-----	5	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
Christiana-----	5	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfC: Urban Land-----	70	Not rated		Not rated	
Christiana-----	5	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
Christiana-----	5	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
UkC: Urban Land-----	70	Not rated		Not rated	
Croom-----	15	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
UmB: Urban Land-----	70	Not rated		Not rated	
Galestown-----	10	Very limited Filtering capacity	1.00	Not Rated Not Rated; Ksat Slope	0.32
UoC: Urban Land-----	70	Not rated		Not rated	
Joppa-----	10	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UpB: Urban Land-----	70	Not rated		Not rated	
Keyport-----	5	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
Keyport-----	5	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
UsB: Urban Land-----	70	Not rated		Not rated	
Manor-----	5	Not limited		Very limited Seepage Slope	1.00 0.32
UsC: Urban Land-----	70	Not rated		Not rated	
Manor-----	5	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
UxB: Urban Land-----	70	Not rated		Not rated	
Sassafras-----	5	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UxC: Urban Land-----	70	Not rated		Not rated	
Sassafras-----	10	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Slope	0.63		
UyC: Urban Land-----	70	Not rated		Not rated	
Sunnyside-----	10	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
UzB: Urban Land-----	70	Not rated		Not rated	
Woodstown-----	15	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
				Slope	0.32
W: Water-----	100	Not Rated Not Rated; Slope		Not Rated Not Rated; Unified	
		Not Rated; Fragments > 75mm		Not Rated; Slope	
				Not Rated; Fragments > 75mm	
				Not Rated; Ksat	
WoB: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
				Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WpB: Urban Land-----	40	Not rated		Not rated	
Woodstown-----	40	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32

