

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	100	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Somewhat limited Depth to soft bedrock Seepage Depth to saturated zone	1.00 0.50 0.25
AdB2: Aldino-----	100	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Somewhat limited Depth to soft bedrock Slope Seepage Depth to saturated zone	1.00 0.92 0.50 0.25
AuB2: Aura-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
AuC2: Aura-----	100	Very limited Filtering capacity	1.00	Very limited Slope Seepage	1.00 1.00
AvD2: Aura-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
BaA: Baile-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
BaB: Baile-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.92

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BcA: Barclay-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  0.68	Very limited Depth to saturated zone Seepage	1.00  1.00
BcB: Barclay-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  0.68	Very limited Depth to saturated zone Seepage  Slope	1.00  1.00  0.32
BeA: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Seepage  Depth to saturated zone	1.00  0.25
BeB2: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Seepage  Slope  Depth to saturated zone	1.00  0.32  0.25
BeC2: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Slope  Seepage  Depth to saturated zone	1.00  1.00  0.25
BeC3: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Slope  Seepage  Depth to saturated zone	1.00  1.00  0.25
BuA: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone Seepage	1.00  0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BuB2: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.32
BuC2: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
BuC3: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
BuD2: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.84	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50
CeA: Chester-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
CeB2: Chester-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
ChB2: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.32
ChC2: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ChC3: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 0.50
ChD2: Chillum-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 0.50
ChD3: Chillum-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 0.50
ClB2: Christiana-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CmB2: Chrome-----	100	Very limited Depth to bedrock Restricted permeability	1.00 0.50	Very limited Depth to hard bedrock Slope Seepage	1.00 0.92 0.50
CmC2: Chrome-----	100	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.63 0.50	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.50
CmD2: Chrome-----	100	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.50	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.50
CnD3: Chrome-----	100	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.50	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CnE3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Co: Coastal Beaches----	90	Not rated		Not rated	
Cp: Clay Pits-----	95	Not rated		Not rated	
Cr: Codorus-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
CsB2: Collington-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.32
CsC2: Collington-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
CtB2: Collington-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.32
CtC2: Collington-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CtC3: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CtD2: Collington-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
CtD3: Collington-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
Cu: Comus-----	100	Very limited Flooding Restricted permeability	1.00 0.50	Very limited Flooding Seepage	1.00 1.00
CwC: Conowingo-----	100	Very limited Restricted permeability Depth to saturated zone Depth to bedrock Slope	1.00 1.00 0.73 0.04	Very limited Depth to saturated zone Slope Seepage Depth to hard bedrock	1.00 1.00 0.32 0.32
ElA: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.50
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ElB: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.50
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
EmA: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.50
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
EmB: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.50
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
EoA: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage	1.00
EoB2: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EoC2: Elsinboro-----	100	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Depth to saturated zone	0.43	Seepage	1.00
EvB: Evesboro-----	100	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
				Slope	0.08
EvD: Evesboro-----	100	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.16	Slope	1.00
EvE: Evesboro-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
FaA: Fallsington-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.68		
FaB: Fallsington-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.68	Slope	0.32
FaC: Fallsington-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Slope	1.00
		Restricted permeability	0.68	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FmA: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
FmB: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
GeA: Glenelg-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
GeB2: Glenelg-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
GeC2: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GeC3: Glenelg-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50
GeD2: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GeD3: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
GeE: Glenelg-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GnA: Glenville-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Seepage Depth to saturated zone	0.50 0.06
GnB2: Glenville-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Slope Seepage Depth to saturated zone	0.92 0.50 0.06
GnC2: Glenville-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.63	Very limited Slope Seepage Depth to saturated zone	1.00 0.50 0.06
Gv: Gravel And Borrow Pi	100	Not rated		Not rated	
Ha: Hatboro-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
KeA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KeB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KeC2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96
KpA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KpB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KpC2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96
KpD2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.84	Very limited Slope Depth to saturated zone	1.00 0.96
KsB3: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KsC3: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96
LeB2: Legore-----	100	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.92
LeC2: Legore-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
LeD2: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LgC3: Legore-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
LgE3: Legore-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
LoA: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage	1.00
LoB: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope	1.00 0.32
LyC: Loamy And Clayey Lan	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LyD: Loamy And Clayey Lan	100	Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated	
MaB: Made Land-----	95	Not rated		Not rated	
MaD: Made Land-----	100	Not rated		Not rated	
MlB2: Manor-----	100	Not limited		Very limited Seepage Slope	1.00 0.92
MlC2: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MlC3: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MlD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MlD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MlE: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MmD: Manor-----	100	Somewhat limited Slope	0.96	Very limited Slope Seepage	1.00 1.00
MnA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MnB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MnC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MnD2: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
MnD3: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
MoA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MoB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MpA: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MpB2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MpC2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Mr: Mixed Alluvial Land-	100	Not rated		Not rated	
MtA: Montalto-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
MtB2: Montalto-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.92 0.50
MtC2: Montalto-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
MvD: Montalto-----	100	Very limited Restricted permeability Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
MyC3: Montalto-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
MyD3: Montalto-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Seepage	1.00 0.50
NeA: Neshaminy-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NeB2: Neshaminy-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.92 0.32
NeC2: Neshaminy-----	100	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.32
NeD2: Neshaminy-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Seepage	1.00 0.32
OhA: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
OhB: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
RuB: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
RuC: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
RuD: Rumford-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SaD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SfB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SgB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
SgC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SgC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00  0.50	Very limited Slope  Seepage	1.00  1.00
SgD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00  0.84 0.50	Very limited Slope  Seepage	1.00  1.00
SrE: Aura-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00  0.68	Very limited Slope Seepage	1.00 1.00
Sassafras-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00  0.68	Very limited Slope Seepage	1.00 1.00
St: Stony Land-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
Wa: Watchung-----	100	Very limited Restricted permeability Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone Seepage	1.00  0.32
WoA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WoB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoC2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
WoC3: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
WoD: Woodstown-----	100	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
WsA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WsB2: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

