

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
AcC: Acquango-----	90	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
As: Askecksy-----	80	Very limited Seepage  Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Very limited Ponding Too Sandy  Seepage Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Seepage  Flooding	1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00 1.00
BkA: Brockatonorton-----	80	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.47
BkB: Brockatonorton-----	80	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.47

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Br: Broadkill-----	80	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Salinity Seepage Too clayey	1.00 1.00 0.50	Seepage	1.00	Seepage Salinity	1.00 1.00
BX: Boxiron-----	40	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Seepage	1.00				
Broadkill-----	40	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Salinity Seepage Too clayey	1.00 1.00 0.50	Seepage	1.00	Seepage Salinity	1.00 1.00
CeA: Cedartown-----	55	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Rosedale-----	25	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
CeB: Cedartown-----	55	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Rosedale-----	25	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Ch: Chicone-----	75	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Too Sandy Seepage	1.00 1.00	Seepage	1.00	Too Sandy Seepage	1.00 1.00
Ek: Elkton-----	80	Not limited		Not limited		Very limited Depth to saturated zone	1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Em: Elkton-----	80	Somewhat limited Too clayey	0.50	Not limited		Very limited Depth to saturated zone Too clayey	1.00 0.50
EvA: Evesboro-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
EvB: Evesboro-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
EvC: Evesboro-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Fa: Fallsington-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
FmA: Fort Mott-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
FmB: Fort Mott-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
GaA: Galestown-----	75	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
GaB: Galestown-----	75	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
GaC: Galestown-----	75	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
HbA: Hambrook-----	75	Not limited		Not limited		Not limited	
HbB: Hambrook-----	75	Not limited		Not limited		Not limited	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HmA: Hammonton-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.44
HmB: Hammonton-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.44
Hu: Hurlock-----	80	Not limited		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00
In: Indiantown-----	75	Very limited Flooding Ponding  Seepage Too Sandy	1.00 1.00  1.00 1.00	Very limited Flooding Ponding  Seepage	1.00 1.00  1.00	Very limited Ponding Depth to saturated zone Seepage Too Sandy	1.00 1.00  1.00 0.50
Ke: Kentuck-----	85	Very limited Ponding Seepage  Too Sandy	1.00 1.00  1.00	Very limited Ponding Seepage	1.00 1.00	Very limited Ponding Depth to saturated zone Too Sandy Seepage	1.00 1.00  1.00 1.00
KsA: Klej-----	75	Not limited		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00
KsB: Klej-----	75	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 1.00
Ma: Manahawkin-----	80	Not Rated Not Rated; pH Flooding Ponding  Content of organic matter Seepage	1.00 1.00  1.00 1.00	Very limited Flooding Ponding Seepage	1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone Seepage  Content of organic matter	1.00 1.00 1.00  1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MC: Mannington-----	50	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Content of organic matter	1.00			Content of organic matter	1.00
		Seepage	1.00			Seepage	1.00
Nanticoke-----	45	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Too clayey	0.50				
MeA: Matapeake-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
MeB: Matapeake-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
MkA: Matapeake-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
MkB: Matapeake-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
MpA: Mattapex-----	80	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone	0.68
		Too clayey	0.50			Too clayey	0.50
MpB: Mattapex-----	80	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone Too clayey	1.00 1.00 0.68 0.50
MqA: Mattapex-----	80	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone Too clayey	1.00 1.00 0.68 0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MqB: Mattapex-----	80	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Depth to saturated zone Too clayey	1.00 1.00 0.68 0.50
Mu: Mullica-----	55	Very limited Too Sandy  Seepage Flooding	1.00 1.00 0.40	Very limited Seepage  Flooding	1.00 0.40	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
Berryland-----	30	Very limited Ponding Too Sandy  Seepage Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Seepage  Flooding	1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00 1.00
NnA: Nassawango-----	80	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
NnB: Nassawango-----	80	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
NsA: Nassawango-----	80	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
NsB: Nassawango-----	80	Not limited		Very limited Seepage	1.00	Not limited	
Ot: Othello-----	40	Very limited Too Sandy  Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 0.50
Othello-----	40	Very limited Seepage  Too Sandy	1.00 1.00	Not limited		Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pk: Puckum-----	75	Not Rated Not Rated; pH Flooding	1.00	Very limited Flooding Ponding	1.00	Not Rated Not Rated; pH Not Rated; Sieve and Fragments > 75mm	
		Ponding Content of organic matter Seepage	1.00 1.00 1.00	Seepage	1.00	Ponding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
Pu: Purnell-----	80	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Seepage Too Sandy	1.00 1.00	Seepage	1.00	Too Sandy Seepage	1.00 1.00
RoA: Rosedale-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
RoB: Rosedale-----	80	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
RuA: Runclint-----	75	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
RuB: Runclint-----	80	Very limited Too Sandy	1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
SaA: Sassafras-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
SaB: Sassafras-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
SaC: Sassafras-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Su: Sunken-----	100	Very limited Flooding Ponding	1.00 1.00	Very limited Flooding Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Salinity Seepage	1.00 1.00				
Tk: Transquaking-----	90	Not Rated Not Rated; pH Flooding Ponding	1.00 1.00	Very limited Flooding Ponding Seepage	1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone	1.00 1.00 1.00
		Content of organic matter Salinity	1.00 1.00			Content of organic matter Seepage	1.00 1.00
TP: Transquaking-----	50	Not Rated Not Rated; pH Flooding Ponding	1.00 1.00	Very limited Flooding Ponding Seepage	1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone	1.00 1.00 1.00
		Content of organic matter Salinity	1.00 1.00			Content of organic matter Seepage	1.00 1.00
Mispillion-----	30	Not Rated Not Rated; pH Flooding Ponding	1.00 1.00	Very limited Flooding Ponding Seepage	1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone	1.00 1.00 1.00
Uc: Urban Land-----	55	Not rated		Not rated		Not rated	
Acquango-----	35	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
Um: Urban Land-----	45	Not rated		Not rated		Not rated	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Askecksy-----	35	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00
		Too Sandy	1.00			Too Sandy Seepage	1.00 1.00
Un: Brockatonorton-----	40	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.47
Urban Land-----	40	Not rated		Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Not Rated Not Rated Not Rated Not Rated Too Sandy	1.00	Not Rated Not Rated Not Rated Not Rated		Not Rated Not Rated Not Rated Not Rated Too Sandy Seepage	1.00 1.00
Uz: Udorthents-----	85	Not Rated Not Rated Not Rated Not Rated Too Sandy	1.00	Not Rated Not Rated Not Rated Not Rated		Not Rated Not Rated Not Rated Not Rated Too Sandy Seepage	1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not Rated Not Rated; Slope Not Rated Not Rated; pH Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated Not Rated; Slope Not Rated Not Rated		Not Rated Not Rated; Slope Not Rated; pH Not Rated; Ksat Not Rated Not Rated	
WdA: Woodstown-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Depth to saturated zone Seepage	1.00 0.44 0.21
WdB: Woodstown-----	75	Very limited Too Sandy Seepage	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Depth to saturated zone Seepage	1.00 0.44 0.21
Zk: Zekiah-----	75	Very limited Flooding  Too Sandy Seepage	1.00  1.00 1.00	Very limited Flooding  Seepage	1.00  1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00  1.00 1.00

