

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|---------------------------|------------------|--|----------------------|---|----------------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| ArA: Abbottstown----- | 70 | Very limited Depth to saturated zone Depth to bedrock | 1.00 1.00 | Very limited Depth to saturated zone Depth to bedrock | 1.00 0.42 | Very limited Depth to saturated zone Depth to bedrock | 1.00 0.42 |
| Readington----- | 25 | Very limited Depth to bedrock Depth to saturated zone | 1.00 0.95 | Somewhat limited Depth to bedrock Depth to saturated zone | 1.00 0.44 | Somewhat limited Depth to bedrock Depth to saturated zone | 1.00 0.68 |
| ArB2: Abbottstown----- | 70 | Very limited Depth to saturated zone Depth to bedrock | 1.00 1.00 | Very limited Depth to saturated zone Depth to bedrock | 1.00 0.42 | Very limited Depth to saturated zone Depth to bedrock | 1.00 0.42 |
| Readington----- | 25 | Very limited Depth to bedrock Depth to saturated zone | 1.00 0.95 | Somewhat limited Depth to bedrock Depth to saturated zone | 1.00 0.44 | Somewhat limited Depth to bedrock Depth to saturated zone | 1.00 0.68 |
| BaA: Baile----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| BaB: Baile----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Be: Bermudian----- | 100 | Very limited Flooding Depth to saturated zone Seepage | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone Seepage | 1.00 1.00 1.00 | Somewhat limited Seepage Gravel content | 0.21 0.01 |
| BrA: Birdsboro----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 | Not limited | |
| BrB2: Birdsboro----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 | Not limited | |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|---|--------------|---------------------------------------|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Bs: Bowmansville----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Hard to compact | 1.00 |
| | | Seepage | 1.00 | | | Too clayey | 0.50 |
| | | Too clayey | 0.50 | | | | |
| BuA: Bucks----- | 100 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 |
| BuB2: Bucks----- | 100 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 |
| CaC2: Cardiff----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Seepage | 1.00 | Somewhat limited Content of large stones | 0.74 |
| | | Content of large stones | 0.74 | Depth to bedrock | 0.42 | Depth to bedrock | 0.42 |
| | | Slope | 0.04 | Slope | 0.04 | Slope | 0.04 |
| CeA: Chester----- | 100 | Somewhat limited Too clayey | 0.50 | Not limited | | Somewhat limited Too clayey | 0.50 |
| CeB2: Chester----- | 100 | Somewhat limited Too clayey | 0.50 | Not limited | | Somewhat limited Too clayey | 0.50 |
| CeC2: Chester----- | 100 | Somewhat limited Slope Too clayey | 0.63 0.50 | Somewhat limited Slope | 0.63 | Somewhat limited Slope Too clayey | 0.63 0.50 |
| CeC3: Chester----- | 100 | Somewhat limited Slope Too clayey | 0.63 0.50 | Somewhat limited Slope | 0.63 | Somewhat limited Slope Too clayey | 0.63 0.50 |
| Ch: Codorus----- | 95 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | | |
| | | Seepage | 1.00 | | | | |
| Cm: Comus----- | 100 | Very limited Flooding Seepage | 1.00 1.00 | Very limited Flooding Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|----------------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| CnA: Comus----- | 100 | Very limited Flooding Seepage | 1.00 1.00 | Very limited Flooding Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |
| CnB: Comus----- | 100 | Very limited Flooding Seepage | 1.00 1.00 | Very limited Flooding Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |
| CoA: Conestoga----- | 100 | Not limited | | Not limited | | Very limited Hard to compact | 1.00 |
| CoB2: Conestoga----- | 100 | Not limited | | Not limited | | Very limited Hard to compact | 1.00 |
| CoC2: Conestoga----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Hard to compact Slope | 1.00 0.63 |
| CoC3: Conestoga----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Hard to compact Slope | 1.00 0.63 |
| CoD3: Conestoga----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope Hard to compact | 1.00 1.00 |
| DeA: Delanco----- | 95 | Very limited Depth to saturated zone Too clayey Flooding | 1.00 0.50 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Somewhat limited Depth to saturated zone Too clayey | 0.96 0.50 |
| DeB2: Delanco----- | 95 | Very limited Depth to saturated zone Too clayey Flooding | 1.00 0.50 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Somewhat limited Depth to saturated zone Too clayey | 0.96 0.50 |
| ElB2: Elioak----- | 100 | Somewhat limited Too clayey | 0.50 | Not limited | | Somewhat limited Hard to compact | 0.50 |
| ElC2: Elioak----- | 100 | Somewhat limited Slope Too clayey | 0.63 0.50 | Somewhat limited Slope | 0.63 | Somewhat limited Slope Hard to compact | 0.63 0.50 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| EmD3: Elioak----- | 100 | Very limited Slope Too clayey | 1.00 0.50 | Very limited Slope | 1.00 | Very limited Slope Hard to compact | 1.00 0.50 |
| EnB2: Elsinboro----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |
| EnC2: Elsinboro----- | 100 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.63 | Somewhat limited Slope Seepage | 0.63 0.21 |
| EsA: Elsinboro----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |
| EsB2: Elsinboro----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Somewhat limited Seepage | 0.21 |
| EsC2: Elsinboro----- | 100 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to saturated zone Seepage Slope | 1.00 1.00 0.63 | Somewhat limited Slope Seepage | 0.63 0.21 |
| GcB2: Glenelg----- | 100 | Not limited | | Not limited | | Not limited | |
| GcC2: Glenelg----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 |
| GcC3: Glenelg----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 |
| GcD2: Glenelg----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| GcD3: Glenelg----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| GlA: Glenelg----- | 100 | Not limited | | Not limited | | Not limited | |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|---------------------------|------------------|---|----------------------|--|--------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| G1B2: Glenelg----- | 100 | Not limited | | Not limited | | Not limited | |
| G1B3: Glenelg----- | 100 | Not limited | | Not limited | | Not limited | |
| G1C2: Glenelg----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 |
| G1C3: Glenelg----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 |
| GvA: Glenville----- | 95 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.94 | Somewhat limited Depth to saturated zone Gravel content | 0.96 0.01 |
| GvB: Glenville----- | 95 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.94 | Somewhat limited Depth to saturated zone Gravel content | 0.96 0.01 |
| HaA: Hagerstown----- | 100 | Very limited Too clayey | 1.00 | Not limited | | Very limited Too clayey Hard to compact | 1.00 1.00 |
| HaB2: Hagerstown----- | 100 | Very limited Too clayey | 1.00 | Not limited | | Very limited Too clayey Hard to compact | 1.00 1.00 |
| HaC2: Hagerstown----- | 100 | Very limited Too clayey Slope | 1.00 0.63 | Somewhat limited Slope | 0.63 | Very limited Too clayey Hard to compact Slope | 1.00 1.00 0.63 |
| Ht: Hatboro----- | 100 | Very limited Flooding Depth to saturated zone Seepage | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| K1B2: Klinesville----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock Gravel content Seepage | 1.00 1.00 0.50 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|---------------------------|------------------|--|----------------------------------|---|------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| KsD4: Klinesville----- | 100 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Gravel content Slope Seepage | 1.00 1.00 1.00 0.50 |
| KsF3: Klinesville----- | 100 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content Seepage | 1.00 1.00 1.00 0.50 |
| LbB2: Lewisberry----- | 100 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Somewhat limited Seepage Gravel content | 0.50 0.15 |
| LbC2: Lewisberry----- | 100 | Very limited Seepage Slope | 1.00 0.63 | Very limited Seepage Slope | 1.00 0.63 | Somewhat limited Slope Seepage Gravel content | 0.63 0.50 0.15 |
| LbD: Lewisberry----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage Gravel content | 1.00 0.50 0.15 |
| Le: Lindside----- | 95 | Very limited Flooding Depth to saturated zone Seepage Too clayey | 1.00 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone Too clayey | 0.68 0.50 |
| LnB2: Linganore----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock Gravel content | 1.00 0.29 |
| LnC2: Linganore----- | 100 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Slope Gravel content | 1.00 0.63 0.29 |
| LnC3: Linganore----- | 100 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Slope Gravel content | 1.00 0.63 0.29 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|--------------------------|------------------|---|--------------|---|--------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| LnD2: Linganore----- | 100 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content | 1.00 1.00 0.29 |
| LnE: Linganore----- | 100 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content | 1.00 1.00 0.29 |
| Md: Made Land----- | 100 | Not rated | | Not rated | | Not rated | |
| MgB2: Manor----- | 100 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Somewhat limited Seepage Gravel content | 0.21 0.01 |
| MgC2: Manor----- | 100 | Very limited Seepage Slope | 1.00 0.63 | Very limited Seepage Slope | 1.00 0.63 | Somewhat limited Slope Seepage Gravel content | 0.63 0.21 0.01 |
| MgC3: Manor----- | 100 | Very limited Seepage Slope | 1.00 0.63 | Very limited Seepage Slope | 1.00 0.63 | Somewhat limited Slope Seepage Gravel content | 0.63 0.21 0.01 |
| MgD2: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage Gravel content | 1.00 0.21 0.01 |
| MgD3: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage Gravel content | 1.00 0.21 0.01 |
| MlB2: Manor----- | 100 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Somewhat limited Seepage | 0.21 |
| MlB3: Manor----- | 100 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Somewhat limited Seepage | 0.21 |
| MlC2: Manor----- | 100 | Very limited Seepage Slope | 1.00 0.63 | Very limited Seepage Slope | 1.00 0.63 | Somewhat limited Slope Seepage | 0.63 0.21 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|--------------|--|--------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MlC3: Manor----- | 100 | Very limited Seepage Slope | 1.00 0.63 | Very limited Seepage Slope | 1.00 0.63 | Somewhat limited Slope Seepage | 0.63 0.21 |
| MlD2: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| MlD3: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| MlE: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| MnC: Manor----- | 100 | Very limited Seepage Slope | 1.00 0.04 | Very limited Seepage Slope | 1.00 0.04 | Somewhat limited Seepage Slope | 0.21 0.04 |
| MnD: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| MnE: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| MnF: Manor----- | 100 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 1.00 | Very limited Slope Seepage | 1.00 0.21 |
| Mo: Melvin----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| MtA: Mt.airy----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Gravel content Seepage | 1.00 1.00 0.21 |
| MtB2: Mt.airy----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Gravel content Seepage | 1.00 1.00 0.21 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MtC2: Mt.airy----- | 100 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Gravel content Slope Seepage | 1.00 1.00 0.63 0.21 |
| MtC3: Mt.airy----- | 100 | Very limited Depth to bedrock Slope | 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Gravel content Slope Seepage | 1.00 1.00 0.63 0.21 |
| MtD2: Mt.airy----- | 100 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock Seepage | 1.00 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content Seepage | 1.00 1.00 1.00 0.21 |
| MtE: Mt.airy----- | 100 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock Seepage | 1.00 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content Seepage | 1.00 1.00 1.00 0.21 |
| PeB2: Penn----- | 100 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 0.21 |
| PhB2: Penn----- | 100 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage Gravel content | 1.00 0.21 0.09 |
| PhC2: Penn----- | 100 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage Gravel content | 1.00 0.63 0.21 0.09 |
| PhC3: Penn----- | 100 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage Gravel content | 1.00 0.63 0.21 0.09 |
| PnA2: Penn----- | 100 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 0.21 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|------------------------------|--|----------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| PnB2: Penn----- | 100 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 0.21 |
| PnC2: Penn----- | 100 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage | 1.00 0.63 0.21 |
| PnC3: Penn----- | 100 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage | 1.00 0.63 0.21 |
| PoD: Penn----- | 100 | Very limited Slope Depth to bedrock Seepage | 1.00 1.00 1.00 | Very limited Slope Depth to bedrock Seepage | 1.00 1.00 1.00 | Very limited Depth to bedrock Slope Seepage | 1.00 1.00 0.21 |
| PsB2: Penn----- | 50 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 0.21 |
| Steinsburg----- | 30 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 1.00 | Very limited Depth to bedrock Seepage | 1.00 0.50 |
| PsC3: Penn----- | 50 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage | 1.00 0.63 0.21 |
| Steinsburg----- | 30 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Seepage Slope | 1.00 1.00 0.63 | Very limited Depth to bedrock Slope Seepage | 1.00 0.63 0.50 |
| RaA: Raritan----- | 95 | Very limited Depth to saturated zone Seepage Too Sandy Too clayey | 1.00 1.00 1.00 0.50 | Somewhat limited Depth to saturated zone | 0.94 | Somewhat limited Depth to saturated zone Too clayey Too Sandy Seepage | 0.96 0.50 0.50 0.21 |
| RaB: Raritan----- | 95 | Very limited Depth to saturated zone Seepage Too Sandy Too clayey | 1.00 1.00 1.00 0.50 | Somewhat limited Depth to saturated zone | 0.94 | Somewhat limited Depth to saturated zone Too clayey Too Sandy Seepage | 0.96 0.50 0.50 0.21 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|--------------------------|------------------|---|-------|---|-------|---|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ro: Rowland----- | 95 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Somewhat limited Depth to saturated zone | 0.86 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | | |
| | | Seepage | 1.00 | | | | |
| StB2: Steinsburg----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 |
| | | Seepage | 1.00 | Seepage | 1.00 | Seepage | 0.50 |
| StD3: Steinsburg----- | 100 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 | Very limited Depth to bedrock | 1.00 |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Seepage | 1.00 | Seepage | 1.00 | Seepage | 0.50 |
| UrA: Urbana----- | 95 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to saturated zone | 0.75 | Somewhat limited Depth to saturated zone | 0.86 |
| | | Depth to saturated zone | 1.00 | Depth to bedrock | 0.42 | Depth to bedrock | 0.42 |
| UrB2: Urbana----- | 95 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to saturated zone | 0.75 | Somewhat limited Depth to saturated zone | 0.86 |
| | | Depth to saturated zone | 1.00 | Depth to bedrock | 0.42 | Depth to bedrock | 0.42 |
| Ws: Wiltshire----- | 95 | Somewhat limited Depth to saturated zone | 0.95 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.68 |
| | | Too clayey | 0.50 | | | Too clayey | 0.50 |

