

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
AuC2: Aura-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
AuD2: Aura-----	100	Slight		Poorly suited Slope	1.00	Moderate Strength	0.50
AuD3: Aura-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
BlA: Beltsville-----	95	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BlB2: Beltsville-----	95	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BlC2: Beltsville-----	95	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
BlC3: Beltsville-----	95	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
Bo: Bibb-----	100	Severe Flooding Strength	1.00 0.50	Poorly suited Flooding Wetness Strength	1.00 0.50 0.50	Severe Strength	1.00
BrB2: Bourne-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
BrC2: Bourne-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuC3: Bourne-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
ChB2: Chillum-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
ChC2: Chillum-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Co: Coastal Beaches----	100	Not rated		Not rated		Not rated	
CrB2: Croom-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
CrC2: Croom-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
CrC3: Croom-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
EvC: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EwB: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
EwC: Evesboro-----	100	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50
ExC2: Exum-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
ExC3: Exum-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
ExD2: Exum-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
EyD3: Exum-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
EzB2: Exum-----	65	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
Beltsville-----	30	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
Fs: Fallsington-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
GaB: Galestown-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
GvE: Gravelly Land-----	95	Not rated		Not rated		Not rated	
Ik: Iuka-----	95	Severe Flooding Strength	1.00 0.50	Poorly suited Flooding Strength	1.00 0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Im: Iuka-----	95	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
In: Iuka-----	100	Moderate Flooding Strength	0.50 0.50	Moderately suited Flooding Strength	0.50 0.50	Severe Strength	1.00
KeA: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KeB2: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KpA: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KpB2: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
KpC2: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
KpC3: Keyport-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
Le: Leonardtown-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
MgA: Magnolia-----	100	Moderate Strength	0.50	Well suited		Moderate Strength	0.50
MgB2: Magnolia-----	100	Moderate Strength	0.50	Well suited		Moderate Strength	0.50
MgC2: Magnolia-----	100	Moderate Strength	0.50	Moderately suited Slope	0.50	Moderate Strength	0.50
MkC3: Magnolia-----	100	Moderate Strength	0.50	Moderately suited Slope	0.50	Moderate Strength	0.50

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlB2: Marr-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MmA: Matapeake-----	100	Slight		Well suited		Moderate Strength	0.50
MmB2: Matapeake-----	100	Slight		Well suited		Moderate Strength	0.50
MnA: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MnB2: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MnC2: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
MnC3: Matapeake-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
Ms: Matawan-----	100	Slight		Well suited		Moderate Strength	0.50
MtA: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MtB2: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MuA: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MuB2: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
MxC: Mattapex-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
OcB: Ochlockonee-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Or: Osier-----	100	Slight		Poorly suited Wetness	1.00	Moderate Strength	0.50
Os: Othello-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
Ot: Othello-----	100	Moderate Strength	0.50	Poorly suited Wetness Strength	1.00 0.50	Severe Strength	1.00
RdB2: Rumford-----	100	Slight		Well suited		Moderate Strength	0.50
RdC2: Rumford-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
RgB2: Rumford-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
RgC2: Rumford-----	100	Moderate Sandiness	0.50	Moderately suited Sandiness Slope	0.50 0.50	Moderate Strength	0.50
SaE: Sandy Land-----	100	Not rated		Not rated		Not rated	
ShA: Sassafras-----	100	Slight		Well suited		Moderate Strength	0.50
ShB2: Sassafras-----	100	Slight		Well suited		Moderate Strength	0.50
ShC2: Sassafras-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
ShC3: Sassafras-----	100	Slight		Moderately suited Slope	0.50	Moderate Strength	0.50
ShD2: Sassafras-----	100	Slight		Poorly suited Slope	1.00	Moderate Strength	0.50

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShD3: Sassafras-----	100	Slight		Poorly suited Slope	1.00	Moderate Strength	0.50
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WaC2: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
WaC3: Westphalia-----	100	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
WaD2: Westphalia-----	100	Moderate Slope Strength	0.50 0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
WaD3: Westphalia-----	100	Moderate Slope Strength	0.50 0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
WeB2: Westphalia-----	70	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
Evesboro-----	30	Moderate Sandiness	0.50	Moderately suited Sandiness	0.50	Moderate Strength	0.50
WeC2: Westphalia-----	70	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Evesboro-----	30	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50

Table FOR-1.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Limitations affecting construction of haul roads and log landings		Suitability for log landings		Soil rutting hazard	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeC3: Westphalia-----	70	Moderate Strength	0.50	Moderately suited Slope Strength	0.50 0.50	Severe Strength	1.00
Evesboro-----	30	Moderate Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderate Strength	0.50
WkB2: Wickham-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WkC2: Wickham-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
WkD2: Wickham-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
WmC3: Wickham-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00
WmD3: Wickham-----	100	Moderate Strength	0.50	Poorly suited Slope Strength	1.00 0.50	Severe Strength	1.00
WoA: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WoB2: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength	0.50	Severe Strength	1.00
WoC2: Woodstown-----	100	Moderate Strength	0.50	Moderately suited Strength Slope	0.50 0.50	Severe Strength	1.00

