

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Bm: Bibb-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Ek: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Em: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fa: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fs: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
GaA: Galestown-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Sandiness	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaB: Galestown-----	95	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
GaC: Galestown-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
GaD: Galestown-----	100	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope Sandiness	1.00 0.50
GaE: Galestown-----	100	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
GaF: Galestown-----	100	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
GsA: Galestown-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Sandiness	0.50
GsB: Galestown-----	95	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
GsC: Galestown-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
GsD: Galestown-----	100	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope Sandiness	1.00 0.50
GsE: Galestown-----	100	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
Jo: Johnston-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
KsA: Klej-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsB: Klej-----	95	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Wetness	0.50
LaA: Lakeland-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Sandiness	0.50
LaB: Lakeland-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
LaC: Lakeland-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
LcC: Lakeland-----	100	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Sandiness Slope	0.50 0.50
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MkB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MkE: Matapeake-----	100	Moderate Slope/erodibility	0.56	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MsA: Mattapex-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MsB2: Mattapex-----	95	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MsE: Mattapex-----	100	Moderate Slope/erodibility	0.56	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Mt: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mu: Muck-----	100	Not rated		Not rated		Not rated	
Oh: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pm: Plummer-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00
Po: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Ps: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Pt: Portsmouth-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
SaA: Sassafras-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SaB2: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
ShA: Sassafras-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SmA: Sassafras-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
SmB: Sassafras-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
SmB2: Sassafras-----	95	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
SmC: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
SmC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
SmD: Sassafras-----	100	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope	1.00
SmE: Sassafras-----	100	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SnA: Sassafras-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SnB: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SnB2: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SnB3: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SnC: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SnC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SnC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SnD: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SnD2: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SnE: Sassafras-----	100	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnF: Sassafras-----	100	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SsA: Sassafras-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SsB: Sassafras-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WdB2: Woodstown-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WoA: Woodstown-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WoB: Woodstown-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WoB2: Woodstown-----	95	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WoC: Woodstown-----	95	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50

