

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaA: Barclay-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Wetness	0.50 0.50
BaB2: Barclay-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Wetness	0.50 0.50
Bp: Borrow Pits-----	95	Not rated		Not rated		Not rated	
Cb: Coastal Beaches----	100	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
DoB2: Downer-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
DoC2: Downer-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
Ek: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Es: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ff: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fg: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
GaB: Galestown-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
GaC: Galestown-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
KmA: Keyport-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
KmB2: Keyport-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
KmC2: Keyport-----	95	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
KmD: Keyport-----	100	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
KpA: Keyport-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpB2: Keyport-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
KsC3: Keyport-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
KsD3: Keyport-----	100	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Ky: Klej-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness	0.50
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MkB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MkC2: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MkD: Matapeake-----	100	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MlA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MlB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MlC2: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MlC3: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlD3: Matapeake-----	100	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MpA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MpB2: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MxA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MxB2: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
My: Mixed Alluvial Land	100	Not rated		Not rated		Not rated	
Oh: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ot: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pe: Plummer-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00
Pk: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Pm: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Pt: Portsmouth-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SaB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SaC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaD: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SaD3: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SfA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SfB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SmA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SmB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
SmC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
SmC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
St: Steep Land-----	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WdB2: Woodstown-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WfA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WoA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WoB2: Woodstown-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

