

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Holmdel-----	30	Well suited		Well suited		Well suited	
AdB: Adelphia-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Holmdel-----	40	Well suited		Well suited		Well suited	
AdC: Adelphia-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Holmdel-----	40	Well suited		Moderately suited Slope	0.50	Well suited	
AeB: Adelphia-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Holmdel-----	30	Well suited		Well suited		Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB: Alloway-----	40	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Sassafras-----	30	Well suited		Well suited		Well suited	
AfC: Alloway-----	40	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50	Moderately suited Strength	0.50
Sassafras-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
AnB: Alloway-----	30	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Sassafras-----	30	Well suited		Well suited		Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AnD: Alloway-----	30	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
Sassafras-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Well suited		Moderately suited Rock fragments	0.50	Well suited	
AoB: Annapolis-----	80	Well suited		Moderately suited Rock fragments	0.50	Well suited	
AoC: Annapolis-----	75	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
AsA: Annapolis-----	80	Well suited		Moderately suited Rock fragments	0.50	Well suited	
AsB: Annapolis-----	80	Well suited		Moderately suited Rock fragments	0.50	Well suited	
AsC: Annapolis-----	80	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
AsE: Annapolis-----	60	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Slope	0.50
AsF: Annapolis-----	60	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
AsG: Annapolis-----	60	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
AuB: Annapolis-----	50	Well suited		Moderately suited Rock fragments	0.50	Well suited	
Urban Land-----	40	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AuD: Annapolis-----	50	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
Urban Land-----	35	Not rated		Not rated		Not rated	
CaB: Chillum-----	60	Well suited		Well suited		Moderately suited Strength	0.50
CaC: Chillum-----	60	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CbB: Chillum-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Hatboro-----	30	Well suited		Well suited		Moderately suited Strength	0.50
CkA: Colemantown-----	80	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
CmA: Colemantown-----	70	Well suited		Well suited		Moderately suited Strength	0.50
CnB: Colemantown-----	40	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Well suited		Well suited		Moderately suited Strength	0.50
Wist-----	25	Well suited		Well suited		Well suited	
CoB: Collington-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Wist-----	30	Well suited		Well suited		Well suited	
CoC: Collington-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	35	Well suited		Moderately suited Slope	0.50	Well suited	
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Well suited		Well suited		Moderately suited Strength	0.50
Wist-----	25	Well suited		Well suited		Well suited	
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Wist-----	25	Well suited		Moderately suited Slope	0.50	Well suited	
CRD: Collington-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Annapolis-----	25	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
CSE: Collington-----	40	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
Westphalia-----	25	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
Wist-----	25	Well suited		Poorly suited Slope	0.75	Moderately suited Slope	0.50
CSF: Collington-----	40	Moderately suited Slope	0.50	Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
Westphalia-----	25	Moderately suited Slope	0.50	Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
Wist-----	25	Moderately suited Slope	0.50	Unsuited Slope	1.00	Moderately suited Slope	0.50
CSG: Collington-----	40	Moderately suited Slope	0.50	Unsuited Slope	1.00	Poorly suited Slope Strength	1.00 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Westphalia-----	25	Moderately suited Slope	0.50	Unsuited Slope	1.00	Poorly suited Slope Strength	1.00 0.50
Wist-----	25	Moderately suited Slope	0.50	Unsuited Slope	1.00	Poorly suited Slope	1.00
CTA: Comus-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Codorus-----	35	Well suited		Well suited		Moderately suited Strength	0.50
CxA: Cumberstone-----	45	Well suited		Well suited		Moderately suited Strength	0.50
Mattapex-----	25	Well suited		Well suited		Moderately suited Strength	0.50
CxB: Cumberstone-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Mattapex-----	40	Well suited		Well suited		Moderately suited Strength	0.50
CxC: Cumberstone-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Mattapex-----	35	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CyB: Cumberstone-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Mattapex-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD: Cumberstone-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Mattapex-----	25	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Shadyoak-----	20	Well suited		Well suited		Moderately suited Strength	0.50
DeA: Deale-----	35	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Well suited		Well suited		Moderately suited Strength	0.50
DfA: Dodon-----	75	Well suited		Well suited		Moderately suited Strength	0.50
DfB: Dodon-----	75	Well suited		Well suited		Moderately suited Strength	0.50
DfC: Dodon-----	75	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
DnA: Donlonton-----	65	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
DnB: Donlonton-----	65	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
DuB: Donlonton-----	40	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Well suited		Well suited		Well suited	
Hammonton-----	20	Well suited		Well suited		Well suited	
DvC: Downer-----	50	Well suited		Moderately suited Slope	0.50	Well suited	
Hammonton-----	20	Well suited		Moderately suited Slope	0.50	Well suited	
DvD: Downer-----	40	Well suited		Moderately suited Slope	0.50	Well suited	
Hammonton-----	15	Well suited		Moderately suited Slope	0.50	Well suited	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DwB: Downer-----	25	Well suited		Well suited		Well suited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Well suited		Well suited		Well suited	
DwD: Downer-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Well suited		Moderately suited Slope	0.50	Well suited	
DxB: Downer-----	40	Well suited		Well suited		Well suited	
Phalanx-----	35	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
DxC: Downer-----	40	Well suited		Moderately suited Slope	0.50	Well suited	
Phalanx-----	35	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
DxD: Downer-----	40	Well suited		Moderately suited Slope	0.50	Well suited	
Phalanx-----	35	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
EuB: Evesboro-----	25	Well suited		Well suited		Well suited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	20	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
EuD: Evesboro-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EuE: Evesboro-----	30	Well suited		Poorly suited Slope	0.75	Moderately suited Slope	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Moderately suited Sandiness	0.50	Poorly suited Slope Sandiness	0.75 0.50	Moderately suited Sandiness Slope	0.50 0.50
EVC: Evesboro-----	45	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
Galestown-----	20	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
FaA: Fallsington-----	60	Well suited		Well suited		Moderately suited Strength	0.50
FrA: Fallsington-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
HmB: Annapolis-----	40	Well suited		Moderately suited Rock fragments	0.50	Well suited	
Howell-----	40	Well suited		Well suited		Moderately suited Strength	0.50
HmC: Howell-----	45	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Annapolis-----	40	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
HMD: Annapolis-----	40	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
Howell-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HME: Annapolis-----	40	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Slope	0.50
Howell-----	40	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
HoA: Dodon-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Howell-----	40	Well suited		Well suited		Moderately suited Strength	0.50
HoB: Dodon-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Howell-----	40	Well suited		Well suited		Moderately suited Strength	0.50
HoC: Dodon-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Howell-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
HOD: Dodon-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Howell-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
HOE: Dodon-----	40	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
Howell-----	40	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
HOF: Dodon-----	40	Well suited		Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
Howell-----	40	Well suited		Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
MaB: Dodon-----	40	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Marr-----	40	Well suited		Well suited		Moderately suited Strength	0.50
MaC: Dodon-----	35	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Marr-----	35	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MaD: Dodon-----	35	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Marr-----	35	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MDE: Dodon-----	35	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
Marr-----	35	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
MDF: Marr-----	35	Well suited		Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
Dodon-----	30	Well suited		Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
MgB: Dodon-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Marr-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Marr-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmC: Matapeake-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MpB: Matapeake-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Mattapex-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MtA: Mattapex-----	60	Well suited		Well suited		Moderately suited Strength	0.50
MtB: Mattapex-----	60	Well suited		Well suited		Moderately suited Strength	0.50
MtC: Mattapex-----	60	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MxB: Mattapex-----	35	Well suited		Well suited		Moderately suited Strength	0.50
Butlertown-----	30	Well suited		Well suited		Moderately suited Strength	0.50
MxC: Mattapex-----	45	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Butlertown-----	25	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MyB: Mattapex-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MZA: Mispillion-----	40	Unsuited Wetness	1.00	Poorly suited Wetness	0.75	Poorly suited Wetness Strength	1.00 0.50
Transquaking-----	40	Unsuited Wetness	1.00	Poorly suited Wetness	0.75	Poorly suited Strength Wetness	1.00 1.00
NMA: Mannington-----	40	Unsuited Wetness	1.00	Poorly suited Wetness	0.75	Poorly suited Wetness Strength	1.00 0.50
Nanticoke-----	40	Unsuited Wetness	1.00	Poorly suited Wetness	0.75	Poorly suited Wetness Strength	1.00 0.50
PeB: Patapsco-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Evesboro-----	20	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Fort Mott-----	20	Well suited		Well suited		Well suited	
PfB: Fort Mott-----	30	Well suited		Well suited		Well suited	
Patapsco-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
PfC: Fort Mott-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
Patapsco-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
PfD: Fort Mott-----	30	Well suited		Moderately suited Slope	0.50	Well suited	
Patapsco-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
PgB: Fort Mott-----	25	Well suited		Well suited		Well suited	
Patapsco-----	25	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PgD: Fort Mott-----	25	Well suited		Moderately suited Slope	0.50	Well suited	
Patapsco-----	25	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
PrB: Pepperbox-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
PT: Gravel And Borrow Pits-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness Slope	0.50 0.50	Moderately suited Sandiness	0.50
RfA: Russett-----	65	Well suited		Well suited		Moderately suited Strength	0.50
RfB: Russett-----	65	Well suited		Well suited		Moderately suited Strength	0.50
RhB: Russett-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Alloway-----	25	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Hambrook-----	20	Well suited		Well suited		Moderately suited Strength	0.50
RhC: Russett-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Alloway-----	25	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
Hambrook-----	20	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RhD: Russett-----	30	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Alloway-----	25	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
Hambrook-----	20	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
RkB: Russett-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Alloway-----	25	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
RyB: Russett-----	35	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Well suited		Well suited		Well suited	
SaD: Sassafras-----	60	Well suited		Moderately suited Slope	0.50	Well suited	
SfB: Sassafras-----	55	Well suited		Well suited		Moderately suited Strength	0.50
ShA: Hambrook-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Sassafras-----	40	Well suited		Well suited		Well suited	
SME: Sassafras-----	30	Well suited		Poorly suited Slope	0.75	Moderately suited Slope	0.50
Croom-----	25	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
SMF: Sassafras-----	30	Moderately suited Slope	0.50	Unsuited Slope	1.00	Moderately suited Slope	0.50
Croom-----	25	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnB: Sassafras-----	35	Well suited		Well suited		Well suited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Well suited		Moderately suited Slope	0.50	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Shadyoak-----	40	Well suited		Well suited		Moderately suited Strength	0.50
SpA: Shadyoak-----	45	Well suited		Well suited		Moderately suited Strength	0.50
Elkton-----	40	Well suited		Well suited		Moderately suited Strength	0.50
SrA: Elkton-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Shadyoak-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Well suited		Well suited		Moderately suited Strength	0.50
TsB: Tinton-----	65	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
TsC: Tinton-----	65	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
TuB: Tinton-----	40	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Well suited		Well suited		Moderately suited Strength	0.50
UoD: Udorthents-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
UoE: Udorthents-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Unsuited Horizon table contains no data	1.00	Unsuited Horizon table contains no data Slope	1.00 0.75	Poorly suited Horizon table contains no data Slope	1.00 0.50
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Issue-----	30	Well suited		Well suited		Moderately suited Strength	0.50
WdA: Woodstown-----	60	Well suited		Well suited		Moderately suited Strength	0.50
WdB: Woodstown-----	100	Well suited		Well suited		Well suited	
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Well suited		Well suited		Moderately suited Strength	0.50
ZBA: Zekiah-----	40	Well suited		Well suited		Moderately suited Strength	0.50
Issue-----	30	Well suited		Well suited		Moderately suited Strength	0.50

