

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	95	Well suited		Well suited		Moderately suited Strength	0.50
AdB2: Adelphia-----	95	Well suited		Well suited		Moderately suited Strength	0.50
AdC2: Adelphia-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
AhA: Adelphia-----	95	Well suited		Well suited		Moderately suited Strength	0.50
AhB2: Adelphia-----	95	Well suited		Well suited		Moderately suited Strength	0.50
AuB2: Aura-----	100	Well suited		Well suited		Well suited	
AuC2: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
AuC3: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
AuD: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
AvE: Aura-----	50	Moderately suited Slope	0.50	Unsuited Slope	1.00	Moderately suited Slope	0.50
Croom-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
BeA: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50
BeB2: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeC2: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BlA: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50
BlB2: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50
BlC2: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BlC3: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BlD3: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BmB: Beltsville-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
BmC: Beltsville-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Bn: Bibb-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
Bo: Bibb-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Br: Bibb-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
BtB2: Butlertown-----	90	Well suited		Well suited		Moderately suited Strength	0.50
CaB2: Chillum-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaC2: Chillum-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CaC3: Chillum-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CaD2: Chillum-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
CbB: Chillum-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CbC: Chillum-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CbE: Chillum-----	50	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CcC3: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
CcD3: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
CcE3: Christiana-----	100	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
CdA: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
CdB2: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CdC2: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
CdD2: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
CeA: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
CeB2: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
CeC2: Christiana-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
CeD2: Christiana-----	100	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness	0.75 0.50	Moderately suited Strength	0.50
CfB: Christiana-----	50	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CfC: Christiana-----	50	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CfE: Christiana-----	50	Moderately suited Stickiness	0.50	Unsuited Slope Stickiness	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Cg: Clay Pits-----	95	Not rated		Not rated		Not rated	
Ch: Codorus-----	95	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ck: Codorus-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Cl: Colemantown-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
CmA: Collington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
CmB2: Collington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
CmC2: Collington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CmC3: Collington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CmD2: Collington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CmD3: Collington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CmE2: Collington-----	100	Well suited		Unsuited Slope	1.00	Moderately suited Slope Strength	0.50 0.50
CmE3: Collington-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
CnB2: Collington-----	100	Well suited		Well suited		Well suited	
CnC2: Collington-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
CnD2: Collington-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
CoA: Collington-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CoB2: Collington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
CoC3: Collington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CpB: Collington-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CpC: Collington-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Cr: Comus-----	95	Well suited		Well suited		Moderately suited Strength	0.50
CsB2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CsC2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CsC3: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CtB2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CtC2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CtC3: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtD2: Croom-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
CuB: Croom-----	50	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CuC: Croom-----	50	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CuE: Croom-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
DoA: Donlonton-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
DoB2: Donlonton-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Ek: Elkton-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
ElB: Elkton-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Well suited	
EmA: Elsinboro-----	100	Well suited		Well suited		Moderately suited Strength	0.50
EmB2: Elsinboro-----	100	Well suited		Well suited		Moderately suited Strength	0.50
EnA: Elsinboro-----	100	Well suited		Well suited		Moderately suited Strength	0.50
EnB2: Elsinboro-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EnC2: Elsinboro-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
EuB: Elsinboro-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Fl: Fallsington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Fs: Fallsington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Fu: Fallsington-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
GaC: Galestown-----	100	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
GdB: Galestown-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
GdC: Galestown-----	100	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
GeB: Galestown-----	50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
GeC: Galestown-----	50	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmB: Galestown-----	50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GmC: Galestown-----	50	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GnC2: Glenelg-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
GoB: Glenelg-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Gp: Gravel And Borrow Pi	95	Not rated		Not rated		Not rated	
Ha: Hatboro-----	100	Well suited		Well suited		Moderately suited Strength	0.50
HcC3: Howell-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
HcD3: Howell-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
HoB2: Howell-----	100	Well suited		Well suited		Moderately suited Strength	0.50
HoC2: Howell-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
HwB2: Howell-----	100	Well suited		Well suited		Moderately suited Strength	0.50
HwC2: Howell-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HwD2: Howell-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
HwE2: Howell-----	100	Well suited		Unsuited Slope	1.00	Moderately suited Strength Slope	0.50 0.50
Hy: Hyde-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ik: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
ImA: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
ImB: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
In: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
IoA: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
IoB: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
Iu: Iuka-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Ix: Iuka-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Jo: Johnston-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Johnston-----	50	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ju: Johnston-----	55	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	45	Not rated		Not rated		Not rated	
KeA: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Well suited	
KeB2: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Well suited	
KeC2: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Well suited	
KpA: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
KpB2: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
KpC2: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
KrC3: Keyport-----	95	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
KuB: Keyport-----	50	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Ky: Klej-----	95	Well suited		Well suited		Well suited	
LeA: Leonardtown-----	100	Well suited		Well suited		Moderately suited Strength	0.50
LeB: Leonardtown-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ma: Made Land-----	100	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MfB2: Magnolia-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
MgB2: Magnolia-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
MgC2: Magnolia-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
MhB2: Manor-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MhC2: Manor-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MhD2: Manor-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
MhF2: Manor-----	100	Moderately suited Slope	0.50	Unsuited Slope	1.00	Poorly suited Slope Strength	1.00 0.50
MkC: Manor-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
M1A: Marr-----	100	Well suited		Well suited		Moderately suited Strength	0.50
M1B2: Marr-----	100	Well suited		Well suited		Moderately suited Strength	0.50
M1B3: Marr-----	100	Well suited		Well suited		Moderately suited Strength	0.50
M1C2: Marr-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
M1C3: Marr-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlD3: Marr-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
MlE: Marr-----	30	Well suited		Unsuited Slope	1.00	Moderately suited Strength Slope	0.50 0.50
MmA: Matapeake-----	100	Well suited		Well suited		Well suited	
MmB2: Matapeake-----	100	Well suited		Well suited		Well suited	
MnA: Matapeake-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MnB2: Matapeake-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MnC2: Matapeake-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MnC3: Matapeake-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MnD2: Matapeake-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MoB2: Matapeake-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MpB: Matapeake-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MpC: Matapeake-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MrA: Matawan-----	95	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MrB2: Matawan-----	95	Well suited		Well suited		Moderately suited Strength	0.50
MrC2: Matawan-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MsA: Matawan-----	95	Well suited		Well suited		Well suited	
MsB: Matawan-----	95	Well suited		Well suited		Well suited	
MtA: Mattapex-----	95	Well suited		Well suited		Moderately suited Strength	0.50
MtB2: Mattapex-----	95	Well suited		Well suited		Moderately suited Strength	0.50
MuA: Mattapex-----	95	Well suited		Well suited		Moderately suited Strength	0.50
MuB2: Mattapex-----	95	Well suited		Well suited		Moderately suited Strength	0.50
MvB: Mattapex-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Mw: Mixed Alluvial Land	100	Not rated		Not rated		Not rated	
MxC3: Monmouth-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
MxD3: Monmouth-----	100	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
MyA: Monmouth-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
MyB2: Monmouth-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MyC2: Monmouth-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
MyD2: Monmouth-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
MzB2: Muirkirk-----	100	Well suited		Well suited		Well suited	
MzC2: Muirkirk-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
OcA: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
OcB: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
OcC: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
OhA: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
OhB: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ok: Ochlockonee, Local A	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Ol: Othello-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ot: Othello-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Pr: Plummer-----	50	Well suited		Well suited		Well suited	
Rutlege-----	50	Well suited		Well suited		Well suited	
RdA: Rumford-----	100	Well suited		Well suited		Well suited	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RdB2: Rumford-----	100	Well suited		Well suited		Well suited	
RdC2: Rumford-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
RdC3: Rumford-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
RdD2: Rumford-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
ReB: Rumford-----	50	Well suited		Well suited		Well suited	
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
ReC: Rumford-----	50	Well suited		Moderately suited Slope	0.50	Well suited	
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
ReD: Rumford-----	50	Well suited		Poorly suited Slope	0.75	Well suited	
Evesboro-----	30	Moderately suited Sandiness	0.50	Poorly suited Slope Sandiness	0.75 0.50	Moderately suited Sandiness	0.50
SaE: Sandy Land-----	95	Not rated		Not rated		Not rated	
ScB: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
ScC: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
ScD: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
SfB2: Sassafras-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfC2: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SfD2: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SgB2: Sassafras-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
SgC2: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SgC3: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SgD2: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SgD3: Sassafras-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
SgE: Sassafras-----	95	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
ShA: Sassafras-----	100	Well suited		Well suited		Well suited	
ShB2: Sassafras-----	100	Well suited		Well suited		Well suited	
ShC2: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
ShC3: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
SkB: Sassafras-----	50	Well suited		Well suited		Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SkC:							
Sassafras-----	50	Well suited		Moderately suited Slope	0.50	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
SkE:							
Sassafras-----	50	Well suited		Poorly suited Slope	0.75	Moderately suited Slope	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
SLD:							
Collington-----	30	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
Sassafras-----	30	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength	0.50
Aura-----	20	Well suited		Moderately suited Slope	0.50	Well suited	
SlE:							
Collington-----	30	Well suited		Unsuited Slope	1.00	Moderately suited Strength Slope	0.50 0.50
Sassafras-----	30	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Strength Slope	0.50 0.50
Aura-----	20	Well suited		Moderately suited Slope	0.50	Well suited	
SmA:							
Shrewsbury-----	100	Well suited		Well suited		Moderately suited Strength	0.50
SmB:							
Shrewsbury-----	100	Well suited		Well suited		Moderately suited Strength	0.50
SnA:							
Shrewsbury-----	100	Well suited		Well suited		Moderately suited Strength	0.50
So:							
Shrewsbury-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpB: Silty And Clayey Land, Gently-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
SpC: Silty And Clayey Land, Slopin-----	95	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
SpE: Silty And Clayey Land, Steep-----	95	Moderately suited Stickiness	0.50	Unsuited Slope Stickiness	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
StB2: Sunnyside-----	100	Well suited		Well suited		Well suited	
StC2: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
StD2: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
StE: Sunnyside-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Slope	0.50
SuB2: Sunnyside-----	100	Well suited		Well suited		Moderately suited Strength	0.50
SuC2: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
SuD2: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
SvC3: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
SvD3: Sunnyside-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
SwB: Sunnyside-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SwC: Sunnyside-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Sx: Manahawkin-----	100	Well suited		Well suited		Poorly suited Strength	1.00
Tm: Westbrook-----	100	Unsuited Wetness	1.00	Poorly suited Wetness	0.75	Poorly suited Strength Wetness	1.00 1.00
WaA: Westphalia-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WaB2: Westphalia-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WaB3: Westphalia-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WaC2: Westphalia-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WaC3: Westphalia-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WaD2: Westphalia-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
WaD3: Westphalia-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
WbB2: Westphalia-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WbC2: Westphalia-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WbD2: Westphalia-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeB2: Westphalia-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
WeC2: Westphalia-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
WeC3: Westphalia-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
WeD3: Westphalia-----	50	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Poorly suited Slope Sandiness	0.75 0.50	Moderately suited Sandiness	0.50
WoA: Woodstown-----	95	Well suited		Well suited		Moderately suited Strength	0.50
WoB2: Woodstown-----	95	Well suited		Well suited		Moderately suited Strength	0.50
WoC2: Woodstown-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Wu: Woodstown-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
ZZ900: Paved Areas-----	100	Not rated		Not rated		Not rated	

