

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
AuC2: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
AuD2: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
AuD3: Aura-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
BlA: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50
BlB2: Beltsville-----	95	Well suited		Well suited		Moderately suited Strength	0.50
BlC2: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BlC3: Beltsville-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Bo: Bibb-----	100	Well suited		Well suited		Moderately suited Strength	0.50
BrB2: Bourne-----	100	Well suited		Well suited		Moderately suited Strength	0.50
BrC2: Bourne-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
BuC3: Bourne-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
ChB2: Chillum-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChC2: Chillum-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Co: Coastal Beaches----	100	Not rated		Not rated		Not rated	
CrB2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CrC2: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CrC3: Croom-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
EvC: Evesboro-----	100	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
EwB: Evesboro-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
EwC: Evesboro-----	100	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
ExC2: Exum-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ExC3: Exum-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
ExD2: Exum-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
EyD3: Exum-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope	0.50 0.50	Moderately suited Strength	0.50
EzB2: Exum-----	65	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
Beltsville-----	30	Well suited		Well suited		Moderately suited Strength	0.50
Fs: Fallsington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
GaB: Galestown-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
GvE: Gravelly Land-----	95	Not rated		Not rated		Not rated	
Ik: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
Im: Iuka-----	95	Well suited		Well suited		Moderately suited Strength	0.50
In: Iuka-----	100	Well suited		Well suited		Moderately suited Strength	0.50
KeA: Keyport-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeB2: Keypoint-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
KpA: Keypoint-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
KpB2: Keypoint-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness	0.50	Moderately suited Strength	0.50
KpC2: Keypoint-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
KpC3: Keypoint-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness	0.50 0.50	Moderately suited Strength	0.50
Le: Leonardtown-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MgA: Magnolia-----	100	Well suited		Well suited		Well suited	
MgB2: Magnolia-----	100	Well suited		Well suited		Well suited	
MgC2: Magnolia-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
MkC3: Magnolia-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
MlB2: Marr-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MmA: Matapeake-----	100	Well suited		Well suited		Well suited	
MmB2: Matapeake-----	100	Well suited		Well suited		Well suited	
MnA: Matapeake-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MnB2: Matapeake-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnC2: Matapeake-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
MnC3: Matapeake-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Ms: Matawan-----	100	Well suited		Well suited		Well suited	
MtA: Mattapex-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MtB2: Mattapex-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MuA: Mattapex-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MuB2: Mattapex-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MxC: Mattapex-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
OcB: Ochlockonee-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Or: Osier-----	100	Well suited		Well suited		Well suited	
Os: Othello-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ot: Othello-----	100	Well suited		Well suited		Moderately suited Strength	0.50
RdB2: Rumford-----	100	Well suited		Well suited		Well suited	
RdC2: Rumford-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
RgB2: Rumford-----	100	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RgC2: Rumford-----	100	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
SaE: Sandy Land-----	100	Not rated		Not rated		Not rated	
ShA: Sassafras-----	100	Well suited		Well suited		Well suited	
ShB2: Sassafras-----	100	Well suited		Well suited		Well suited	
ShC2: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
ShC3: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
ShD2: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
ShD3: Sassafras-----	100	Well suited		Moderately suited Slope	0.50	Well suited	
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WaC2: Westphalia-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WaC3: Westphalia-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WaD2: Westphalia-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaD3: Westphalia-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength	0.50
WeB2: Westphalia-----	70	Well suited		Well suited		Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50	Moderately suited Sandiness	0.50
WeC2: Westphalia-----	70	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
WeC3: Westphalia-----	70	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Evesboro-----	30	Moderately suited Sandiness	0.50	Moderately suited Slope Sandiness	0.50 0.50	Moderately suited Sandiness	0.50
WkB2: Wickham-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WkC2: Wickham-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WkD2: Wickham-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WmC3: Wickham-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WmD3: Wickham-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
WoA: Woodstown-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WoB2: Woodstown-----	100	Well suited		Well suited		Moderately suited Strength	0.50
WoC2: Woodstown-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50

