

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. Map units in red represent the soils having the greatest potential for caving when excavated.)

Map symbol and soil name	ENG - Shallow Excavations
AmB: AIRMONT-----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.500 (0.000-0.500) Depth to dense layer (No dense layer limitation to Depth to dense layer) 0.100 Cutbanks cave
AmD: AIRMONT-----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 1.000 (0.000-1.000) Slope (No slope limitation to Slope) 0.500 (0.000-0.500) Depth to dense layer (No dense layer limitation to Depth to dense layer)
AnB: ANDOVER-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave
BUCHANAN-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone
At: ATKINS-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave 0.800 Flooding
BaB: BAGTOWN-----	1.000 Very limited 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BaC: BAGTOWN-----	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BaD: BAGTOWN-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BbD: BAGTOWN-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BbE: BAGTOWN-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)

Map symbol and soil name	ENG - Shallow Excavations
Bc:	
BASHER-----	1.000 Very limited 1.000 Depth to saturated zone 0.600 Flooding 0.100 Cutbanks cave
BeB:	
BERKS-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
BeC:	
BERKS-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
BfB:	
BERKS-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.100 Cutbanks cave
BfC:	
BERKS-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
BkB:	
BERKS-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.100 Cutbanks cave
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
BkD:	
BERKS-----	1.000 (0.457-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 (0.000-1.000) Slope (No slope limitation to Slope)
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Bp:	
BIGPOOL-----	1.000 Very limited 1.000 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
	0.949 (0.612-1.000) Depth to saturated zone 0.600 Flooding
BrB: BRADDOCK-----	Not Rated Not Rated; Fragments > 75mm 1.000 Cutbanks cave 0.125 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
BrC: BRADDOCK-----	Not Rated Not Rated; Fragments > 75mm 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BrD: BRADDOCK-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 1.000 Cutbanks cave
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
BtB: BRINKERTON-----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
BuB: BUCHANAN-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone
BuC: BUCHANAN-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
BuD: BUCHANAN-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone
CaB: CALVIN-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
CaC: CALVIN-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
CaD: CALVIN-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
CcB: CATOCTIN-----	1.000 Very limited 1.000 Depth to hard bedrock 0.100 Cutbanks cave
MYERSVILLE-----	0.100 Somewhat limited 0.100 Cutbanks cave
CcC: CATOCTIN-----	1.000 Very limited 1.000 Depth to hard bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
MYERSVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
CcD: CATOCTIN-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.100 Cutbanks cave
MYERSVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
CkB: CLEARBROOK-----	1.000 (1.000-1.000) Very limited 1.000 (1.000-1.000) Depth to saturated zone 0.457 Depth to soft bedrock 0.100 Cutbanks cave
Cm: CODORUS-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave 0.600 Flooding
Cn: CODORUS-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave 0.600 Flooding
Co: COMBS-----	0.100 Somewhat limited 0.100 Cutbanks cave
Cp: COMBS-----	0.100 Somewhat limited 0.100 Cutbanks cave
DaB: DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 0.100 Cutbanks cave
DaC: DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
DaD:	
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.100 Cutbanks cave
DeA:	
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DeB:	
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DeC:	
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones) 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DeD:	
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DgF:	
BAGTOWN-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density

Map symbol and soil name	ENG - Shallow Excavations
DhF: DEKALB-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.962 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
HAZLETON-----	1.000 Very limited 1.000 Slope 0.996 Depth to hard bedrock 0.180 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
Dk: DEPOSIT-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave
DnB: DEPOSIT-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave
DoA: DOWNSVILLE-----	1.000 Very limited 1.000 Cutbanks cave
DoB: DOWNSVILLE-----	1.000 Very limited 1.000 Cutbanks cave
DoC: DOWNSVILLE-----	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
DoD: DOWNSVILLE-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave
DoE: DOWNSVILLE-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave
DrA: DRYRUN-----	1.000 Very limited 1.000 Cutbanks cave 0.986 (0.820-1.000) Depth to saturated zone
DrB: DRYRUN-----	1.000 Very limited 1.000 Cutbanks cave 0.986 (0.820-1.000) Depth to saturated zone
DsA: DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave
DsB: DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave
DsC: DUFFIELD-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
DsD: DUFFIELD-----	1.000 Very limited 1.000 Slope

Map symbol and soil name	ENG - Shallow Excavations
	0.100 Cutbanks cave
DuB: DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave
DuC: DUFFIELD-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
DvB: DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DvC: DUFFIELD-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
DvD: DUFFIELD-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Fa: FAIRPLAY-----	1.000 Very limited 1.000 Ponding 1.000 Depth to saturated zone 1.000 Cutbanks cave
FO: FOXVILLE-----	1.000 Very limited 1.000 Depth to saturated zone 0.998 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones) 0.600 Flooding
HATBORO-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave 0.600 Flooding
Ft: FUNKSTOWN-----	1.000 Very limited 1.000 Cutbanks cave 0.986 (0.820-1.000) Depth to saturated zone 0.800 Flooding
HaA: HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HaB: HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey)

Map symbol and soil name	ENG - Shallow Excavations
	0.100 Cutbanks cave
HaC:	
HAGERSTOWN-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HaD:	
HAGERSTOWN-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HbB:	
HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HbC:	
HAGERSTOWN-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HbD:	
HAGERSTOWN-----	1.000 Very limited 1.000 Slope 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
HcB:	
HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HcC:	
HAGERSTOWN-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HcD:	
HAGERSTOWN-----	1.000 Very limited 1.000 Slope 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HdB:	
DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave
HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HdD:	
DUFFIELD-----	1.000 (0.100-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
HAGERSTOWN-----	1.000 (0.100-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.000-1.000) Slope (No slope limitation to Slope) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HgB:	
HAGERSTOWN-----	0.281 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.281 (0.000-1.000) Too clayey (Not too clayey to Too clayey) 0.100 Cutbanks cave
OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Hh:	
HATBORO-----	1.000 Very limited 1.000 Depth to saturated zone 1.000 Cutbanks cave 0.600 Flooding
HnB:	
HAZEL-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
HnC:	
HAZEL-----	1.000 Very limited 1.000 Depth to hard bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
HnD:	
HAZEL-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.100 Cutbanks cave
HrE:	
HAZEL-----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
HsD:	
HAZLETON-----	1.000 Very limited 1.000 Slope

Map symbol and soil name	ENG - Shallow Excavations
	0.996 Depth to hard bedrock 0.180 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
HsE: HAZLETON-----	1.000 Very limited 1.000 Slope 0.996 Depth to hard bedrock 0.180 (0.000-1.000) Content of large stones (No large stone limitation to Content of large stones)
HtB: HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 0.100 Cutbanks cave
HtC: HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
HtD: HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 0.100 Cutbanks cave
KcB: KLINESVILLE-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.100 Cutbanks cave
CALVIN-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
KcC: KLINESVILLE-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
CALVIN-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
KcD: KLINESVILLE-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 Slope
CALVIN-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
KcF: KLINESVILLE-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 Slope
CALVIN-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
LaB:	
LANTZ-----	Not Rated Not Rated; Fragments > 75mm 1.000 Depth to saturated zone 0.100 Cutbanks cave
ROHRERSVILLE----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
Lb:	
LAPPANS-----	0.600 (0.600-0.612) Somewhat limited 0.600 Flooding 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
Ln:	
LINDSIDE-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.800 Flooding
Me:	
MELVIN-----	1.000 Very limited 1.000 Depth to saturated zone 0.800 Flooding 0.100 Cutbanks cave
MgA:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.100 Cutbanks cave
MgB:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.100 Cutbanks cave
MgC:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
MgD:	
MONONGAHELA----	1.000 Very limited 1.000 Slope 1.000 (0.955-1.000) Depth to saturated zone 0.100 Cutbanks cave
MhA:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.100 Cutbanks cave
MhB:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.100 Cutbanks cave
MhC:	
MONONGAHELA----	1.000 (0.955-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.955-1.000) Depth to saturated zone 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
MkB:	
MT. ZION-----	1.000 Very limited 1.000 Cutbanks cave 0.820 (0.612-0.955) Depth to saturated zone

Map symbol and soil name	ENG - Shallow Excavations
MkC: MT. ZION-----	1.000 Very limited 1.000 Cutbanks cave 0.820 (0.612-0.955) Depth to saturated zone 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
MmA: MT. ZION-----	1.000 Very limited 1.000 Cutbanks cave 0.820 (0.612-0.955) Depth to saturated zone
ROHRERSVILLE----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
MoB: MURRILL-----	0.100 (0.100-0.875) Somewhat limited 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
MoC: MURRILL-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
MsB: MURRILL-----	1.000 Very limited 1.000 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
MsC: MURRILL-----	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
MsD: MURRILL-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
MuB: MURRILL-----	1.000 Very limited 1.000 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
MuD: MURRILL-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.000-1.000) Slope (No slope limitation to Slope) 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
MvB: MYERSVILLE-----	0.100 Somewhat limited 0.100 Cutbanks cave
MvC: MYERSVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
MwB: MYERSVILLE-----	0.100 Somewhat limited 0.100 Cutbanks cave
MwC: MYERSVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
MwD: MYERSVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
NoB: NOLLVILLE-----	0.100 (0.100-0.125) Somewhat limited 0.100 Cutbanks cave
NoC: NOLLVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
NoD: NOLLVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
OpA: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.100 Cutbanks cave
OpB: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.100 Cutbanks cave
OpC: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
OrB: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
OrC: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
OrD: OPEQUON-----	Not Rated Not Rated; Clay percent

Map symbol and soil name	ENG - Shallow Excavations
	1.000 Depth to hard bedrock 1.000 Slope
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
OrF: OPEQUON-----	Not Rated Not Rated; Clay percent 1.000 Depth to hard bedrock 1.000 Slope
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
PaB: PECKTONVILLE----	0.238 (0.100-0.875) Somewhat limited 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
PaC: PECKTONVILLE----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
PaD: PECKTONVILLE----	1.000 Very limited 1.000 Slope 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
PcB: PECKTONVILLE----	0.238 (0.100-0.875) Somewhat limited 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
PcC: PECKTONVILLE----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
PcD: PECKTONVILLE----	1.000 Very limited 1.000 Slope 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
PeE: PECKTONVILLE----	1.000 Very limited 1.000 Depth to hard bedrock 1.000 Slope 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density

Map symbol and soil name	ENG - Shallow Excavations
Pg:	
PHILO-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.600 Flooding
Ph:	
PHILO-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.996 Depth to hard bedrock
Pn:	
POPE-----	0.600 Somewhat limited 0.600 Flooding 0.100 Cutbanks cave
Po:	
POPE-----	Not Rated Not Rated; Fragments > 75mm 1.000 Cutbanks cave 0.600 Flooding
Qa:	
QUARRY-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Qm:	
QUARRY-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Qr:	
QUARRY-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
Qs:	
QUARRY-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
RaC:	
RAVENROCK-----	1.000 Very limited 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.041 (0.000-1.000) Slope (No slope limitation to Slope)
RaD:	
RAVENROCK-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
RcC:	
RAVENROCK-----	1.000 Very limited 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.041 (0.000-1.000) Slope (No slope limitation to Slope)
ROHRERSVILLE----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
	0.041 (0.000-1.000) Slope (No slope limitation to Slope)
<b>ReC:</b>	
HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
<b>RAVENROCK-----</b>	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
<b>ReD:</b>	
HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 0.100 Cutbanks cave
<b>RAVENROCK-----</b>	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
<b>ReF:</b>	
HIGHFIELD-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 0.100 Cutbanks cave
<b>RAVENROCK-----</b>	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
<b>RhB:</b>	
ROHRERSVILLE----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
LANTZ-----	Not Rated Not Rated; Fragments > 75mm 1.000 Depth to saturated zone 0.100 Cutbanks cave
<b>RmB:</b>	
RYDER-----	0.256 Somewhat limited 0.256 Depth to soft bedrock 0.100 Cutbanks cave
DUFFIELD-----	0.100 Somewhat limited 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
RmC:	
RYDER-----	0.633 (0.256-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.256 Depth to soft bedrock 0.100 Cutbanks cave
DUFFIELD-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
RmD:	
RYDER-----	1.000 Very limited 1.000 Slope 0.256 Depth to soft bedrock 0.100 Cutbanks cave
DUFFIELD-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
RnB:	
RYDER-----	0.256 Somewhat limited 0.256 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	0.100 (0.100-0.125) Somewhat limited 0.100 Cutbanks cave
RnC:	
RYDER-----	0.633 (0.256-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.256 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
RnD:	
RYDER-----	1.000 Very limited 1.000 Slope 0.256 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
RvC:	
RYDER-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
RyB:	
RYDER-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
RyC:	
RYDER-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock

Map symbol and soil name	ENG - Shallow Excavations
	0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
RyD: RYDER-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
ROCK OUTCROP----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
SdB: SIDEILING-----	1.000 Very limited 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SdC: SIDEILING-----	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SdD: SIDEILING-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SgB: SIDEILING-----	1.000 Very limited 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SgC: SIDEILING-----	1.000 Very limited 1.000 Cutbanks cave 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SgD: SIDEILING-----	1.000 Very limited 1.000 Slope 1.000 Cutbanks cave 0.238 (0.000-0.820) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
SpA: SWANPOND-----	1.000 Very limited 1.000 Too clayey 0.949 (0.820-1.000) Depth to saturated zone 0.100 Cutbanks cave
SpB: SWANPOND-----	1.000 Very limited 1.000 Too clayey 0.949 (0.820-1.000) Depth to saturated zone 0.100 Cutbanks cave

Map symbol and soil name	ENG - Shallow Excavations
<b>SsA:</b>	
SWANPOND-----	1.000 Very limited 1.000 Too clayey 0.949 (0.820-1.000) Depth to saturated zone 0.100 Cutbanks cave
<b>FUNKSTOWN-----</b>	1.000 Very limited 1.000 Cutbanks cave 0.986 (0.820-1.000) Depth to saturated zone 0.800 Flooding
<b>SuA:</b>	
<b>FUNKSTOWN-----</b>	1.000 Very limited 1.000 Cutbanks cave 0.986 (0.820-1.000) Depth to saturated zone 0.800 Flooding
SWANPOND-----	1.000 Very limited 1.000 Too clayey 0.949 (0.820-1.000) Depth to saturated zone 0.100 Cutbanks cave
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
<b>TaB:</b>	
TALLADEGA-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
<b>TaC:</b>	
TALLADEGA-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
<b>TaD:</b>	
TALLADEGA-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
<b>ThB:</b>	
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone) 0.100 Cutbanks cave
<b>ThC:</b>	
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
<b>ThD:</b>	
THURMONT-----	Not Rated Not Rated; Fragments > 75mm 1.000 Slope 0.146 (0.000-0.612) Depth to saturated zone (No wetness depth limitation to Depth to saturated zone)
<b>TrA:</b>	
<b>TREGO-----</b>	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.500 (0.000-0.500) Depth to dense layer (No dense layer limitation to Depth to dense layer)

Map symbol and soil name	ENG - Shallow Excavations
TrB:	
TREGO-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.500 (0.000-0.500) Depth to dense layer (No dense layer limitation to Depth to dense layer)
TrC:	
TREGO-----	1.000 Very limited 1.000 Cutbanks cave 1.000 (0.955-1.000) Depth to saturated zone 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
TyA:	
TYLER-----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
TyB:	
TYLER-----	1.000 Very limited 1.000 Depth to saturated zone 0.100 Cutbanks cave
Ud:	
UDORTHENTS-----	0.156 (0.156-0.500) Somewhat limited 0.156 Depth to saturated zone 0.100 Cutbanks cave 0.031 (0.000-0.500) Too clayey (Not too clayey to Too clayey)
UrB:	
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
UrD:	
URBAN LAND-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
W:	
WATER-----	Not Rated Not Rated; Fragments > 75mm Not Rated; Clay percent Not Rated; bulk density
WaA:	
WALKERSVILLE----	0.100 (0.100-0.875) Somewhat limited 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
WaB:	
WALKERSVILLE----	0.100 (0.100-0.875) Somewhat limited 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
WaC:	
WALKERSVILLE----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
WcA:	
WALKERSVILLE----	0.100 (0.100-0.875) Somewhat limited 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
WcB:	
WALKERSVILLE----	0.100 (0.100-0.875) Somewhat limited 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)

Map symbol and soil name	ENG - Shallow Excavations
WeC:	
WALKERSVILLE----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave 0.005 (0.000-0.875) Too clayey (Not too clayey to Too clayey)
WeB:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.100 Cutbanks cave
WeC:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
WeD:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 Slope
WeF:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 Slope
WkB:	
BERKS-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.100 Cutbanks cave
WkC:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 0.633 (0.000-1.000) Slope (No slope limitation to Slope)
BERKS-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WkD:	
WEIKERT-----	Not Rated Not Rated; Clay percent 1.000 Depth to soft bedrock 1.000 Slope
BERKS-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
WrC:	
WEVERTON-----	1.000 (0.215-1.000) Very limited (Somewhat limited to Very limited) 1.000 (0.215-1.000) Content of large stones 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
WrD:	
WEVERTON-----	1.000 Very limited 1.000 Slope

Map symbol and soil name	ENG - Shallow Excavations
	1.000 (0.215-1.000) Content of large stones 0.100 Cutbanks cave
WrE:	
WEVERTON-----	1.000 Very limited 1.000 Slope 1.000 (0.215-1.000) Content of large stones 0.100 Cutbanks cave
WuB:	
WURNO-----	0.457 Somewhat limited 0.457 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	0.100 (0.100-0.125) Somewhat limited 0.100 Cutbanks cave
WuC:	
WURNO-----	0.633 (0.457-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.457 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	0.633 (0.100-1.000) Somewhat limited (Somewhat limited to Very limited) 0.633 (0.000-1.000) Slope (No slope limitation to Slope) 0.100 Cutbanks cave
WuD:	
WURNO-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave
WuE:	
WURNO-----	1.000 Very limited 1.000 Slope 0.457 Depth to soft bedrock 0.100 Cutbanks cave
NOLLVILLE-----	1.000 Very limited 1.000 Slope 0.100 Cutbanks cave

ALL VALUES ARE ROUNDED.

