

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA:							
Adelphia-----	50	Not limited		Not limited		Not limited	
Holmdel-----	30	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Somewhat limited Depth to saturated zone	0.03
AdB:							
Adelphia-----	40	Not limited		Not limited		Not limited	
Holmdel-----	40	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Somewhat limited Depth to saturated zone	0.03
AdC:							
Adelphia-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Holmdel-----	40	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Somewhat limited Depth to saturated zone Slope	0.03 0.01
AeB:							
Adelphia-----	30	Not limited		Not limited		Not limited	
Holmdel-----	30	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB:							
Alloway-----	40	Not limited		Not limited		Not limited	
Sassafras-----	30	Not limited		Not limited		Not limited	
AfC:							
Alloway-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Sassafras-----	30	Not limited		Not limited		Somewhat limited Slope	0.01
AnB:							
Alloway-----	30	Not limited		Not limited		Not limited	
Sassafras-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AnD: Alloway-----	30	Not limited		Not limited		Somewhat limited Slope	0.16
Sassafras-----	30	Not limited		Not limited		Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Not limited		Not limited		Not limited	
AoB: Annapolis-----	80	Not limited		Not limited		Not limited	
AoC: Annapolis-----	75	Not limited		Not limited		Somewhat limited Slope	0.01
AsA: Annapolis-----	80	Not limited		Not limited		Not limited	
AsB: Annapolis-----	80	Not limited		Not limited		Not limited	
AsC: Annapolis-----	80	Not limited		Not limited		Somewhat limited Slope	0.01
AsE: Annapolis-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
AsF: Annapolis-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
AsG: Annapolis-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
AuB: Annapolis-----	50	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Not limited		Not limited		Somewhat limited Slope	0.16
Urban Land-----	35	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaB: Chillum-----	60	Not limited		Not limited		Not limited	
CaC: Chillum-----	60	Not limited		Not limited		Somewhat limited Slope	0.01
CbB: Chillum-----	40	Not limited		Not limited		Not limited	
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
Hatboro-----	30	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
CkA: Colemantown-----	80	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
CmA: Colemantown-----	70	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
CnB: Colemantown-----	40	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Not limited		Not limited		Not limited	
Wist-----	25	Somewhat limited Too sandy	0.08	Somewhat limited Too sandy	0.08	Not limited	
CoB: Collington-----	50	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	30	Somewhat limited Too sandy	0.08	Somewhat limited Too sandy	0.08	Not limited	
CoC: Collington-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Wist-----	35	Somewhat limited Too sandy	0.08	Somewhat limited Too sandy	0.08	Somewhat limited Slope	0.01
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Not limited		Not limited		Not limited	
Wist-----	25	Somewhat limited Too sandy	0.08	Somewhat limited Too sandy	0.08	Not limited	
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Not limited		Not limited		Somewhat limited Slope	0.16
Wist-----	25	Somewhat limited Too sandy	0.08	Somewhat limited Too sandy	0.08	Somewhat limited Slope	0.16
CRD: Collington-----	40	Not limited		Not limited		Somewhat limited Slope	0.63
Annapolis-----	25	Not limited		Not limited		Somewhat limited Slope	0.84
CSE: Collington-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Westphalia-----	25	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Wist-----	25	Somewhat limited Slope Too sandy	0.50 0.08	Somewhat limited Too sandy	0.08	Very limited Slope	1.00
CSF: Collington-----	40	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
Westphalia-----	25	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
Wist-----	25	Very limited Slope Too sandy	1.00 0.08	Somewhat limited Slope Too sandy	0.78 0.08	Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CSG:							
Collington-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Westphalia-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Wist-----	25	Very limited Slope Too sandy	1.00 0.08	Very limited Slope Too sandy	1.00 0.08	Very limited Slope	1.00
CTA:							
Comus-----	40	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Codorus-----	35	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
CxA:							
Cumberstone-----	45	Not limited		Not limited		Not limited	
Mattapex-----	25	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
CxB:							
Cumberstone-----	40	Not limited		Not limited		Not limited	
Mattapex-----	40	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
CxC:							
Cumberstone-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Mattapex-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.03 0.01
CyB:							
Cumberstone-----	30	Not limited		Not limited		Not limited	
Mattapex-----	30	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD:							
Cumberstone-----	30	Not limited		Not limited		Somewhat limited Slope	0.16
Mattapex-----	25	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope Depth to saturated zone	0.16 0.03
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Shadyoak-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
DeA: Deale-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
DfA: Dodon-----	75	Not limited		Not limited		Not limited	
DfB: Dodon-----	75	Not limited		Not limited		Not limited	
DfC: Dodon-----	75	Not limited		Not limited		Somewhat limited Slope	0.01
DnA: Donlonton-----	65	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.43
DnB: Donlonton-----	65	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.43
DuB: Donlonton-----	40	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.43
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Droughty	0.01
Hammonton-----	20	Not limited		Not limited		Not limited	
DvC: Downer-----	50	Not limited		Not limited		Somewhat limited Droughty Slope	0.04 0.01
Hammonton-----	20	Not limited		Not limited		Somewhat limited Slope	0.01
DvD: Downer-----	40	Not limited		Not limited		Somewhat limited Slope Droughty	0.84 0.10
Hammonton-----	15	Not limited		Not limited		Somewhat limited Slope	0.84
DwB: Downer-----	25	Not limited		Not limited		Somewhat limited Droughty	0.01
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Not limited		Not limited		Not limited	
DwD: Downer-----	30	Not limited		Not limited		Somewhat limited Slope Droughty	0.16 0.04
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Not limited		Not limited		Somewhat limited Slope	0.16
DxB: Downer-----	40	Not limited		Not limited		Somewhat limited Droughty	0.01
Phalanx-----	35	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Very limited Droughty	1.00
DxC: Downer-----	40	Not limited		Not limited		Somewhat limited Droughty Slope	0.04 0.01
Phalanx-----	35	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Very limited Droughty Slope	1.00 0.01
DxD: Downer-----	40	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope Droughty	0.84 0.10
Phalanx-----	35	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Very limited Droughty Slope	1.00 0.84
EuB: Evesboro-----	25	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Somewhat limited Droughty	0.34
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	20	Somewhat limited Too sandy	0.90	Somewhat limited Too sandy	0.90	Somewhat limited Droughty	0.77
EuD: Evesboro-----	30	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Somewhat limited Droughty Slope	0.34 0.16
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Somewhat limited Too sandy	0.90	Somewhat limited Too sandy	0.90	Somewhat limited Droughty Slope	0.77 0.16
EuE: Evesboro-----	30	Somewhat limited Slope Too sandy	0.50 0.03	Somewhat limited Too sandy	0.03	Very limited Slope Droughty	1.00 0.34
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Somewhat limited Too sandy Slope	0.90 0.50	Somewhat limited Too sandy	0.90	Very limited Slope Droughty	1.00 0.77
EVC: Evesboro-----	45	Very limited Too sandy	0.99	Very limited Too sandy	0.99	Somewhat limited Droughty Slope	0.65 0.01
Galestown-----	20	Somewhat limited Too sandy	0.90	Somewhat limited Too sandy	0.90	Somewhat limited Droughty Slope	0.81 0.01
FaA: Fallsington-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FrA: Fallsington-----	40	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Somewhat limited Too sandy	0.90	Somewhat limited Too sandy	0.90	Somewhat limited Droughty	0.77
HmB: Annapolis-----	40	Not limited		Not limited		Not limited	
Howell-----	40	Not limited		Not limited		Not limited	
HmC: Howell-----	45	Not limited		Not limited		Not limited	
Annapolis-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
HMD: Annapolis-----	40	Not limited		Not limited		Somewhat limited Slope	0.84
Howell-----	40	Not limited		Not limited		Somewhat limited Slope	0.84
HME: Annapolis-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Howell-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
HoA: Dodon-----	40	Not limited		Not limited		Not limited	
Howell-----	40	Not limited		Not limited		Not limited	
HoB: Dodon-----	40	Not limited		Not limited		Not limited	
Howell-----	40	Not limited		Not limited		Not limited	
HoC: Dodon-----	40	Not limited		Not limited		Somewhat limited Slope	0.01
Howell-----	40	Not limited		Not limited		Not limited	
HOD: Dodon-----	40	Not limited		Not limited		Somewhat limited Slope	0.84
Howell-----	40	Not limited		Not limited		Somewhat limited Slope	0.84

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HOE: Dodon-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Howell-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
HOF: Dodon-----	40	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
Howell-----	40	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
MaB: Dodon-----	40	Not limited		Not limited		Not limited	
Marr-----	40	Not limited		Not limited		Not limited	
MaC: Dodon-----	35	Not limited		Not limited		Somewhat limited Slope	0.01
Marr-----	35	Not limited		Not limited		Somewhat limited Slope	0.01
MaD: Dodon-----	35	Not limited		Not limited		Somewhat limited Slope	0.84
Marr-----	35	Not limited		Not limited		Somewhat limited Slope	0.84
MDE: Dodon-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Marr-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
MDF: Marr-----	35	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
Dodon-----	30	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
MgB: Dodon-----	30	Not limited		Not limited		Not limited	
Marr-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Not limited		Not limited		Somewhat limited Slope	0.16

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Marr-----	30	Not limited		Not limited		Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Not limited		Not limited		Not limited	
MmC: Matapeake-----	50	Not limited		Not limited		Somewhat limited Slope	0.01
MpB: Matapeake-----	30	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Not limited		Not limited		Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Not limited		Not limited		Somewhat limited Slope	0.84
Mattapex-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.84 0.03
MtA: Mattapex-----	60	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MtB: Mattapex-----	60	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MtC: Mattapex-----	60	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.03 0.01
MxB: Mattapex-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Butlertown-----	30	Not limited		Not limited		Not limited	
MxC: Mattapex-----	45	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.03 0.01
Butlertown-----	25	Not limited		Not limited		Somewhat limited Slope	0.01
MyB: Mattapex-----	30	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Not limited		Not limited		Not limited	
MZA: Mispillion-----	40	Very limited Depth to saturated zone Content of organic matter Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Content of organic matter Flooding	1.00 1.00 0.40	Very limited Flooding Content of organic matter Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00 1.00 1.00
Transquaking-----	40	Very limited Depth to saturated zone Content of organic matter Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Content of organic matter Flooding	1.00 1.00 0.40	Very limited Flooding Content of organic matter Salinity Depth to saturated zone Sulfur content	1.00 1.00 1.00 1.00 1.00
NMA: Mannington-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Nanticoke-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
PeB: Patapsco-----	30	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too sandy	0.50
Evesboro-----	20	Very limited Too sandy	0.99	Very limited Too sandy	0.99	Somewhat limited Droughty	0.69
Fort Mott-----	20	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Somewhat limited Droughty	0.01
PfB: Fort Mott-----	30	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Not limited	
Patapsco-----	30	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Too sandy	1.00 0.50
PfC: Fort Mott-----	30	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Somewhat limited Droughty Slope	0.01 0.01
Patapsco-----	30	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Too sandy Slope	1.00 0.50 0.01
PfD: Fort Mott-----	30	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Somewhat limited Slope Droughty	0.63 0.01
Patapsco-----	30	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Slope Too sandy	1.00 0.63 0.50
PgB: Fort Mott-----	25	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Not limited	
Patapsco-----	25	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Too sandy	1.00 0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
PgD: Fort Mott-----	25	Somewhat limited Too sandy	0.28	Somewhat limited Too sandy	0.28	Somewhat limited Slope Droughty	0.16 0.01
Patapsco-----	25	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Too sandy Slope	1.00 0.50 0.16
Urban Land-----	25	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PpA: Pepperbox-----	60	Very limited Too sandy	0.99	Very limited Too sandy	0.99	Somewhat limited Droughty	0.69
PrB: Pepperbox-----	30	Very limited Too sandy	0.99	Very limited Too sandy	0.99	Somewhat limited Droughty	0.69
Urban Land-----	30	Not rated		Not rated		Not rated	
PT: Gravel And Borrow Pits-----	100	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy Slope Gravel content	0.50 0.01 0.01
RfA: Russett-----	65	Not limited		Not limited		Not limited	
RfB: Russett-----	65	Not limited		Not limited		Not limited	
RhB: Russett-----	30	Not limited		Not limited		Not limited	
Alloway-----	25	Not limited		Not limited		Not limited	
Hambrook-----	20	Not limited		Not limited		Not limited	
RhC: Russett-----	30	Not limited		Not limited		Somewhat limited Slope	0.01
Alloway-----	25	Not limited		Not limited		Somewhat limited Slope	0.01
Hambrook-----	20	Not limited		Not limited		Somewhat limited Slope	0.01
RhD: Russett-----	30	Not limited		Not limited		Somewhat limited Slope	0.84
Alloway-----	25	Not limited		Not limited		Somewhat limited Slope	0.63
Hambrook-----	20	Not limited		Not limited		Somewhat limited Slope	0.63
RkB: Russett-----	30	Not limited		Not limited		Not limited	
Alloway-----	25	Not limited		Not limited		Not limited	
Urban Land-----	25	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RyB: Russett-----	35	Not limited		Not limited		Not limited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Not limited		Not limited		Not limited	
SaD: Sassafras-----	60	Not limited		Not limited		Somewhat limited Slope	0.84
SfB: Sassafras-----	55	Not limited		Not limited		Not limited	
ShA: Hambrook-----	40	Not limited		Not limited		Not limited	
Sassafras-----	40	Not limited		Not limited		Not limited	
SME: Sassafras-----	30	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Croom-----	25	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Droughty	1.00 0.50 0.06
SMF: Sassafras-----	30	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
Croom-----	25	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Gravel content Droughty	1.00 0.50 0.06
SnB: Sassafras-----	35	Not limited		Not limited		Not limited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Not limited		Not limited		Somewhat limited Slope	0.16
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Shadyoak-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SpA: Shadyoak-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Elkton-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SrA: Elkton-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Shadyoak-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
TsB: Tinton-----	65	Somewhat limited Too sandy	0.97	Somewhat limited Too sandy	0.97	Somewhat limited Droughty	0.15
TsC: Tinton-----	65	Somewhat limited Too sandy	0.97	Somewhat limited Too sandy	0.97	Somewhat limited Droughty Slope	0.15 0.01
TuB: Tinton-----	40	Somewhat limited Too sandy	0.97	Somewhat limited Too sandy	0.97	Somewhat limited Droughty	0.15
Urban Land-----	30	Not rated		Not rated		Not rated	
TuC: Tinton-----	40	Somewhat limited Too sandy	0.97	Somewhat limited Too sandy	0.97	Somewhat limited Droughty Slope	0.15 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Not limited		Not limited		Not limited	
UoD: Udorthents-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
UoE: Udorthents-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	
UxE: Udorthents-----	60	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope	1.00
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Issue-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdA: Woodstown-----	60	Not limited		Not limited		Not limited	
WdB: Woodstown-----	100	Somewhat limited Too sandy	0.03	Somewhat limited Too sandy	0.03	Not limited	
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Not limited		Not limited		Not limited	
ZBA: Zekiah-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Issue-----	30	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19

