

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ArA: Abbottstown-----	70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Readington-----	25	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
ArB2: Abbottstown-----	70	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Readington-----	25	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
BaA: Baile-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Content of large stones	1.00 0.01
BaB: Baile-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Content of large stones	1.00 0.01
Be: Bermudian-----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
BrA: Birdsboro-----	100	Not limited		Not limited		Not limited	
BrB2: Birdsboro-----	100	Not limited		Not limited		Not limited	
Bs: Bowmansville-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
BuA: Bucks-----	100	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB2: Bucks-----	100	Not limited		Not limited		Not limited	
CaC2: Cardiff-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.32
						Slope	0.04
						Gravel content	0.01
CeA: Chester-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.01
CeB2: Chester-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.01
CeC2: Chester-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
						Content of large stones	0.01
CeC3: Chester-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
						Content of large stones	0.01
Ch: Codorus-----	95	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Flooding	0.75 0.60
Cm: Comus-----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
CnA: Comus-----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
CnB: Comus-----	100	Not limited		Not limited		Somewhat limited Flooding	0.60
CoA: Conestoga-----	100	Not limited		Not limited		Not limited	
CoB2: Conestoga-----	100	Not limited		Not limited		Not limited	
CoC2: Conestoga-----	100	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CoC3: Conestoga-----	100	Not limited		Not limited		Slope	0.63
CoD3: Conestoga-----	100	Somewhat limited Slope	0.50	Not limited		Somewhat limited Slope	0.63
DeA: Delanco-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
DeB2: Delanco-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
ElB2: Elioak-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.01
ElC2: Elioak-----	100	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.01
EmD3: Elioak-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope Droughty Content of large stones	1.00 0.01 0.01
EnB2: Elsinboro-----	100	Not limited		Not limited		Not limited	
EnC2: Elsinboro-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
EsA: Elsinboro-----	100	Not limited		Not limited		Not limited	
EsB2: Elsinboro-----	100	Not limited		Not limited		Not limited	
EsC2: Elsinboro-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
GcB2: Glenelg-----	100	Not limited		Not limited		Somewhat limited Gravel content	0.36

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GcC2: Glenelg-----	100	Not limited		Not limited		Content of large stones	0.01
						Somewhat limited Slope	0.63
						Gravel content	0.36
						Content of large stones	0.01
GcC3: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.36
						Content of large stones	0.01
GcD2: Glenelg-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Gravel content	0.36
						Content of large stones	0.01
GcD3: Glenelg-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Gravel content	0.36
						Content of large stones	0.01
G1A: Glenelg-----	100	Not limited		Not limited		Not limited	
G1B2: Glenelg-----	100	Not limited		Not limited		Not limited	
G1B3: Glenelg-----	100	Not limited		Not limited		Not limited	
G1C2: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
G1C3: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
GvA: Glenville-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
GvB: Glenville-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HaA: Hagerstown-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaB2: Hagerstown-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaC2: Hagerstown-----	100	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.03
Ht: Hatboro-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
KlB2: Klinesville-----	100	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content Content of large stones	1.00 1.00 0.92 0.01
KsD4: Klinesville-----	100	Somewhat limited Slope	0.08	Not limited		Very limited Depth to bedrock Droughty Slope Gravel content Content of large stones	1.00 1.00 1.00 0.92 0.01
KsF3: Klinesville-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock Slope Droughty Gravel content Content of large stones	1.00 1.00 1.00 0.92 0.01
LbB2: Lewisberry-----	100	Not limited		Not limited		Somewhat limited Droughty Content of large stones	0.01 0.01
LbC2: Lewisberry-----	100	Not limited		Not limited		Somewhat limited Slope Droughty	0.63 0.01

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LbD: Lewisberry-----	100	Somewhat limited Slope	0.50	Not limited		Content of large stones	0.01
Le: Lindside-----	95	Not limited		Not limited		Very limited Slope Droughty Content of large stones	1.00 0.01 0.01
LnB2: Linganore-----	100	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
LnC2: Linganore-----	100	Not limited		Not limited		Somewhat limited Droughty Depth to bedrock Gravel content Content of large stones	0.79 0.46 0.33 0.01
LnC3: Linganore-----	100	Not limited		Not limited		Somewhat limited Droughty Slope Depth to bedrock Gravel content Content of large stones	0.79 0.63 0.46 0.33 0.01
LnD2: Linganore-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope Droughty Depth to bedrock Gravel content Content of large stones	1.00 0.79 0.46 0.33 0.01
LnE: Linganore-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Droughty Depth to bedrock Gravel content	1.00 0.79 0.46 0.33

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.01
Md: Made Land-----	100	Not rated		Not rated		Not rated	
MgB2: Manor-----	100	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.36 0.01
MgC2: Manor-----	100	Not limited		Not limited		Somewhat limited Slope Gravel content Content of large stones	0.63 0.36 0.01
MgC3: Manor-----	100	Not limited		Not limited		Somewhat limited Slope Gravel content Content of large stones	0.63 0.36 0.01
MgD2: Manor-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.36 0.01
MgD3: Manor-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.36 0.01
M1B2: Manor-----	100	Not limited		Not limited		Not limited	
M1B3: Manor-----	100	Not limited		Not limited		Not limited	
M1C2: Manor-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
M1C3: Manor-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
M1D2: Manor-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlD3: Manor-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
MlE: Manor-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
MnC: Manor-----	100	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones Slope	0.05 0.04
MnD: Manor-----	100	Somewhat limited Too Stony Slope	0.53 0.50	Somewhat limited Too Stony	0.53	Very limited Slope Content of large stones	1.00 0.05
MnE: Manor-----	100	Very limited Slope Too Stony	1.00 0.53	Somewhat limited Slope Too Stony	0.78 0.53	Very limited Slope Content of large stones	1.00 0.05
MnF: Manor-----	100	Very limited Slope Too Stony	1.00 0.53	Very limited Slope Too Stony	1.00 0.53	Very limited Slope Content of large stones	1.00 0.05
Mo: Melvin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
MtA: Mt.airy-----	100	Not limited		Not limited		Somewhat limited Gravel content Droughty Depth to bedrock Content of large stones	0.98 0.95 0.46 0.01
MtB2: Mt.airy-----	100	Not limited		Not limited		Somewhat limited Gravel content Droughty Depth to bedrock Content of large stones	0.98 0.95 0.46 0.01
MtC2: Mt.airy-----	100	Not limited		Not limited		Somewhat limited Gravel content Droughty Slope	0.98 0.95 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtC3: Mt.airy-----	100	Not limited		Not limited		Depth to bedrock Content of large stones	0.46 0.01
MtD2: Mt.airy-----	100	Somewhat limited Slope	0.50	Not limited		Somewhat limited Gravel content Droughty Slope Depth to bedrock Content of large stones	0.98 0.95 0.63 0.46 0.01
MtE: Mt.airy-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Gravel content Droughty Depth to bedrock Content of large stones	1.00 0.98 0.95 0.46 0.01
PeB2: Penn-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
PhB2: Penn-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content Droughty Content of large stones	0.46 0.22 0.01 0.01
PhC2: Penn-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content Droughty Content of large stones	0.63 0.46 0.22 0.01 0.01
PhC3: Penn-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content Droughty	0.63 0.46 0.22 0.01

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.01
PnA2: Penn-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
PnB2: Penn-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
PnC2: Penn-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.63 0.46
PnC3: Penn-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.63 0.46
PoD: Penn-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock	1.00 0.46
PsB2: Penn-----	50	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
Steinsburg-----	30	Not limited		Not limited		Somewhat limited Droughty Depth to bedrock	0.62 0.26
PsC3: Penn-----	50	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.63 0.46
Steinsburg-----	30	Not limited		Not limited		Somewhat limited Slope Droughty Depth to bedrock	0.63 0.62 0.26
RaA: Raritan-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
RaB: Raritan-----	95	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
Ro: Rowland-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StB2: Steinsburg-----	100	Not limited		Not limited		Depth to saturated zone	0.19
						Somewhat limited Droughty	0.68
						Depth to bedrock	0.26
						Content of large stones	0.03
StD3: Steinsburg-----	100	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
						Droughty	0.68
						Depth to bedrock	0.26
						Content of large stones	0.03
UrA: Urbana-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
UrB2: Urbana-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Ws: Wiltshire-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03

