

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
AcC: Acquango-----	90	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
As: Askecksy-----	80	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone Droughty	1.00 0.81
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Very limited Depth to saturated zone Ponding Too sandy	1.00 1.00 0.52	Very limited Depth to saturated zone Ponding Too sandy	1.00 1.00 0.52	Very limited Ponding Depth to saturated zone Droughty	1.00 1.00 0.38
BkA: Brockatonorton-----	80	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
BkB: Brockatonorton-----	80	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
Br: Broadkill-----	80	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Salinity	1.00
						Depth to saturated zone	1.00
						Sulfur content	1.00
BX: Boxiron-----	40	Not Rated		Not Rated		Not Rated	
		Not Rated; Sieve size		Not Rated; Sieve size		Not Rated; Surface clay percent	
		Not Rated; % surface sand or clay		Not Rated; % surface sand or clay		Not Rated; Sieve size	
		Not Rated; Surface clay percent or taxonomic class		Not Rated; Surface clay percent or taxonomic class		Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
Broadkill-----	40	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Salinity	1.00
						Depth to saturated zone	1.00
						Sulfur content	1.00
CeA: Cedartown-----	55	Somewhat limited		Somewhat limited		Somewhat limited	
		Too sandy	0.40	Too sandy	0.40	Droughty	0.13
Rosedale-----	25	Somewhat limited		Somewhat limited		Not limited	
		Too sandy	0.84	Too sandy	0.84		
CeB: Cedartown-----	55	Somewhat limited		Somewhat limited		Somewhat limited	
		Too sandy	0.40	Too sandy	0.40	Droughty	0.13
Rosedale-----	25	Somewhat limited		Somewhat limited		Not limited	
		Too sandy	0.84	Too sandy	0.84		
Ch: Chicone-----	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
						Flooding	0.60
Ek: Elkton-----	80	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Em: Elkton-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
EvA: Evesboro-----	80	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.34
EvB: Evesboro-----	80	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.34
EvC: Evesboro-----	80	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.34
Fa: Fallsington-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FmA: Fort Mott-----	80	Somewhat limited Too sandy	0.79	Somewhat limited Too sandy	0.79	Not limited	
FmB: Fort Mott-----	80	Somewhat limited Too sandy	0.79	Somewhat limited Too sandy	0.79	Not limited	
GaA: Galestown-----	75	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.85
GaB: Galestown-----	75	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.77
GaC: Galestown-----	75	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.81
HbA: Hambrook-----	75	Not limited		Not limited		Not limited	
HbB: Hambrook-----	75	Not limited		Not limited		Not limited	
HmA: Hammonton-----	75	Somewhat limited Too sandy	0.40	Somewhat limited Too sandy	0.40	Somewhat limited Droughty	0.07
HmB: Hammonton-----	75	Somewhat limited Too sandy	0.40	Somewhat limited Too sandy	0.40	Somewhat limited Droughty	0.04

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hu: Hurlock-----	80	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone	1.00
In: Indiantown-----	75	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Ke: Kentuck-----	85	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
KsA: Klej-----	75	Somewhat limited Depth to saturated zone Too sandy	0.44 0.30	Somewhat limited Depth to saturated zone Too sandy	0.44 0.30	Somewhat limited Depth to saturated zone Droughty	0.75 0.57
KsB: Klej-----	75	Somewhat limited Depth to saturated zone Too sandy	0.44 0.30	Somewhat limited Depth to saturated zone Too sandy	0.44 0.30	Somewhat limited Depth to saturated zone Droughty	0.75 0.40
Ma: Manahawkin-----	80	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter	1.00 1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter	1.00 1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; pH Ponding Flooding	1.00 1.00
MC: Mannington-----	50	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Nanticoke-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Ponding Flooding	1.00 0.40	Ponding Flooding	1.00 0.40	Flooding Depth to saturated zone	1.00 1.00
MeA: Matapeake-----	80	Not limited		Not limited		Not limited	
MeB: Matapeake-----	80	Not limited		Not limited		Not limited	
MkA: Matapeake-----	80	Not limited		Not limited		Not limited	
MkB: Matapeake-----	80	Not limited		Not limited		Not limited	
MpA: Mattapex-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MpB: Mattapex-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MqA: Mattapex-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MqB: Mattapex-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Mu: Mullica-----	55	Very limited Depth to saturated zone Too sandy	1.00 0.40	Very limited Depth to saturated zone Too sandy	1.00 0.40	Very limited Depth to saturated zone Droughty	1.00 0.77
Berryland-----	30	Very limited Depth to saturated zone Ponding Too sandy	1.00 1.00 0.52	Very limited Depth to saturated zone Ponding Too sandy	1.00 1.00 0.52	Very limited Ponding Depth to saturated zone Droughty	1.00 1.00 0.48
NnA: Nassawango-----	80	Not limited		Not limited		Not limited	
NnB: Nassawango-----	80	Not limited		Not limited		Not limited	
NsA: Nassawango-----	80	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NsB: Nassawango-----	80	Not limited		Not limited		Not limited	
Ot: Othello-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Othello-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Pk: Puckum-----	75	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; pH Ponding Flooding Content of organic matter	1.00 1.00 1.00
Pu: Purnell-----	80	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class Depth to saturated zone Content of organic matter	1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class Depth to saturated zone Content of organic matter	1.00 1.00	Not Rated Not Rated; Surface clay percent Not Rated; Sieve size Ponding Flooding Content of organic matter	1.00 1.00 1.00
RoA: Rosedale-----	80	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84	Not limited	
RoB: Rosedale-----	80	Somewhat limited Too sandy	0.84	Somewhat limited Too sandy	0.84	Not limited	
RuA: Runclint-----	75	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.71
RuB: Runclint-----	80	Somewhat limited Too sandy	0.81	Somewhat limited Too sandy	0.81	Somewhat limited Droughty	0.85

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	75	Not limited		Not limited		Not limited	
SaB: Sassafras-----	75	Not limited		Not limited		Not limited	
SaC: Sassafras-----	75	Not limited		Not limited		Not limited	
Su: Sunken-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Salinity Depth to saturated zone Flooding	1.00 1.00 1.00 0.60
Tk: Transquaking-----	90	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; pH Ponding Flooding Content of organic matter	1.00 1.00 1.00
TP: Transquaking-----	50	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Not Rated Not Rated; Sieve size Not Rated; pH Ponding Flooding Content of organic matter	1.00 1.00 1.00
Mispillion-----	30	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; % surface sand or clay Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; pH Ponding	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Content of organic matter	1.00	Content of organic matter	1.00	Flooding	1.00
Uc: Urban Land-----	55	Not rated		Not rated		Not rated	
Acquango-----	35	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
Um: Urban Land-----	45	Not rated		Not rated		Not rated	
Askecksy-----	35	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone Too sandy	1.00 0.33	Very limited Depth to saturated zone Droughty	1.00 0.81
Un: Brockatonorton-----	40	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy Salinity	1.00 0.60 0.50 0.01
Urban Land-----	40	Not rated		Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Udorthents-----	44	Not Rated Not Rated; Surface clay percent or taxonomic class Not Rated; Taxonomic or texture class Too sandy	0.33	Not Rated Not Rated; Surface clay percent or taxonomic class Not Rated; Taxonomic or texture class Too sandy	0.33	Somewhat limited Gravel content	0.01
Uz: Udorthents-----	85	Not Rated Not Rated; Surface clay percent or taxonomic class Not Rated; Taxonomic or texture class Too sandy	0.33	Not Rated Not Rated; Surface clay percent or taxonomic class Not Rated; Taxonomic or texture class Too sandy	0.33	Somewhat limited Gravel content	0.01
W: Water-----	100	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; Slope  Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; Slope  Not Rated; % surface sand or clay Not Rated; Surface clay percent or taxonomic class		Not Rated Not Rated; Surface clay percent Not Rated; Slope  Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; pH	
WdA: Woodstown-----	75	Not limited		Not limited		Not limited	
WdB: Woodstown-----	75	Not limited		Not limited		Not limited	
Zk: Zekiah-----	75	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00

