

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adamstown-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
AdB: Adamstown-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
AfB: Adamstown-----	55	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Funkstown-----	35	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
ArB: Airmont-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Droughty Gravel content Depth to saturated zone Depth to cemented pan	0.84 0.13 0.05 0.03 0.03
ArD: Airmont-----	85	Very limited Too Stony Slope	1.00 0.08	Very limited Too Stony	1.00	Very limited Slope Content of large stones Droughty Gravel content Depth to saturated zone	1.00 0.84 0.13 0.05 0.03
AtB: Athol-----	85	Not limited		Not limited		Not limited	
AtC: Athol-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
BaB: Bagtown-----	85	Very limited Too Stony Content of large stones	1.00 0.01	Very limited Too Stony Content of large stones	1.00 0.01	Somewhat limited Content of large stones Gravel content	0.97 0.20
BaC: Bagtown-----	85	Very limited		Very limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaD: Bagtown-----	85	Too Stony	1.00	Too Stony	1.00	Content of large stones	0.97
		Content of large stones	0.01	Content of large stones	0.01	Gravel content	0.20
		Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony Content of large stones	1.00 0.01	Very limited Slope Content of large stones Gravel content	1.00 0.97 0.20
		Content of large stones	0.01				
BbD: Bagtown-----	85	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony Content of large stones	1.00 0.01	Very limited Slope Content of large stones Gravel content	1.00 1.00 0.15
		Content of large stones	0.01				
BbE: Bagtown-----	85	Very limited Slope Too Stony	1.00 1.00	Very limited Too Stony Slope	1.00 0.78	Very limited Slope Content of large stones Gravel content	1.00 1.00 0.13
		Content of large stones	0.02	Content of large stones	0.02		
BcB: Baile-----	55	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Content of large stones	1.00 1.00 0.01
Glenville-----	30	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan Depth to saturated zone Droughty	0.96 0.48 0.13
BdB: Benevola-----	85	Not limited		Not limited		Not limited	
BdC: Benevola-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
BfA: Bermudian-----	85	Not limited		Not limited		Somewhat limited Flooding Droughty	0.60 0.01

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BgA: Birdsboro-----	85	Not limited		Not limited		Not limited	
BgB: Birdsboro-----	85	Not limited		Not limited		Not limited	
BhE: Blocktown-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Depth to bedrock Slope Droughty Gravel content Content of large stones	1.00 1.00 1.00 0.22 0.01
BkD: Brinklow-----	50	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content Content of large stones	1.00 0.46 0.24 0.08
Blocktown-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Depth to bedrock Slope Droughty Gravel content Content of large stones	1.00 1.00 1.00 0.22 0.01
BmA: Bowmansville-----	50	Somewhat limited Depth to saturated zone Too sandy	0.86 0.01	Somewhat limited Depth to saturated zone Too sandy	0.86 0.01	Somewhat limited Depth to saturated zone Flooding	0.94 0.60
Rowland-----	35	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
BmB: Bowmansville-----	50	Somewhat limited Depth to saturated zone Too sandy	0.86 0.01	Somewhat limited Depth to saturated zone Too sandy	0.86 0.01	Somewhat limited Depth to saturated zone Flooding	0.94 0.60
Rowland-----	35	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
BnB: Braddock-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.44
BnC: Braddock-----	85	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
						Gravel content	0.44
BoB: Braddock-----	85	Somewhat limited Content of large stones	0.14	Somewhat limited Content of large stones	0.14	Very limited Content of large stones	1.00
BpB: Brecknock-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.22
						Content of large stones	0.01
BrB: Brentsville-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
BrC: Brentsville-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to bedrock	0.46
BsB: Buckeystown-----	85	Not limited		Not limited		Not limited	
BtB: Buckeystown-----	85	Not limited		Not limited		Not limited	
BtC: Buckeystown-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
BuB: Buckeystown-----	85	Not limited		Not limited		Not limited	
CaC: Cardiff-----	85	Not limited		Not limited		Somewhat limited Slope	0.37
						Content of large stones	0.32
						Depth to bedrock	0.23
						Gravel content	0.01
CaD: Cardiff-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Content of large stones	0.32
						Depth to bedrock	0.23
						Gravel content	0.01
CaE: Cardiff-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
						Content of large stones	0.32
						Depth to bedrock	0.23

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CbF: Cardiff-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Gravel content	0.01
						Very limited Slope	1.00
						Content of large stones	0.32
						Depth to bedrock	0.23
						Gravel content	0.01
CcC: Catoctin-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
CcD: Catoctin-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
CcE: Catoctin-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
CdB: Catoctin-----	45	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
						Content of large stones	0.32
						Depth to bedrock	0.46
						Droughty	0.12
Highfield-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
						Content of large stones	0.02
CdC: Catoctin-----	45	Somewhat limited Content of large stones	0.14	Somewhat limited Content of large stones	0.14	Very limited Content of large stones	1.00
						Slope	0.63
						Depth to bedrock	0.46
						Droughty	0.12

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Highfield-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
		Content of large stones	0.02	Content of large stones	0.02	Slope	0.63
CdD: Catoclin-----	50	Somewhat limited Slope	0.50	Somewhat limited Content of large stones	0.14	Very limited Slope	1.00
		Content of large stones	0.14			Content of large stones	1.00
						Depth to bedrock	0.46
						Droughty	0.12
Highfield-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Slope	1.00
		Slope	0.50	Content of large stones	0.02	Content of large stones	1.00
		Content of large stones	0.02				
CdE: Catoclin-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
		Content of large stones	0.14	Content of large stones	0.14	Content of large stones	1.00
						Depth to bedrock	0.46
						Droughty	0.12
Highfield-----	35	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	0.22	Content of large stones	1.00
		Content of large stones	0.02	Content of large stones	0.02		
CeB: Catoclin-----	45	Not limited		Not limited		Somewhat limited Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
Spoolsville-----	40	Not limited		Not limited		Not limited	
CeC: Catoclin-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
Spoolsville-----	40	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeD: Catoctin-----	55	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Depth to bedrock Content of large stones Droughty	1.00 0.62 0.46 0.20 0.05
Spoolsville-----	40	Not limited		Not limited		Not limited	
CeE: Catoctin-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Gravel content Depth to bedrock Content of large stones Droughty	1.00 0.62 0.46 0.20 0.05
Spoolsville-----	40	Not limited		Not limited		Not limited	
CgA: Codorus-----	60	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
Hatboro-----	40	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.60
CmA: Combs-----	85	Not limited		Not limited		Not limited	
CnA: Combs-----	85	Not limited		Not limited		Not limited	
CoB: Conestoga-----	60	Not limited		Not limited		Not limited	
Letort-----	40	Not limited		Not limited		Not limited	
CoC: Conestoga-----	70	Not limited		Not limited		Somewhat limited Slope	0.63
Letort-----	20	Not limited		Not limited		Somewhat limited Slope	0.63
CrA: Croton-----	50	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Abbottstown-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Depth to cemented pan	1.00
						Droughty	0.22
						Somewhat limited Depth to cemented pan	0.96
						Depth to saturated zone	0.94
CrB: Croton-----	45	Very limited Depth to saturated zone Ponding	1.00	Very limited Depth to saturated zone Ponding	1.00	Very limited Ponding	1.00
						Depth to saturated zone	1.00
						Depth to cemented pan	1.00
						Droughty	0.08
Abbottstown-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to cemented pan	0.96
						Depth to saturated zone	0.94
						Droughty	0.01
DbF: DeKalb-----	45	Very limited Slope Too Stony Content of large stones	1.00	Very limited Too Stony Content of large stones Slope	1.00	Very limited Slope	1.00
						Content of large stones	1.00
						Droughty	0.70
						Depth to bedrock	0.46
Bagtown-----	40	Very limited Slope Too Stony Content of large stones	1.00	Very limited Too Stony Slope Content of large stones	1.00	Very limited Slope	1.00
						Content of large stones	0.97
						Gravel content	0.20
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
DeC: DeKalb-----	55	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00
						Droughty	0.70
						Slope	0.63
						Depth to bedrock	0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeD: Dekalb-----	45	Very limited Content of large stones Slope	1.00 0.50	Very limited Content of large stones	1.00	Very limited Slope Content of large stones Droughty Depth to bedrock	1.00 1.00 0.70 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DoB: Downsville-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.11 0.01
DoC: Downsville-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content Content of large stones	0.63 0.11 0.01
DqA: Dryrun-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.81 0.01
DtA: Duffield-----	50	Not limited		Not limited		Not limited	
Ryder-----	35	Not limited		Not limited		Somewhat limited Depth to bedrock	0.26
DtB: Duffield-----	50	Not limited		Not limited		Not limited	
Ryder-----	35	Not limited		Not limited		Somewhat limited Depth to bedrock	0.26
DtC: Duffield-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Ryder-----	40	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.63 0.26
DuB: Duffield-----	50	Not limited		Not limited		Not limited	
Ryder-----	35	Not limited		Not limited		Somewhat limited Depth to bedrock	0.42

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Gravel content	0.18
DvB: Duffield-----	50	Not limited		Not limited		Not limited	
Ryder-----	40	Not limited		Not limited		Somewhat limited Depth to bedrock	0.26
DwB: Duffield-----	35	Not limited		Not limited		Not limited	
Hagerstown-----	20	Not limited		Not limited		Somewhat limited Content of large stones	0.03
Urban Land-----	20	Not rated		Not rated		Not rated	
EdB: Edgemont-----	85	Not limited		Not limited		Somewhat limited Gravel content Droughty Content of large stones	0.54 0.01 0.01
EgB: Edgemont-----	85	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones	0.16
EgC: Edgemont-----	85	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Slope Content of large stones	0.63 0.16
EgD: Edgemont-----	85	Somewhat limited Too Stony Slope	0.53 0.50	Somewhat limited Too Stony	0.53	Very limited Slope Content of large stones	1.00 0.16
ErB: Edgemont-----	75	Not limited		Not limited		Somewhat limited Gravel content Droughty Content of large stones	0.54 0.01 0.01
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErC: Edgemont-----	75	Not limited		Not limited		Somewhat limited Slope Gravel content Droughty	0.63 0.54 0.01

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	20	Not rated		Not rated		Content of large stones	0.01
ErD: Edgemont-----	75	Somewhat limited Slope	0.50	Not limited		Not rated	
						Very limited Slope	1.00
						Gravel content	0.54
						Droughty	0.01
						Content of large stones	0.01
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErE: Edgemont-----	75	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
						Gravel content	0.54
						Droughty	0.01
						Content of large stones	0.01
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
FoB: Foxville-----	90	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
		Content of large stones	1.00	Content of large stones	1.00	Depth to saturated zone	0.94
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Flooding	0.60
FxA: Foxville-----	50	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
		Content of large stones	1.00	Content of large stones	1.00	Depth to saturated zone	0.94
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Flooding	0.60
Hatboro-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
						Flooding	0.60
GaB: Gaila-----	85	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaC: Gaila-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
GeB: Glenelg-----	85	Not limited		Not limited		Not limited	
GfB: Glenelg-----	85	Not limited		Not limited		Not limited	
GgB: Glenelg-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.41
GgC: Glenelg-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.41
GhB: Glenelg-----	50	Not limited		Not limited		Somewhat limited Gravel content	0.41
Blocktown-----	35	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content Content of large stones	1.00 1.00 0.22 0.01
GhC: Glenelg-----	50	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.41
Blocktown-----	35	Not limited		Not limited		Very limited Depth to bedrock Droughty Slope Gravel content Content of large stones	1.00 1.00 0.63 0.22 0.01
GmB: Glenelg-----	45	Not limited		Not limited		Somewhat limited Gravel content	0.41
Mt.airy-----	35	Not limited		Not limited		Very limited Droughty Gravel content Depth to bedrock Content of large stones	1.00 0.98 0.46 0.01
GnB: Glenelg-----	40	Not limited		Not limited		Somewhat limited Gravel content	0.41
Mt.airy-----	30	Not limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Droughty	1.00
						Gravel content	0.98
						Depth to bedrock	0.46
						Content of large stones	0.01
Urban Land-----	20	Not rated		Not rated		Not rated	
GoB: Glenville-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan Depth to saturated zone Droughty	0.96 0.48 0.13
GoC: Glenville-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan Slope Depth to saturated zone Droughty	0.96 0.63 0.48 0.13
GuB: Glenville-----	60	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan Depth to saturated zone Droughty	0.96 0.48 0.13
Baile-----	40	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Content of large stones	1.00 1.00 0.01
GvA: Glenville-----	65	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan Depth to saturated zone Droughty	0.96 0.48 0.13
Codorus-----	35	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
GvB: Glenville-----	65	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to cemented pan	0.96

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.48
						Droughty	0.13
Codorus-----	35	Not limited		Not limited		Somewhat limited Flooding	0.60
						Depth to saturated zone	0.19
HaA: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaB: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaC: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Content of large stones	0.03
HbB: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HcB: Hagerstown-----	55	Not limited		Not limited		Somewhat limited Content of large stones	0.03
Opequon-----	40	Not limited		Not limited		Very limited Depth to bedrock	1.00
						Droughty	1.00
HdA: Hatboro-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
						Flooding	0.60
Codorus-----	40	Not limited		Not limited		Somewhat limited Flooding	0.60
						Depth to saturated zone	0.19
HgB: Highfield-----	85	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones	0.05
HgC: Highfield-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too Stony	0.53	Too Stony	0.53	Slope Content of large stones	0.63 0.05
HgD: Highfield-----	85	Somewhat limited Too Stony Slope	0.53 0.50	Somewhat limited Too Stony	0.53	Very limited Slope Content of large stones	1.00 0.05
HhB: Highfield-----	85	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones	0.16
HhC: Highfield-----	85	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Slope Content of large stones	0.63 0.16
HhD: Highfield-----	85	Somewhat limited Too Stony Slope	0.53 0.50	Somewhat limited Too Stony	0.53	Very limited Slope Content of large stones	1.00 0.16
HtF: Hyattstown-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Depth to bedrock Slope Droughty Gravel content	1.00 1.00 0.94 0.41
HyD: Hyattstown-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Depth to bedrock Slope Droughty Gravel content	1.00 1.00 0.94 0.41
Linganore-----	40	Somewhat limited Slope	0.50	Not limited		Very limited Slope Droughty Depth to bedrock Gravel content Content of large stones	1.00 0.79 0.46 0.33 0.01
KeB: Klinesville-----	85	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content Content of large stones	1.00 1.00 1.00 0.01
KeC: Klinesville-----	85	Not limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	1.00
						Slope	0.63
						Content of large stones	0.01
KeD: Klinesville-----	85	Somewhat limited Slope	0.50	Not limited		Very limited	
						Depth to bedrock	1.00
						Slope	1.00
						Droughty	1.00
						Gravel content	1.00
						Content of large stones	0.01
KnB: Klinesville-----	85	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	1.00
						Content of large stones	0.01
KnC: Klinesville-----	85	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	1.00
						Slope	0.63
						Content of large stones	0.01
KrF: Klinesville-----	70	Very limited Slope	1.00	Very limited Slope	1.00	Very limited	
						Depth to bedrock	1.00
						Slope	1.00
						Droughty	1.00
						Gravel content	1.00
						Content of large stones	0.01
Rock Outcrop-----	25	Not rated		Not rated		Not rated	
LaB: Lantz-----	55	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding	1.00
						Depth to saturated zone	1.00
						Content of large stones	0.08
Rohrersville-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Depth to cemented pan	0.94 0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.01
LeB: Leetonia-----	85	Very limited Too Stony Content of large stones	1.00 0.08	Very limited Too Stony Content of large stones	1.00 0.08	Very limited Droughty Content of large stones Gravel content	1.00 1.00 0.11
LgB: Legore-----	85	Not limited		Not limited		Not limited	
LnB: Legore-----	55	Not limited		Not limited		Not limited	
Montalto-----	45	Not limited		Not limited		Not limited	
LnD: Legore-----	55	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.29 0.03
Montalto-----	45	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
LqB: Lehigh-----	85	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.48
LsA: Lindside-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.03
LyB: Linganore-----	50	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content Droughty Content of large stones	0.46 0.33 0.06 0.01
Hyattstown-----	35	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content	1.00 0.94 0.41
LyC: Linganore-----	50	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content Droughty	0.63 0.46 0.33 0.06

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hyattstown-----	35	Not limited		Not limited		Content of large stones	0.01
						Very limited	
						Depth to bedrock	1.00
						Droughty	0.94
						Slope	0.63
						Gravel content	0.41
MaA: Melvin-----	55	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
Lindside-----	35	Somewhat limited		Somewhat limited		Very limited	
		Flooding	0.40	Flooding	0.40	Flooding	1.00
						Depth to saturated zone	0.03
MbA: Morven-----	85	Not limited		Not limited		Not limited	
MbB: Morven-----	85	Not limited		Not limited		Not limited	
MeB: Mt.airy-----	85	Not limited		Not limited		Very limited	
						Droughty	1.00
						Gravel content	0.98
						Depth to bedrock	0.46
						Content of large stones	0.01
MeC: Mt.airy-----	85	Not limited		Not limited		Very limited	
						Droughty	1.00
						Gravel content	0.98
						Slope	0.63
						Depth to bedrock	0.46
						Content of large stones	0.01
MeD: Mt.airy-----	85	Somewhat limited		Not limited		Very limited	
		Slope	0.50			Slope	1.00
						Droughty	1.00
						Gravel content	0.98
						Depth to bedrock	0.46
						Content of large stones	0.01
MeF: Mt.airy-----	85	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Slope	0.78	Slope	1.00
						Droughty	1.00
						Gravel content	0.98

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	0.46
						Content of large stones	0.01
MmA: Mt. Zion-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.05
MmB: Mt. Zion-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.05
MmC: Mt. Zion-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Content of large stones	0.05
MnA: Mt. Zion-----	50	Not limited		Not limited		Somewhat limited Content of large stones	0.05
Rohrersville-----	45	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
		Too Stony	0.19	Too Stony	0.19	Depth to cemented pan	0.46
MnB: Mt. Zion-----	50	Not limited		Not limited		Somewhat limited Content of large stones	0.05
Rohrersville-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
		Too Stony	0.04	Too Stony	0.04	Depth to cemented pan	0.46
MoB: Mt. Zion-----	60	Not limited		Not limited		Somewhat limited Content of large stones	0.05
Codorus-----	40	Not limited		Not limited		Somewhat limited Flooding	0.60
						Depth to saturated zone	0.19
MrB: Murrill-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.41
MtB: Murrill-----	45	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Dryrun-----	35	Not limited		Not limited		Gravel content	0.41
						Somewhat limited Gravel content	0.81
						Content of large stones	0.01
Urban Land-----	20	Not rated		Not rated		Not rated	
MuB: Myersville-----	85	Not limited		Not limited		Not limited	
MuC: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
MvA: Myersville-----	85	Not limited		Not limited		Not limited	
MvB: Myersville-----	85	Not limited		Not limited		Not limited	
MvC: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
MxA: Myersville-----	50	Not limited		Not limited		Not limited	
Burkittsville-----	35	Not limited		Not limited		Not limited	
MxB: Myersville-----	50	Not limited		Not limited		Not limited	
Burkittsville-----	35	Not limited		Not limited		Not limited	
MyB: Myersville-----	45	Not limited		Not limited		Not limited	
Catoctin-----	30	Not limited		Not limited		Somewhat limited Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
Urban Land-----	10	Not rated		Not rated		Not rated	
MyC: Myersville-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
Catoctin-----	30	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.62
						Depth to bedrock	0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	10	Not rated		Not rated		Content of large stones 0.20 Droughty 0.05	
NoA: Norton-----	85	Not limited		Not limited		Not limited	
NoB: Norton-----	85	Not limited		Not limited		Not limited	
NoC: Norton-----	85	Not limited		Not limited		Not limited	
OcB: Occoquan-----	85	Not limited		Not limited		Not limited	
OcC: Occoquan-----	85	Not limited		Not limited		Somewhat limited Slope 0.63	
PaB: Penn-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock 0.46	
PeB: Penn-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock 0.46 Gravel content 0.22 Droughty 0.01 Content of large stones 0.01	
PeC: Penn-----	85	Not limited		Not limited		Somewhat limited Slope 0.63 Depth to bedrock 0.46 Gravel content 0.22 Droughty 0.01 Content of large stones 0.01	
PnB: Penn-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock 0.46	
PnC: Penn-----	85	Not limited		Not limited		Somewhat limited Slope 0.63 Depth to bedrock 0.46	
PqB: Penn-----	40	Not limited		Not limited		Somewhat limited Depth to bedrock 0.46	
Reaville-----	40	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Ponding Depth to saturated zone	1.00 0.86	Ponding Depth to saturated zone	1.00 0.86	Ponding Depth to saturated zone Depth to bedrock Droughty	1.00 0.94 0.46 0.06
Urban Land-----	10	Not rated		Not rated		Not rated	
PrA: Penn-----	45	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
Reaville-----	40	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone Depth to bedrock Droughty	1.00 0.94 0.46 0.06
PrB: Penn-----	50	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
Reaville-----	40	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone Depth to bedrock Droughty	1.00 0.94 0.46 0.06
Ql: Quarry, Limestone---	100	Not rated		Not rated		Not rated	
Qm: Quarry, Marble-----	100	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.22	Very limited Slope	1.00
Qp: Quarry, Phyllite----	100	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.22	Very limited Slope	1.00
RaD: Ravenrock-----	85	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony	1.00	Very limited Slope Content of large stones Gravel content	1.00 0.38 0.24
ReB: Ravenrock-----	50	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Gravel content	0.38 0.24

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Highfield-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones	0.05
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReC: Ravenrock-----	50	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Slope Content of large stones Gravel content	0.63 0.38 0.24
Highfield-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Slope Content of large stones	0.63 0.05
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReD: Ravenrock-----	50	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony	1.00	Very limited Slope Content of large stones Gravel content	1.00 0.38 0.24
Highfield-----	40	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony	1.00	Very limited Slope Content of large stones	1.00 0.05
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReF: Ravenrock-----	50	Very limited Slope Too Stony	1.00 1.00	Very limited Too Stony Slope	1.00 1.00	Very limited Slope Content of large stones Gravel content	1.00 0.38 0.24
Highfield-----	35	Very limited Slope Too Stony	1.00 1.00	Very limited Too Stony Slope	1.00 1.00	Very limited Slope Content of large stones	1.00 0.05
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
RfC: Ravenrock-----	50	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones	0.38

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rohrersville-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Gravel content Somewhat limited Depth to saturated zone Depth to cemented pan Content of large stones	0.24 0.94 0.46 0.08
RgA: Readington-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone	0.64 0.15 0.03
RgB: Readington-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone	0.64 0.15 0.03
RmA: Reaville-----	85	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone	1.00 0.86	Very limited Ponding Depth to saturated zone Depth to bedrock Droughty	1.00 0.94 0.46 0.06
RoB: Rohrersville-----	60	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Depth to cemented pan	0.94 0.46
Lantz-----	30	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
RwA: Rowland-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
ScC: Spoolsville-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Burkittsville-----	30	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
ScD: Spoolsville-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
Burkittsville-----	30	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
SdC: Spoolsville-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Catoctin-----	40	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.05
SeA: Spoolsville-----	85	Not limited		Not limited		Not limited	
SeB: Spoolsville-----	85	Not limited		Not limited		Not limited	
SpA: Springwood-----	85	Not limited		Not limited		Not limited	
SpB: Springwood-----	85	Not limited		Not limited		Not limited	
SpC: Springwood-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
SqB: Springwood-----	65	Not limited		Not limited		Not limited	
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
SrB: Springwood-----	45	Not limited		Not limited		Not limited	
Morven-----	35	Not limited		Not limited		Not limited	
Urban Land-----	20	Not rated		Not rated		Not rated	
StB: Stumptown-----	65	Somewhat limited Content of large stones	0.02	Somewhat limited Content of large stones	0.02	Very limited Droughty	1.00
						Content of large stones	1.00
						Depth to bedrock	0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	30	Not rated		Not rated		Not rated	
StC: Stumptown-----	60	Somewhat limited Content of large stones	0.02	Somewhat limited Content of large stones	0.02	Very limited Droughty Content of large stones Slope Depth to bedrock	1.00 1.00 0.63 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
StD: Stumptown-----	55	Somewhat limited Slope Content of large stones	0.50 0.02	Somewhat limited Content of large stones	0.02	Very limited Slope Droughty Content of large stones Depth to bedrock	1.00 1.00 1.00 0.46
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SuD: Stumptown-----	50	Somewhat limited Slope Content of large stones	0.50 0.02	Somewhat limited Content of large stones	0.02	Very limited Slope Droughty Content of large stones Depth to bedrock	1.00 1.00 1.00 0.46
Bagtown-----	40	Very limited Too Stony Slope Content of large stones	1.00 0.50 0.01	Very limited Too Stony Content of large stones	1.00 0.01	Very limited Slope Content of large stones Gravel content	1.00 1.00 1.00 0.15
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
SuF: Stumptown-----	50	Very limited Slope Content of large stones	1.00 0.02	Very limited Slope Content of large stones	1.00 0.02	Very limited Slope Droughty Content of large stones	1.00 1.00 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bagtown-----	40	Very limited Slope Too Stony	1.00	Very limited Too Stony Slope	1.00	Depth to bedrock	0.46
			1.00		1.00	Very limited Slope Content of large stones	1.00
		Content of large stones	0.01	Content of large stones	0.01	Gravel content	0.15
		Not rated		Not rated		Not rated	
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
TaB: Thurmont-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.44
TaC: Thurmont-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.44
ThB: Thurmont-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.44
ToA: Trego-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone Content of large stones	0.86 0.06 0.03 0.01
ToB: Trego-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone Content of large stones	0.86 0.06 0.03 0.01
TqB: Trego-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone Content of large stones	0.86 0.06 0.03 0.01
TrB: Trego-----	85	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to cemented pan	0.86
						Droughty	0.06
						Depth to saturated zone	0.03
						Content of large stones	0.01
TxB: Trego-----	60	Not limited		Not limited		Somewhat limited	
						Depth to cemented pan	0.86
						Droughty	0.06
						Depth to saturated zone	0.03
						Content of large stones	0.01
Foxville-----	35	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited	
		Content of large stones	1.00	Content of large stones	1.00	Content of large stones	1.00
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Depth to saturated zone	0.94
						Flooding	0.60
UdB: Udorthents-----	100	Not limited		Not limited		Not limited	
UdC: Udorthents-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
UrA: Urban Land-----	100	Not rated		Not rated		Not rated	
UrC: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WaA: Walkersville-----	85	Not limited		Not limited		Not limited	
WaB: Walkersville-----	85	Not limited		Not limited		Not limited	
WaC: Walkersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
WcB: Watchung-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.03
WeC: Weverton-----	50	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones Droughty Slope	0.99 0.95 0.63
Hazel-----	45	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content Droughty	0.63 0.46 0.38 0.14
WeD: Weverton-----	50	Somewhat limited Slope Content of large stones	0.50 0.01	Somewhat limited Content of large stones	0.01	Very limited Slope Content of large stones Droughty	1.00 0.99 0.95
Hazel-----	45	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content Droughty	1.00 0.46 0.38 0.14
WeE: Weverton-----	50	Very limited Slope Content of large stones	1.00 0.01	Somewhat limited Slope Content of large stones	0.78 0.01	Very limited Slope Content of large stones Droughty	1.00 0.99 0.95
Hazel-----	45	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Depth to bedrock Gravel content Droughty	1.00 0.46 0.38 0.14
WhB: Wheeling-----	85	Not limited		Not limited		Not limited	
WrB: Whiteford-----	60	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Cardiff-----	40	Not limited		Not limited		Somewhat limited Content of large stones Depth to bedrock Gravel content	0.32 0.23 0.01
WrC: Whiteford-----	60	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cardiff-----	40	Not limited		Not limited		Slope Content of large stones	0.63 0.01
WtB: Wiltshire-----	60	Not limited		Not limited		Somewhat limited Slope Content of large stones Depth to bedrock Gravel content	0.63 0.32 0.23 0.01
Funkstown-----	30	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00

