

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.36	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Bm: Bibb-----	100	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Ek: Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.57	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.57	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Em: Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.57	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.57	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Fa: Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fs: Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited		Very limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Depth to saturated zone Seepage	1.00 0.09	Cutbanks cave	1.00
GaA: Galestown-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GaB: Galestown-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GaC: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GaD: Galestown-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GaE: Galestown-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GaF: Galestown-----	100	Very limited Seepage Slope	1.00 0.97	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GsA: Galestown-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GsB: Galestown-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GsC: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GsD: Galestown-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GsE: Galestown-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
Jo: Johnston-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.07	Very limited Cutbanks cave	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsA: Klej-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.49	Very limited Cutbanks cave	1.00
KsB: Klej-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.49	Very limited Cutbanks cave	1.00
LaA: Lakeland-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.29	Very limited Deep to water	1.00
LaB: Lakeland-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.29	Very limited Deep to water	1.00
LaC: Lakeland-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.29	Very limited Deep to water	1.00
LcC: Lakeland-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Somewhat limited Seepage	0.57	Somewhat limited Piping	0.93	Very limited Deep to water	1.00
MkB2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MkE: Matapeake-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MsA: Mattapex-----	95	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone Seepage	0.97 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
MsB2: Mattapex-----	95	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone	0.97 0.95	Somewhat limited Cutbanks cave Deep to water	0.10 0.02

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsE: Mattapex-----	100	Very limited Seepage Slope	1.00 0.21	Seepage	0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
				Somewhat limited Piping	0.97		
				Depth to saturated zone	0.95		
				Seepage	0.01		
Mt: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
Mu: Muck-----	100	Not rated		Not rated		Not rated	
Oh: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
				Seepage	0.12		
Pm: Plummer-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
				Seepage	0.52		
Po: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
				Seepage	0.06		
Ps: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
				Seepage	0.06		
Pt: Portsmouth-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
				Seepage	0.50		
SaA: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SaB2: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
ShA: Sassafras-----	95	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.03	Deep to water	1.00
SmA: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.39	Very limited Deep to water	1.00
SmB: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmB2: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmC: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmD: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
SmE: Sassafras-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
SnA: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnB: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnB2: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnB3: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnC: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnC2: Sassafras-----	100	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.03	Deep to water	1.00
SnC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnD: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnD2: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnE: Sassafras-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SnF: Sassafras-----	100	Very limited Seepage Slope	1.00 0.97	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SsA: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SsB: Sassafras-----	95	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WdB2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WoA: Woodstown-----	95	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB: Woodstown-----	95	Seepage	1.00	Depth to saturated zone	0.84	Cutbanks cave	1.00
				Seepage	0.12	Deep to water	0.07
WoB2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone	0.84	Very limited Cutbanks cave	1.00
				Seepage	0.12	Deep to water	0.07
WoC: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone	0.84	Very limited Cutbanks cave	1.00
				Seepage	0.12	Deep to water	0.07

