

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

Map symbol	Soil name
BtB2	Butlertown silt loam, 0 to 5 percent slopes, moderately eroded
CaB2	Chillum silt loam, 0 to 6 percent slopes, moderately eroded
Ch	Codorus silt loam
CmA	Collington fine sandy loam, 0 to 2 percent slopes
CmB2	Collington fine sandy loam, 2 to 5 percent slopes, moderately eroded
CoA	Collington silt loam, 0 to 2 percent slopes
CoB2	Collington silt loam, 2 to 5 percent slopes, moderately eroded
Cr	Comus silt loam
EmA	Elsinboro loam, 0 to 2 percent slopes
EmB2	Elsinboro loam, 2 to 5 percent slopes moderately eroded
EnA	Elsinboro sandy loam, 0 to 2 percent slopes
F1	Fallsington loam (Prime farmland if drained)
Fs	Fallsington sandy loam (Prime farmland if drained)
HoB2	Howell fine sandy loam, 2 to 6 percent slopes, moderately eroded
HwB2	Howell silt loam, 0 to 6 percent slopes, moderately eroded
HwC2	Howell silt loam, 6 to 12 percent slopes, moderately eroded
Ik	Iuka fine sandy loam
ImA	Iuka sandy loam, local alluvium, 0 to 2 percent slopes
ImB	Iuka sandy loam, local alluvium, 2 to 5 percent slopes
In	Iuka silt loam
IoA	Iuka silt loam, local alluvium, 0 to 2 percent slopes
IoB	Iuka silt loam, local alluvium, 2 to 5 percent
MfB2	Magnolia fine sandy loam, 2 to 5 percent slopes moderately eroded
MgB2	Magnolia silt loam, 2 to 5 percent slopes, moderately eroded
MhB2	Manor loam, 3 to 8 percent slopes, moderately eroded
MlA	Marr fine sandy loam, 0 to 2 percent slopes
MlB2	Marr fine sandy loam, 2 to 6 percent slopes, moderately eroded
MmA	Matapeake fine sandy loam, 0 to 2 percent slopes
MmB2	Matapeake fine sandy loam, 2 to 5 percent slopes, moderately eroded
MnA	Matapeake silt loam, 0 to 2 percent slopes
MnB2	Matapeake silt loam, 2 to 5 percent slopes, moderately eroded
MoB2	Matapeake silt loam, silty substratum, 2 to 5 percent slopes, moderately eroded
MrA	Matawan fine sandy loam, 0 to 2 percent slopes
MrB2	Matawan fine sandy loam, 2 to 5 percent slopes, moderately eroded
MsA	Matawan loamy sand, 0 to 2 percent slopes
MsB	Matawan loamy sand, 2 to 5 percent slopes
MtA	Mattapex fine sandy loam, 0 to 2 percent slopes
MtB2	Mattapex fine sandy loam, 2 to 5 percent slopes, moderately eroded
MuA	Mattapex silt loam, 0 to 2 percent slopes
MuB2	Mattapex silt loam, 2 to 5 percent slopes, moderately eroded
MyA	Monmouth fine sandy loam, 0 to 2 percent slopes
MyB2	Monmouth fine sandy loam, 2 to 5 percent slopes, moderately eroded
OcA	Ochlockonee sandy loam, local alluvium, 0 to 2 percent slopes
OcB	Ochlockonee sandy loam, local alluvium, 2 to 5 percent slopes
OhA	Ochlockonee silt loam, local alluvium, 0 to 2 percent slopes
OhB	Ochlockonee silt loam, local alluvium 2 to 5 percent slopes
O1	Othello fine sandy loam (Prime farmland if drained)
Ot	Othello silt loam (Prime farmland if drained)
SfB2	Sassafras gravelly loam, 2 to 5 percent slopes, moderately eroded
SgB2	Sassafras gravelly sandy loam, 2 to 5 percent slopes, moderately eroded
ShA	Sassafras sandy loam, 0 to 2 percent slopes
ShB2	Sassafras sandy loam, 2 to 5 percent slopes, moderately eroded
StB2	Sunnyside fine sandy loam, 0 to 5 percent slopes, moderately eroded
SuB2	Sunnyside loam, 0 to 5 percent slopes, moderately eroded
WaA	Westphalia fine sandy loam, 0 to 2 percent slopes
WaB2	Westphalia fine sandy loam, 2 to 6 percent slopes, moderately eroded
WbB2	Westphalia very fine sandy loam, 0 to 6 percent slopes, moderately eroded
WeB2	Westphalia-evesboro complex, 2 to 6 percent slopes, moderately eroded
WoA	Woodstown sandy loam, 0 to 2 percent slopes
WoB2	Woodstown sandy loam, 2 to 5 percent slopes, moderately eroded

Table Y.--Prime Farmland--Continued

Map symbol	Soil name

