

## Building Site Development

### General

Soil properties influence development of building sites, including the selection of the site, the design of the structure, construction, performance after construction, and maintenance. Soil limitation ratings of slight, moderate, and severe are given for shallow excavations, dwellings with and without basements, small commercial buildings, local roads and streets, and lawns, landscaping, and golf fairways.

### Shallow Excavations

Shallow excavations are trenches or holes dug in the soil to a maximum depth of 5 or 6 feet. They are used for pipelines, sewerlines, telephone and power transmission lines, basements, open ditches, and cemeteries. The excavations are most commonly made by trenching machines or backhoes. The ratings are based on the soil properties that influence ease of digging and resistance to sloughing.

### Dwellings With or Without Basements

These are single-family houses of three stories or less. The foundation is assumed to be spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or the depth of maximum frost penetration, whichever is deeper, for houses without basements, or at a depth of 7 feet if a basement is constructed. The ratings are based on properties affecting soil strength and settlement under a load, and those that affect excavation and construction costs.

### Small Commercial Buildings

Limitation ratings are given for undisturbed soil on which small commercial buildings of less than three stories without basements are built. The foundation is assumed to be spread footings of reinforced concrete at a depth of 2 feet or the depth of maximum frost penetration, whichever is deeper.

### Local Roads and Streets

Limitation ratings are given for the use of soils for construction of improved local roads and streets that have all-weather surfacing, commonly of asphalt, gravel with binder in it, or concrete, and that are expected to carry automobile traffic all year. These roads and streets are graded to shed water, and conventional drainage measures are provided. With the probable exception of the hard surface, roads and streets are built mainly from the soil at hand.

### Lawns, Landscaping, and Golf Fairways

The soils are rated for their use in establishing and maintaining turf for lawns and golf fairways and ornamental trees and shrubs for residential type landscaping. The ratings are based on the use of soil material at the location with some land smoothing. Irrigation may or may not be needed and is not a criterion in rating. Traps, tees, roughs, and greens are not considered as part of the golf fairway. The properties considered are those that affect plant growth and trafficability after vegetation is established.

See the National Soil Survey Handbook, Part 620, for criteria used in rating specific uses.

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>AbE</b> ABRAM	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
ROCK OUTCROP	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock
<b>ACC</b> ABRAM	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock
ROCK OUTCROP	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock
LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock
<b>ACE</b> ABRAM	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>ACE</b> ROCK OUTCROP	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock
<b>AdA</b> ADAMS	Severe: cutbanks cave	Slight:	Slight:	Slight:	Slight:	Severe: droughty
<b>AdB</b> ADAMS	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty
<b>AdC</b> ADAMS	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Severe: droughty
<b>AdD</b> ADAMS	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>AED</b> ADAMS	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>AGC</b> ADAMS	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>AGC</b> CROGHAN	Severe: cutbanks cave, wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Moderate: frost action, wetness	Severe: droughty
<b>AHC</b> ADAMS	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty
<b>HERMON</b>	Severe: cutbanks cave	Moderate: large stones	Moderate: large stones	Moderate: large stones, slope	Moderate: large stones	Severe: droughty
<b>AHD</b> ADAMS	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>HERMON</b>	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>BeB</b> BECKET	Moderate: wetness	Slight:	Moderate: wetness	Moderate: slope	Moderate: frost action	Moderate: small stones
<b>BeC</b> BECKET	Moderate: slope, wetness	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: slope, small stones

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>BeD</b> BECKET	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>BkB</b> BECKET	Moderate: wetness	Slight:	Moderate: wetness	Moderate: slope	Moderate: frost action	Moderate: large stones
<b>BkC</b> BECKET	Moderate:	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: large stones, slope
<b>BkD</b> BECKET	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>Bp</b> BRAYTON	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action, wetness	Severe: wetness
<b>PEACHAM</b>	Severe: ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: frost action, ponding	Severe: excess humus, large stones, ponding
<b>BRB</b> BRAYTON	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action, wetness	Severe: wetness

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>BRB</b> PEACHAM	Severe: ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: frost action, ponding	Severe: excess humus, large stones, ponding
<b>Ca</b> CHARLES	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action, wetness	Severe: wetness
<b>Cb</b> CHARLES	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action, wetness	Severe: flooding, wetness
<b>CeB</b> COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: wetness
<b>CeC</b> COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: slope, wetness	Severe: frost action	Moderate: slope, wetness
<b>CfB</b> COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: large stones, small stones
<b>CfC</b> COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: slope, wetness	Severe: frost action	Moderate: large stones, slope, small stones

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>CgB</b> COLTON	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty, small stones
<b>CgC</b> COLTON	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Severe: droughty, small stones
<b>CgD</b> COLTON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope, small stones
<b>CHC</b> COLTON	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty, small stones
<b>ADAMS</b>	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty
<b>CHD</b> COLTON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope, small stones
<b>ADAMS</b>	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>Co</b> CORNISH	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action	Moderate: flooding, wetness
<b>Cp</b> CORNISH	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action	Severe: flooding
<b>CrA</b> CROGHAN	Severe: cutbanks cave, wetness	Moderate: wetness	Severe: wetness	Moderate: wetness	Moderate: frost action, wetness	Severe: droughty
<b>CrB</b> CROGHAN	Severe: cutbanks cave, wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Moderate: frost action, wetness	Severe: droughty
<b>DfB</b> DIXFIELD	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: wetness
<b>DfC</b> DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: slope, wetness
<b>DsB</b> DIXFIELD	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, small stones

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
DsC DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: large stones, slope, small stones
DTC DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: slope, wetness
COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: wetness
DUC DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: large stones, slope, small stones
COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: large stones, small stones
DUD DIXFIELD	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope
COLONEL	Severe: wetness	Severe: wetness	Severe: wetness	Severe: slope, wetness	Severe: frost action	Moderate: large stones, slope, small stones

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
DWC DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: slope, wetness
MARLOW	Moderate: dense layer, slope	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action	Moderate: slope
DXC DIXFIELD	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: large stones, slope, small stones
MARLOW	Moderate: dense layer, slope, wetness	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: large stones, slope
DXD DIXFIELD	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope
MARLOW	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
Fr FRYEBURG	Severe: cutbanks cave	Severe: flooding	Severe: flooding	Severe: flooding	Severe: frost action	Slight:

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>HeB</b> HERMON	Severe: cutbanks cave	Moderate: large stones	Moderate: large stones	Moderate: large stones, slope	Moderate: large stones	Severe: droughty
<b>HeC</b> HERMON	Severe: cutbanks cave	Moderate: large stones, slope	Moderate: large stones, slope	Severe: slope	Moderate: large stones, slope	Severe: droughty
<b>HeD</b> HERMON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>HmB</b> HERMON	Severe: cutbanks cave	Moderate: large stones	Moderate: large stones	Moderate: large stones, slope	Moderate: large stones	Severe: droughty
<b>HmC</b> HERMON	Severe: cutbanks cave	Moderate: large stones, slope	Moderate: large stones, slope	Severe: slope	Moderate: large stones, slope	Severe: droughty
<b>HmD</b> HERMON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>HsC</b> HERMON	Severe: cutbanks cave	Moderate: large stones	Moderate: large stones	Moderate: large stones, slope	Moderate: large stones	Severe: droughty, large stones

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>HsD</b> HERMON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, large stones, slope
<b>HTD</b> HERMON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>MONADNOCK</b>	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>HTE</b> HERMON	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: droughty, slope
<b>MONADNOCK</b>	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>HVC</b> HERMON	Severe: cutbanks cave	Moderate: large stones, slope	Moderate: large stones, slope	Severe: slope	Moderate: large stones, slope	Severe: droughty
<b>SKERRY</b>	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>Lo</b> LOVEWELL	Severe: cutbanks cave, wetness	Severe: flooding	Severe: flooding, wetness	Severe: flooding	Severe: flooding, frost action	Moderate: flooding, wetness
<b>LtB</b> LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock
<b>LtC</b> TUNBRIDGE	Severe: depth to rock	Moderate: depth to rock	Severe: depth to rock	Moderate: depth to rock, slope	Moderate: depth to rock, frost action	Moderate: droughty, large stones, small stones
<b>LtC</b> LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock
<b>LtD</b> TUNBRIDGE	Severe: depth to rock	Moderate: depth to rock, slope	Severe: depth to rock	Severe: slope	Moderate: depth to rock, frost action, slope	Moderate: droughty, large stones, small stones
<b>LtD</b> LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
<b>LtD</b> TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Moderate: droughty, large stones, small stones

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
LUD LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Moderate: droughty, large stones, small stones
BECKET	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
LUE LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Moderate: droughty, large stones, small stones
BECKET	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
LWC LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
LWC TUNBRIDGE	Severe: depth to rock	Moderate: depth to rock, slope	Severe: depth to rock	Severe: slope	Moderate: depth to rock, frost action, slope	Moderate: droughty, large stones, small stones
MONADNOCK	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: large stones, slope
LWD LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Moderate: droughty, large stones, small stones
MONADNOCK	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
LWE LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Moderate: droughty, large stones, small stones

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>LWE</b> MONADNOCK	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>LXC</b> LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock
<b>TUNBRIDGE</b>	Severe: depth to rock	Moderate: depth to rock, slope	Severe: depth to rock	Severe: slope	Moderate: depth to rock, frost action, slope	Moderate: droughty, large stones, small stones
<b>SKERRY</b>	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness
<b>MaB</b> MARLOW	Moderate: dense layer	Slight:	Moderate: wetness	Moderate: slope	Moderate: frost action	Slight:
<b>MaC</b> MARLOW	Moderate: dense layer, slope	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action	Moderate: slope
<b>MaD</b> MARLOW	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>MeC</b> MARLOW	Moderate: dense layer, slope, wetness	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: large stones, slope
<b>MeD</b> MARLOW	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>Mk</b> MEDOMAK	Severe: cutbanks cave, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, frost action, ponding	Severe: flooding, ponding
<b>ML</b> MEDOMAK	Severe: cutbanks cave, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, frost action, ponding	Severe: flooding, ponding
<b>WONSQUEAK</b>	Severe: excess humus, ponding	Severe: flooding, low strength, ponding	Severe: flooding, ponding	Severe: flooding, low strength, ponding	Severe: flooding, frost action, ponding	Severe: excess humus, flooding, ponding
<b>MnB</b> MONADNOCK	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Slight:
<b>MnC</b> MONADNOCK	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: slope

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basememts</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>MnD</b> MONADNOCK	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>MvC</b> MONADNOCK	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: large stones, slope
<b>MvD</b> MONADNOCK	Severe: cutbanks cave, slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>MWC</b> MONADNOCK	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: slope
<b>HERMON</b>	Severe: cutbanks cave	Moderate: large stones, slope	Moderate: large stones, slope	Severe: slope	Moderate: large stones, slope	Severe: droughty
<b>SKERRY</b>	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: small stones, wetness
<b>MXC</b> MONADNOCK	Severe: cutbanks cave	Moderate: slope	Moderate: slope	Severe: slope	Moderate: slope	Moderate: large stones, slope

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>MXC</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness
<b>Nb</b> NAUMBURG	Severe: cutbanks cave, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness
<b>NCB</b> NAUMBURG	Severe: cutbanks cave, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness
<b>CROGHAN</b>	Severe: cutbanks cave, wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Moderate: frost action, wetness	Severe: droughty
<b>NvB</b> NICHOLVILLE	Severe: wetness	Severe: frost action	Severe: wetness	Severe: frost action	Severe: frost action	Slight:
<b>Od</b> ONDAWA	Severe: cutbanks cave	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding	Moderate: flooding
<b>On</b> ONDAWA	Severe: cutbanks cave	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>Pg</b> PITS	Severe: cutbanks cave	Slight:	Slight:	Slight:	Slight:	Severe: droughty, small stones
<b>Ps</b> PITS	Severe: cutbanks cave	Slight:	Slight:	Slight:	Slight:	Severe: droughty
<b>Pt</b> PODUNK	Severe: cutbanks cave, wetness	Severe: flooding	Severe: flooding, wetness	Severe: flooding	Severe: flooding, frost action	Moderate: flooding, wetness
<b>Pw</b> PODUNK	Severe: cutbanks cave, wetness	Severe: flooding	Severe: flooding, wetness	Severe: flooding	Severe: flooding, frost action	Severe: flooding
<b>RCE</b> RICKER	Severe: depth to rock, excess humus, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: excess humus, slope, thin layer
<b>ROCK OUTCROP</b>	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock
<b>SADDLEBACK</b>	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>Rm</b> RIVERWASH	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: droughty, wetness
<b>RNE</b> ROCK OUTCROP	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock
<b>RICKER</b>	Severe: depth to rock, excess humus, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: excess humus, slope, thin layer
<b>Ro</b> ROUNABOUT	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action, wetness	Severe: wetness
<b>Ru</b> RUMNEY	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action, wetness	Severe: wetness
<b>Ry</b> RUMNEY	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action, wetness	Severe: flooding, wetness
<b>RZ</b> RUMNEY	Severe: cutbanks cave, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, frost action, wetness	Severe: flooding, wetness

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>RZ</b> PODUNK	Severe: cutbanks cave, wetness	Severe: flooding	Severe: flooding, wetness	Severe: flooding	Severe: flooding, frost action	Severe: flooding
<b>SAD</b> SADDLEBACK	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
<b>RICKER</b>	Severe: depth to rock, excess humus, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: excess humus, slope, thin layer
<b>SAE</b> SADDLEBACK	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
<b>RICKER</b>	Severe: depth to rock, excess humus, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: depth to rock, low strength, slope	Severe: depth to rock, slope	Severe: excess humus, slope, thin layer
<b>Se</b> SEARSPORT	Severe: cutbanks cave, ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: droughty, excess humus, ponding
<b>SkB</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: small stones, wetness

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>SkC</b> SKERRY	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: slope, small stones, wetness
<b>SnB</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness
<b>SnC</b> SKERRY	Severe: wetness	Moderate: slope, wetness	Severe: wetness	Severe: slope	Severe: frost action	Moderate: large stones, slope, wetness
<b>SnD</b> SKERRY	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope
<b>SOC</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: small stones, wetness
<b>BECKET</b>	Moderate: slope, wetness	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: slope, small stones
<b>SOD</b> SKERRY	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>SOD</b> BECKET	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>SRC</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness
<b>BECKET</b>	Moderate:	Moderate: slope	Moderate: slope, wetness	Severe: slope	Moderate: frost action, slope	Moderate: large stones, slope
<b>SRD</b> SKERRY	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope
<b>BECKET</b>	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Severe: slope
<b>SSC</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: small stones, wetness
<b>COLONEL</b>	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: wetness

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>STC</b> SKERRY	Severe: wetness	Moderate: wetness	Severe: wetness	Moderate: slope, wetness	Severe: frost action	Moderate: large stones, wetness
<b>COLONEL</b>	Severe: wetness	Severe: wetness	Severe: wetness	Severe: wetness	Severe: frost action	Moderate: large stones, small stones
<b>STD</b> SKERRY	Severe: slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Severe: frost action, slope	Severe: slope
<b>COLONEL</b>	Severe: wetness	Severe: wetness	Severe: wetness	Severe: slope, wetness	Severe: frost action	Moderate: large stones, slope, small stones
<b>Su</b> SUNDAY	Severe: cutbanks cave	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding	Severe: droughty
<b>Sy</b> SUNDAY	Severe: cutbanks cave	Severe: flooding	Severe: flooding	Severe: flooding	Severe: flooding	Severe: droughty, flooding
<b>TyB</b> TUNBRIDGE	Severe: depth to rock	Moderate: depth to rock	Severe: depth to rock	Moderate: depth to rock, slope	Moderate: depth to rock, frost action	Moderate: droughty

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basememts</b>	<b>Dwellings with Basememts</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>TyB</b> LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock
<b>TyC</b> TUNBRIDGE	Severe: depth to rock	Moderate: depth to rock, slope	Severe: depth to rock	Severe: slope	Moderate: depth to rock, frost action, slope	Moderate: droughty, slope
LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock
<b>TyD</b> TUNBRIDGE	Severe: depth to rock, slope	Severe: slope	Severe: depth to rock, slope	Severe: slope	Severe: slope	Severe: slope
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope
<b>UaC</b> URBAN LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable
ADAMS	Severe: cutbanks cave	Slight:	Slight:	Moderate: slope	Slight:	Severe: droughty

**BUILDING SITE DEVELOPMENT**

**Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>UhC</b> URBAN LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable
<b>HERMON</b>	Severe: cutbanks cave	Moderate: large stones, slope	Moderate: large stones, slope	Severe: slope	Moderate: large stones, slope	Severe: droughty
<b>Va</b> VASSALBORO	Severe: excess humus, ponding	Severe: low strength, ponding	Severe: low strength, ponding	Severe: low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding
<b>Vb</b> VASSALBORO	Severe: excess humus, ponding	Severe: flooding, low strength, ponding	Severe: flooding, low strength, ponding	Severe: flooding, low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding
<b>VW</b> VASSALBORO	Severe: excess humus, ponding	Severe: low strength, ponding	Severe: low strength, ponding	Severe: low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding
<b>WONSQUEAK</b>	Severe: excess humus, ponding	Severe: low strength, ponding	Severe: ponding	Severe: low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding
<b>Wk</b> WONSQUEAK	Severe: excess humus, ponding	Severe: low strength, ponding	Severe: ponding	Severe: low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding

**BUILDING SITE DEVELOPMENT****Oxford County Area**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>Shallow Excavations</b>	<b>Dwellings without Basements</b>	<b>Dwellings with Basements</b>	<b>Small Commercial Buildings</b>	<b>Local Roads</b>	<b>Lawns and Landscaping</b>
<b>WS</b> WONSQUEAK	Severe: excess humus, ponding	Severe: low strength, ponding	Severe: ponding	Severe: low strength, ponding	Severe: frost action, ponding	Severe: excess humus, ponding
<b>SEARSPORT</b>	Severe: cutbanks cave, ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: ponding	Severe: droughty, excess humus, ponding