

Construction Material

General

Soils are rated as sources for roadfill, topsoil, sand, and gravel. Suitability ratings of good, fair, or poor are given for soils used as a source of roadfill and topsoil. Ratings of probable and improbable are given for sand and gravel. A rating of probable means that on the basis of the available evidence, the source material is likely to be in or below the soil. A rating of improbable means that the source material is unlikely to be in or below the soil. The ratings for sand and gravel do not consider the quality of the source material because quality depends on how the source material is to be used.

Roadfill

Roadfill consists of soil material that is excavated from its original position and used in road embankments elsewhere. The evaluations for roadfill are for low embankments that generally are less than 6 feet in height and are less exacting in design than high embankments such as those along superhighways. The rating is given for the whole soil, from the surface to a depth of about 5 feet, based on the assumption that soil horizons will be mixed in loading, dumping, and spreading. Soils are rated as to the amount of material available for excavation, the ease of excavation, and how well the material performs after it is in place.

Sand

Sand as a construction material is usually defined as particles ranging in size from 0.074 mm (sieve #200) to 4.75 mm (sieve #4) in diameter. Sand is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the sand for specific purposes is not evaluated. If the lowest layer of the soil contains sand, the soil is rated as a probable source regardless of thickness. The assumption is that the sand layer below the depth of observation exceeds the minimum thickness.

Gravel

Gravel as a construction material is defined as particles ranging in size from 4.76 mm (sieve #4) to 76 mm (3 inches) in diameter. Gravel is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the gravel for specific purposes is not evaluated. If the lowest layer of the soil contains gravel, the soil is rated as a probable source regardless of thickness. The assumption is that the gravel layer below the depth of observation exceeds the minimum thickness.

Topsoil

The term "topsoil" has several meanings. As used here, the term describes soil material used to cover an area so as to improve soil conditions for establishment and maintenance of adapted vegetation. Generally, the upper part of the soil, which is richest in organic matter, is most desirable; however, material excavated from deeper layers is also used. In this rating, the upper 40 inches of soil material is evaluated for use as topsoil. In the borrow area, the material below 40 inches is evaluated for its suitability for plant growth after the upper 40 inches is removed. The soil properties that are used to rate the soil as topsoil are those that affect plant growth, the ease of excavation, loading, and spreading, and those that affect the reclamation of the borrow area.

See the National Soil Survey Handbook, Part 620, for criteria used in rating specific uses

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
AbE ABRAM	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
ROCK OUTCROP	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope.
ACC ABRAM	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
ROCK OUTCROP	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock.
LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
ACE ABRAM	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
LYMAN	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
ROCK OUTCROP	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope.
AdA ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
AdB ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
AdC ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
AdD ADAMS	Fair: slope.	Probable.	Improbable: too sandy.	Poor: slope, too sandy.
AED ADAMS	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, too sandy.
AGC ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
CROGHAN	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: small stones, too sandy.
AHC ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
AHD ADAMS	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, too sandy.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
AHD HERMON	Poor: slope.	Probable.	Probable.	Poor: area reclaim, small stones, too
BeB BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
BeC BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
BeD BECKET	Fair: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
BkB BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
BkC BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
BkD BECKET	Fair: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
Bp BRAYTON	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones,
PEACHAM	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, small

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
BRB BRAYTON	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones,
PEACHAM	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, small
Ca CHARLES	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: wetness.
Cb CHARLES	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: wetness.
CeB COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
CeC COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
CfB COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
CfC COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
CgB COLTON	Good.	Probable.	Probable.	Poor: small stones, too sandy.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
CgC COLTON	Good.	Probable.	Probable.	Poor: small stones, too sandy.
CgD COLTON	Fair: slope.	Probable.	Probable.	Poor: slope, small stones, too sandy.
CHC COLTON	Good.	Probable.	Probable.	Poor: small stones, too sandy.
ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
CHD COLTON	Poor: slope.	Probable.	Probable.	Poor: slope, small stones, too sandy.
ADAMS	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, too sandy.
Co CORNISH	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Good.
Cp CORNISH	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Good.
CrA CROGHAN	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: small stones, too sandy.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
CrB CROGHAN	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: small stones, too sandy.
DfB DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
DfC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
DsB DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
DsC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
DTC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
DUC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
DUD DIXFIELD	Fair: slope, wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, slope, small stones.
COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
DWC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MARLOW	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
DXC DIXFIELD	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
MARLOW	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
DXD DIXFIELD	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, slope, small stones.
MARLOW	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
Fr FRYEURG	Good.	Probable.	Improbable: too sandy.	Fair: too sandy.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
HeB HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
HeC HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
HeD HERMON	Fair: large stones, slope.	Probable.	Probable.	Poor: area reclaim, small stones, too
HmB HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
HmC HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
HmD HERMON	Fair: large stones, slope.	Probable.	Probable.	Poor: area reclaim, small stones, too
HsC HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
HsD HERMON	Fair: large stones, slope.	Probable.	Probable.	Poor: area reclaim, small stones, too
HTD HERMON	Poor: slope.	Probable.	Probable.	Poor: area reclaim, small stones, too

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
HTD MONADNOCK	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, small stones.
HTE HERMON	Poor: slope.	Probable.	Probable.	Poor: area reclaim, small stones, too
MONADNOCK	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, small stones.
HVC HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
Lo LOVEWELL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Fair: too sandy.
LtB LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
TUNBRIDGE	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
LtC LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
LtC TUNBRIDGE	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
LtD LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
TUNBRIDGE	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
LUD LYMAN	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
TUNBRIDGE	Poor: area reclaim, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
BECKET	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
LUE LYMAN	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
TUNBRIDGE	Poor: area reclaim, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
BECKET	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
LWC LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
TUNBRIDGE	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MONADNOCK	Good.	Probable.	Improbable: too sandy.	Poor: small stones.
LWD LYMAN	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
TUNBRIDGE	Poor: area reclaim, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
MONADNOCK	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, small stones.
LWE LYMAN	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
TUNBRIDGE	Poor: area reclaim, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
MONADNOCK	Poor: slope.	Probable.	Improbable: too sandy.	Poor: slope, small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
LXC LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
TUNBRIDGE	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
MaB MARLOW	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MaC MARLOW	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MaD MARLOW	Fair: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
MeC MARLOW	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MeD MARLOW	Fair: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
Mk MEDOMAK	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, wetness.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
ML MEDOMAK	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, wetness.
WONSQUEAK	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess humus, wetness.
MnB MONADNOCK	Good.	Probable.	Improbable: too sandy.	Fair: small stones.
MnC MONADNOCK	Good.	Probable.	Improbable: too sandy.	Fair: slope, small stones.
MnD MONADNOCK	Fair: slope.	Probable.	Improbable: too sandy.	Poor: slope.
MvC MONADNOCK	Good.	Probable.	Improbable: too sandy.	Poor: small stones.
MvD MONADNOCK	Fair: slope.	Probable.	Improbable: too sandy.	Poor: slope, small stones.
MWC MONADNOCK	Good.	Probable.	Improbable: too sandy.	Fair: slope, small stones.
HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
MWC SKERRY	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
MXC MONADNOCK	Good.	Probable.	Improbable: too sandy.	Poor: small stones.
SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
Nb NAUMBURG	Poor: wetness.	Probable.	Improbable: too sandy.	Poor: too sandy, wetness.
NCB NAUMBURG	Poor: wetness.	Probable.	Improbable: too sandy.	Poor: too sandy, wetness.
CROGHAN	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: small stones, too sandy.
NvB NICHOLVILLE	Poor: frost action.	Improbable: excess fines.	Improbable: excess fines.	Good.
Od ONDAWA	Good.	Probable.	Improbable: too sandy.	Fair: small stones, thin layer.
On ONDAWA	Good.	Probable.	Improbable: too sandy.	Fair: small stones, thin layer.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
Pg PITS	Good.	Probable.	Probable.	Poor: area reclaim, small stones, too
Ps PITS	Good.	Probable.	Improbable: too sandy.	Poor: small stones, too sandy.
Pt PODUNK	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: area reclaim, small stones, thin
Pw PODUNK	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: area reclaim, small stones, thin
RCE RICKER	Poor: area reclaim, slope, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, slope.
ROCK OUTCROP	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope.
SADDLEBACK	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
Rm RIVERWASH	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, small stones, too
RNE ROCK OUTCROP	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
RNE RICKER	Poor: area reclaim, slope, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, slope.
Ro ROUNABOUT	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: wetness.
Ru RUMNEY	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, small stones,
Ry RUMNEY	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, small stones,
RZ RUMNEY	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, small stones,
PODUNK	Fair: wetness.	Probable.	Improbable: too sandy.	Fair: area reclaim, small stones, thin
SAD SADDLEBACK	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
RICKER	Poor: area reclaim, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, slope.
SAE SADDLEBACK	Poor: depth to rock, slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
SAE RICKER	Poor: area reclaim, slope, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, excess humus, slope.
Se SEARSPORT	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, too sandy, wetness.
SkB SKERRY	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
SkC SKERRY	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
SnB SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
SnC SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
SnD SKERRY	Fair: slope, wetness.	Probable.	Probable.	Poor: slope, small stones.
SOC SKERRY	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
SOD SKERRY	Fair: slope, wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
BECKET	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
SRC SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.
BECKET	Good.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
SRD SKERRY	Fair: slope, wetness.	Probable.	Probable.	Poor: slope, small stones.
BECKET	Poor: slope.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
SSC SKERRY	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
STC SKERRY	Fair: wetness.	Probable.	Probable.	Poor: small stones.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
STC COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
STD SKERRY	Fair: slope, wetness.	Probable.	Probable.	Poor: slope, small stones.
COLONEL	Fair: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, small stones.
Su SUNDAY	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
Sy SUNDAY	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
TyB TUNBRIDGE	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, depth to rock, small
TyC TUNBRIDGE	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones.
LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: area reclaim, depth to rock, small

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
TyD TUNBRIDGE	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: slope, small stones.
LYMAN	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, slope, small stones.
UaC URBAN LAND	Limitation: variable.	Limitation: variable.	Limitation: variable.	Limitation: variable.
ADAMS	Good.	Probable.	Improbable: too sandy.	Poor: too sandy.
UhC URBAN LAND	Limitation: variable.	Limitation: variable.	Limitation: variable.	Limitation: variable.
HERMON	Fair: large stones.	Probable.	Probable.	Poor: area reclaim, small stones, too
Va VASSALBORO	Poor: wetness.	Improbable: excess humus.	Improbable: excess humus.	Poor: excess humus, wetness.
Vb VASSALBORO	Poor: wetness.	Improbable: excess humus.	Improbable: excess humus.	Poor: excess humus, wetness.
VW VASSALBORO	Poor: wetness.	Improbable: excess humus.	Improbable: excess humus.	Poor: excess humus, wetness.

CONSTRUCTION MATERIALS

Oxford County, Area

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
VW WONSQUEAK	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess humus, wetness.
Wk WONSQUEAK	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess humus, wetness.
WS WONSQUEAK	Poor: wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess humus, wetness.
SEARSPORT	Poor: wetness.	Probable.	Probable.	Poor: area reclaim, too sandy, wetness.