

Forage Suitability Groups (MN)

Clay County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
33B:			
Barnes	90	N	02
Darnen	3	---	---
Kittson	3	---	---
Langhei	2	---	---
Poorly drained soils	2	---	---
33B2:			
Barnes, eroded	90	N	02
Darnen	4	---	---
Kittson	3	---	---
Langhei	2	---	---
Poorly drained soils	1	---	---
33C2:			
Barnes, eroded	90	N	02
Darnen	4	---	---
Langhei	3	---	---
Sverdrup	3	---	---
36:			
Flom	90	N	01
Kittson	4	---	---
Rockwell	3	---	---
Vallers	3	---	---
38B:			
Waukon	90	N	02
Gonvick	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
38B:			
Sverdrup	3	---	---
Flom	2	---	---
Parnell	2	---	---
38B2:			
Waukon, eroded	90	N	02
Darnen	4	---	---
Gonvick	3	---	---
Langhei	3	---	---
38C:			
Waukon	90	N	02
Gonvick	3	---	---
Sverdrup	3	---	---
Flom	2	---	---
Parnell	2	---	---
38C2:			
Waukon, eroded	90	N	02
Darnen	2	---	---
Flom	2	---	---
Gonvick	2	---	---
Langhei	2	---	---
Parnell	2	---	---
38D:			
Waukon	90	N	23
Sverdrup	4	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
38D:			
Flom	3	---	---
Gonvick	3	---	---
38D2:			
Waukon, eroded	90	N	23
Darnen	3	---	---
Gonvick	3	---	---
Flom	2	---	---
Langhei	2	---	---
38E:			
Waukon	90	N	17
Lohnes	5	---	---
Sioux	5	---	---
45B:			
Maddock	90	N	04
Flaming	3	---	---
Lohnes	3	---	---
Hamar	2	---	---
Sverdrup	2	---	---
45C:			
Maddock	90	N	04
Lohnes	3	---	---
Sioux	3	---	---
Hamar	2	---	---
Sverdrup	2	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
46:			
Borup	90	N	09
Augsburg	4	---	---
Glyndon	3	---	---
Wyndmere	3	---	---
47:			
Colvin	90	N	09
Augsburg	4	---	---
Fargo	3	---	---
Hegne	3	---	---
50:			
Cashel, occasionally flooded	90	N	09
52:			
Augsburg	90	N	09
Colvin	5	---	---
Wheatville	5	---	---
56:			
Fargo	90	N	01
Colvin	5	---	---
Hegne	5	---	---
57A:			
Fargo	90	N	01
Colvin	4	---	---
Hegne	3	---	---
Wahpeton	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
57B:			
Fargo	90	N	01
Hegne	4	---	---
Overly	3	---	---
Wahpeton	3	---	---
58A:			
Kittson	90	N	02
Flom	3	---	---
Foxhome	3	---	---
Hamerly	2	---	---
Swenoda	2	---	---
58B:			
Kittson	90	N	02
Barnes	4	---	---
Flom	3	---	---
Hamerly	3	---	---
59:			
Grimstad	90	N	10
Foldahl	4	---	---
Rockwell	3	---	---
Ulen	3	---	---
60A:			
Glyndon	90	N	10
Borup	4	---	---
Wheatville	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
60A:			
Wyndmere	3	---	---
60B2:			
Glyndon, eroded	90	N	10
Bearden	3	---	---
Overly	3	---	---
Borup	2	---	---
Wheatville	2	---	---
61:			
Arveson	90	N	09
Fossum	4	---	---
Rockwell	3	---	---
Ulen	3	---	---
63:			
Rockwell	90	N	09
Arveson	4	---	---
Grimstad	3	---	---
Vallers	3	---	---
64:			
Ulen	90	N	12
Arveson	4	---	---
Flaming	3	---	---
Fossum	3	---	---
65:			
Foxhome	90	N	04
Foldahl	2	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
65:			
Kittson	2	---	---
Lohnes	2	---	---
Mavie	2	---	---
Roliss	2	---	---
66:			
Flaming	90	N	04
Fossum	4	---	---
Poppleton	3	---	---
Ulen	3	---	---
67A:			
Bearden	90	N	10
Colvin	4	---	---
Overly	3	---	---
Wheatville	3	---	---
67B2:			
Bearden, eroded	90	N	10
Wheatville	5	---	---
Overly	3	---	---
Colvin	2	---	---
68:			
Arveson, depressional	90	N	13
Markey	5	---	---
Rockwell, depressional	5	---	---
71:			
Fossum	90	N	11

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
71:			
Arveson	4	---	---
Flaming	3	---	---
Rockwell	3	---	---
93:			
Bearden	90	N	10
Colvin	3	---	---
Fargo	3	---	---
Overly	2	---	---
Wheatville	2	---	---
127B:			
Sverdrup	90	N	04
Maddock	5	---	---
Swenoda	5	---	---
127C:			
Sverdrup	90	N	04
Maddock	4	---	---
Sioux	3	---	---
Swenoda	3	---	---
148:			
Poppleton	90	N	04
Flaming	4	---	---
Foldahl	3	---	---
Fossum	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
157A:			
Wahpeton, occasionally flooded	90	N	02
Fargo	5	---	---
Overly	5	---	---
157B:			
Wahpeton, occasionally flooded	90	N	02
Fargo	5	---	---
Overly	5	---	---
157C:			
Wahpeton, occasionally flooded	90	N	02
Fargo	5	---	---
Overly	5	---	---
180B:			
Gonvick	90	N	02
Flom	5	---	---
Waukon	5	---	---
184B:			
Hamerly	90	N	10
Divide	3	---	---
Kittson	3	---	---
Flom	2	---	---
Vallers	2	---	---
236:			
Vallers	90	N	09

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
236:			
Flom	4	---	---
Hamerly	3	---	---
Rockwell	3	---	---
245B:			
Lohnes	90	N	22
Maddock	5	---	---
Sioux	5	---	---
293B:			
Swenoda	90	N	02
Foldahl	4	---	---
Kittson	3	---	---
Sverdrup	3	---	---
335:			
Urness	90	N	13
Flom	4	---	---
Quam	3	---	---
Rondeau	3	---	---
343A:			
Wheatville	90	N	10
Augsburg	5	---	---
Glyndon	5	---	---
343B2:			
Wheatville, eroded	90	N	10
Augsburg	5	---	---
Glyndon	5	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
344:			
Quam	90	N	13
Flom	5	---	---
Urness	5	---	---
402B:			
Sioux	90	N	22
Maddock	4	---	---
Hangaard	3	---	---
Lohnes	3	---	---
402C:			
Sioux	90	N	22
Lohnes	5	---	---
Maddock	5	---	---
402D:			
Sioux	90	N	22
Lohnes	5	---	---
Maddock	5	---	---
402E:			
Sioux	90	N	19
Langhei	4	---	---
Lohnes	3	---	---
Waukon	3	---	---
403:			
Viking	90	N	09
Donaldson	4	---	---
Fargo	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
403: Northcote	3	---	---
413: Osakis	90	N	08
Kittson	4	---	---
Lohnes	3	---	---
Sverdrup	3	---	---
425: Donaldson	90	N	02
Foldahl	3	---	---
Wheatville	3	---	---
Fargo	2	---	---
Overly	2	---	---
426: Foldahl	90	N	04
Flaming	3	---	---
Grimstad	3	---	---
Kratka	2	---	---
Swenoda	2	---	---
429: Northcote	90	N	01
Fargo	5	---	---
Viking	5	---	---
435: Syrene	90	N	11
Markey	5	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
435:			
Rockwell	5	---	---
494:			
Darnen	90	N	02
Flom	4	---	---
Gonvick	3	---	---
Kittson	3	---	---
506:			
Overly	90	N	02
Bearden	3	---	---
Donaldson	3	---	---
Colvin	2	---	---
Wahpeton	2	---	---
508:			
Wyndmere	90	N	10
Borup	5	---	---
Elmville	5	---	---
509:			
Vallers, bouldery	90	N	20
Flom	5	---	---
Hamerly	5	---	---
510:			
Elmville	90	N	10
Augsburg	5	---	---
Wyndmere	5	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
540:			
Seelyeville	90	N	14
Organic soils	10	---	---
543:			
Markey	90	N	14
Arveson	5	---	---
Rockwell	5	---	---
544:			
Cathro	90	N	14
Flom	10	---	---
545:			
Rondeau	90	N	14
Urness	10	---	---
609:			
Dickey	90	N	06
Foldahl	4	---	---
Lohnes	3	---	---
Swenoda	3	---	---
841:			
Urban land	70	N	24
Fargo	10	---	---
Bearden	5	---	---
Colvin	5	---	---
Overly	5	---	---
Wahpeton	5	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
892B:			
Sioux	50	N	22
Sverdrup	35	N	04
Darnen	5	---	---
Lohnes	5	---	---
Maddock	5	---	---
892C:			
Sioux	55	N	22
Sverdrup	30	N	04
Darnen	5	---	---
Lohnes	5	---	---
Maddock	5	---	---
893E:			
Lohnes	60	N	22
Waukon	25	N	17
Darnen	5	---	---
Langhei	5	---	---
Sioux	5	---	---
903B:			
Barnes	60	N	02
Langhei	30	N	10
Darnen	4	---	---
Flom	3	---	---
Kittson	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
908:			
Bearden	55	N	10
Fargo	35	N	01
Wheatville	10	---	---
935:			
Hegne	55	N	09
Fargo	40	N	01
Bearden	5	---	---
942C2:			
Langhei, eroded	60	N	10
Barnes, eroded	30	N	02
Darnen	4	---	---
Flom	3	---	---
Kittson	3	---	---
942D2:			
Langhei, eroded	65	N	23
Barnes, eroded	25	N	23
Darnen	4	---	---
Flom	3	---	---
Kittson	3	---	---
966C:			
Waukon	55	N	02
Sioux	35	N	22
Darnen	4	---	---
Gonvick	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
966C:			
Langhei	3	---	---
966D:			
Waukon	55	N	23
Sioux	35	N	22
Darnen	4	---	---
Gonvick	3	---	---
Langhei	3	---	---
967B2:			
Waukon, eroded	60	N	02
Langhei, eroded	30	N	10
Darnen	4	---	---
Flom	3	---	---
Gonvick	3	---	---
979C2:			
Langhei, eroded	60	N	10
Waukon, eroded	30	N	02
Darnen	4	---	---
Flom	3	---	---
Gonvick	3	---	---
979D2:			
Langhei, eroded	65	N	23
Waukon, eroded	25	N	23
Darnen	4	---	---
Flom	3	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
979D2:			
Gonvick	3	---	---
987:			
Rockwell, depressional	90	N	13
Arveson	4	---	---
Cathro	3	---	---
Markey	3	---	---
1001:			
Haplaquolls, level	45	N	16
Udifluvents, level	45	N	16
Poorly drained soils	5	---	---
Somewhat poorly drained soils	5	---	---
1005:			
Fluvaquents, loamy	90	N	16
Marsh	5	---	---
Soils with a thin layer of organic material	5	---	---
1006:			
Fluvaquents	55	N	16
Haploborolls	35	N	16
Bearden	2	---	---
Fargo	2	---	---
Wahpeton	2	---	---
Wheatville	2	---	---
Cashel	1	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1006: Marsh	1	---	---
1029: Pits, gravel	100	N	24
1055: Haplaquolls, ponded	45	N	24
Histosols, ponded	45	N	24
Organic Soils	10	---	---
1819: Glyndon	90	N	10
Overly	4	---	---
Bearden	3	---	---
Borup	3	---	---
1854: Wyndmere, saline	70	N	21
Wyndmere, moderately well drained	20	N	10
Augsburg	4	---	---
Borup	3	---	---
Wheatville	3	---	---
1871: Fargo, swales	90	N	13
Colvin	10	---	---
1872: Fargo, silty substratum	90	N	01
Bearden	5	---	---
Colvin	5	---	---

Forage Suitability Groups (MN)

Clay County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1873:			
Fargo, silty substratum, swales	90	N	13
Colvin	10	---	---
1874:			
Lohnes	90	N	22
Flaming	5	---	---
Maddock	5	---	---
1875:			
Flom, depressional	90	N	13
Rockwell	10	---	---
1876:			
Divide, loamy substratum	90	N	10
Foxhome	5	---	---
Osakis	5	---	---
M-W:			
Water, miscellaneous	100	---	---
W:			
Water	100	---	---