

| Practice_Code | Cost_Share_Program | Practice_Name | Component | Unit_Type | Unit_Cost | Cost_Type | Share_Rate |
|---------------|--------------------|-------------------------------------|--|-----------|-----------|-----------|------------|
| 314 | EQIP | Brush Management | Chemical, Aerial Applied | Ac | 22.53 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Chemical, Aerial Applied | Ac | 27.04 | PR | 100 |
| 314 | EQIP | Brush Management | Chemical, Ground Applied | Ac | 21.66 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Chemical, Ground Applied | Ac | 26 | PR | 100 |
| 314 | EQIP | Brush Management | Chemical, Individual Plant Treatment | Ac | 26.02 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Chemical, Individual Plant Treatment | Ac | 31.22 | PR | 100 |
| 314 | EQIP | Brush Management | Hand Cut and Chemical, Small Shrubs, Dense Infestation | Ac | 593.24 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Hand Cut and Chemical, Small Shrubs, Dense Infestation | Ac | 711.88 | PR | 100 |
| 314 | EQIP | Brush Management | Mechanical, Hand tools | Ac | 55.07 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Mechanical, Hand tools | Ac | 66.08 | PR | 100 |
| 314 | EQIP | Brush Management | Mechanical, Large Shrubs | Ac | 308 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Mechanical, Large Shrubs | Ac | 369.59 | PR | 100 |
| 314 | EQIP | Brush Management | Mechanical, Small Shrubs | Ac | 83.63 | PR | 100 |
| 314 | EQIP | Brush Management | HU-Mechanical, Small Shrubs | Ac | 100.35 | PR | 100 |
| 382 | EQIP | Fence | Chainlink | Ft | 11.36 | PR | 100 |
| 382 | EQIP | Fence | HU-Chainlink | Ft | 13.63 | PR | 100 |
| 382 | EQIP | Fence | Electric, High Tensile | Ft | 1.35 | PR | 100 |
| 382 | EQIP | Fence | HU-Electric, High Tensile | Ft | 1.62 | PR | 100 |
| 382 | EQIP | Fence | Feed or Feeding Area Enclosure | Ft | 3.32 | PR | 100 |
| 382 | EQIP | Fence | HU-Feed or Feeding Area Enclosure | Ft | 3.98 | PR | 100 |
| 382 | EQIP | Fence | High Tensile Electric One Strand | Ft | 0.63 | PR | 100 |
| 382 | EQIP | Fence | HU-High Tensile Electric One Strand | Ft | 0.76 | PR | 100 |
| 382 | EQIP | Fence | Multi Strand Barbed or Smooth Wire | Ft | 1.24 | PR | 100 |
| 382 | EQIP | Fence | HU-Multi Strand Barbed or Smooth Wire | Ft | 1.48 | PR | 100 |
| 382 | EQIP | Fence | Safety | Ft | 3.2 | PR | 100 |
| 382 | EQIP | Fence | HU-Safety | Ft | 3.84 | PR | 100 |
| 382 | EQIP | Fence | Woven Wire | Ft | 2.19 | PR | 100 |
| 382 | EQIP | Fence | HU-Woven Wire | Ft | 2.63 | PR | 100 |
| 384 | EQIP | Woody Residue Treatment | Restoration or conservation treatment following catastrophic events | Ac | 625.38 | PR | 100 |
| 384 | EQIP | Woody Residue Treatment | HU-Restoration or conservation treatment following catastrophic events | Ac | 750.46 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | Bare Root, hand planted | Ac | 2280.4 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | HU-Bare Root, hand planted | Ac | 2662.89 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | Cuttings | Ac | 3557.45 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | HU-Cuttings | Ac | 4195.68 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | Seeding | Ac | 783.84 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | HU-Seeding | Ac | 867.04 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | Small container, hand planted | Ac | 2776.63 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | HU-Small container, hand planted | Ac | 3258.36 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | Small container, machine planted | Ac | 2062.61 | PR | 100 |
| 391 | EQIP | Riparian Forest Buffer | HU-Small container, machine planted | Ac | 2401.54 | PR | 100 |
| 472 | EQIP | Access Control | Protection of a designated sensitive area threatened by environmental stressors | Ac | 32.65 | PR | 100 |
| 472 | EQIP | Access Control | HU-Protection of a designated sensitive area threatened by environmental stressors | Ac | 39.18 | PR | 100 |
| 484 | EQIP | Mulching | Erosion Control Blanket | SqFt | 0.13 | PR | 100 |
| 484 | EQIP | Mulching | HU-Erosion Control Blanket | SqFt | 0.16 | PR | 100 |
| 484 | EQIP | Mulching | Natural Material, Full Coverage | SqFt | 0.02 | PR | 100 |
| 484 | EQIP | Mulching | HU-Natural Material, Full Coverage | SqFt | 0.02 | PR | 100 |
| 484 | EQIP | Mulching | Natural Material, Partial Coverage | Ac | 58.55 | PR | 100 |
| 484 | EQIP | Mulching | HU-Natural Material, Partial Coverage | Ac | 70.26 | PR | 100 |
| 484 | EQIP | Mulching | Tree and Shrub Mats or Mulch | Ea | 1.79 | PR | 100 |
| 484 | EQIP | Mulching | HU-Tree and Shrub Mats or Mulch | Ea | 2.15 | PR | 100 |
| 484 | EQIP | Mulching | Tree and Shrub Rolls | SqFt | 0.1 | PR | 100 |
| 484 | EQIP | Mulching | HU-Tree and Shrub Rolls | SqFt | 0.12 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | Chemical, Ground Application | Ac | 146.16 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | HU-Chemical, Ground Application | Ac | 175.39 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | Mechanical, Heavy Machinery | Ac | 204.4 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | HU-Mechanical, Heavy Machinery | Ac | 245.28 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | Mechanical, Light or moderate machinery | Ac | 56.3 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | HU-Mechanical, Light or moderate machinery | Ac | 67.55 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | Windbreak, Site Preparation | Ac | 181.85 | PR | 100 |
| 490 | EQIP | Tree/Shrub Site Preparation | HU-Windbreak, Site Preparation | Ac | 218.22 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Bioengineered | Ft | 17.12 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Bioengineered | Ft | 20.54 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Cable concrete or precast concrete block | Ft | 88.53 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Cable concrete or precast concrete block | Ft | 106.24 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Riprap in remote area, long access to site, long haul from quarry | Ft | 78.9 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Riprap in remote area, long access to site, long haul from quarry | Ft | 94.68 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Riprap on bank 4 ft to 7 ft high measure from bank top to toe of slope | Ft | 35.43 | PR | 100 |

| | | | | | | | |
|-----|------|---|---|------|----------|----|-----|
| 580 | EQIP | Streambank and Shoreline Protection | HU-Riprap on bank 4 ft to 7 ft high measure from bank top to toe of slope | Ft | 42.52 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Riprap on bank less than 4 ft high measure from bank top to toe of slope | Ft | 23.18 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Riprap on bank less than 4 ft high measure from bank top to toe of slope | Ft | 27.82 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Riprap on bank over 7 ft high measure from bank top to toe of slope | Ft | 45.61 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Riprap on bank over 7 ft high measure from bank top to toe of slope | Ft | 54.73 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Rock Riprap MN-TR3 | SqFt | 5.55 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Rock Riprap MN-TR3 | SqFt | 6.66 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Stream Barb | CuYd | 69.09 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Stream Barb | CuYd | 82.9 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | Structural Toewood w/Vegetation | Ft | 74.18 | PR | 100 |
| 580 | EQIP | Streambank and Shoreline Protection | HU-Structural Toewood w/Vegetation | Ft | 89.01 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Aerial Seeding | Ac | 43.75 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Aerial Seeding | Ac | 52.5 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Hardwood Establishment, Direct Seeding | Ac | 431.09 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Hardwood Establishment, Direct Seeding | Ac | 517.31 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Hardwood Establishment, Direct Seeding, Regen | Ac | 354.51 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Hardwood Establishment, Direct Seeding, Regen | Ac | 425.41 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Hardwood mechanical planting, bare root, with tree protectors | Ea | 4.04 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Hardwood mechanical planting, bare root, with tree protectors | Ea | 4.85 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Individual tree, hand planting | Ea | 0.39 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Individual tree, hand planting | Ea | 0.46 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Medium Density, Conifer, hand plant with mesh protectors | Ea | 1.05 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Medium Density, Conifer, hand plant with mesh protectors | Ea | 1.26 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | Medium Density, Conifer, hand plant, with bud caps | Ea | 0.77 | PR | 100 |
| 612 | EQIP | Tree/Shrub Establishment | HU-Medium Density, Conifer, hand plant, with bud caps | Ea | 0.92 | PR | 100 |
| 644 | EQIP | Wetland Wildlife Habitat Management | Wild Rice Seeding | Ac | 545.67 | PR | 100 |
| 644 | EQIP | Wetland Wildlife Habitat Management | HU-Wild Rice Seeding | Ac | 654.81 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | Honeybee Habitat Multi Species Mix with Monitoring and Foregone Income | Ac | 450.28 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | HU-Honeybee Habitat Multi Species Mix with Monitoring and Foregone Income | Ac | 466.7 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | Honeybee Monitoring | Ac | 21.1 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | HU-Honeybee Monitoring | Ac | 25.32 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | Wildlife Habitat Enhancement | Ac | 17.57 | PR | 100 |
| 645 | EQIP | Upland Wildlife Habitat Management | HU-Wildlife Habitat Enhancement | Ac | 17.89 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | Disking | Ac | 76.67 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | HU-Disking | Ac | 92.01 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | Mowing | Ac | 128.64 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | HU-Mowing | Ac | 154.36 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | Regeneration of aspen stands. | Ac | 416.93 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | HU-Regeneration of aspen stands. | Ac | 500.32 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | Regeneration of mature alder stands. | Ac | 416.93 | PR | 100 |
| 647 | EQIP | Early Successional Habitat Development/Management | HU-Regeneration of mature alder stands. | Ac | 500.32 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Depression Sediment Removal and Ditch Plug | Ac | 1118.34 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Depression Sediment Removal and Ditch Plug | Ac | 1316.99 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Ditch Plug | Ea | 457.32 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Ditch Plug | Ea | 548.78 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Embankment | CuYd | 5.52 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Embankment | CuYd | 6.63 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Riverine Levee Removal and Floodplain Features | Ac | 420.26 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Riverine Levee Removal and Floodplain Features | Ac | 479.3 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Scrape, average depth 12' | Ac | 4876.23 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Scrape, average depth 12' | Ac | 5851.47 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Scrape, average depth 24' | Ac | 9387.56 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Scrape, average depth 24' | Ac | 11265.08 | PR | 100 |
| 657 | EQIP | Wetland Restoration | Tile Break | Ea | 442.79 | PR | 100 |
| 657 | EQIP | Wetland Restoration | HU-Tile Break | Ea | 531.35 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Competition Control, Mechanical, Heavy Equipment | Ac | 381.43 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Competition Control, Mechanical, Heavy Equipment | Ac | 457.71 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Competition Control, Mechanical, Light Equipment | Ac | 120.3 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Competition Control, Mechanical, Light Equipment | Ac | 144.36 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Marking Only, Even Aged Stand, Commercial Harvest | Ac | 51.05 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Marking Only, Even Aged Stand, Commercial Harvest | Ac | 61.25 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Marking Only, Uneven Aged Stand, Commercial Harvest | Ac | 81.75 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Marking Only, Uneven Aged Stand, Commercial Harvest | Ac | 98.09 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Pre commercial Thinning, Hand tools | Ac | 210.14 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Pre commercial Thinning, Hand tools | Ac | 252.17 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Release for Planted Oak and Mixed Hardwood Seedling Regeneration | Ac | 102.22 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | HU-Release for Planted Oak and Mixed Hardwood Seedling Regeneration | Ac | 122.66 | PR | 100 |
| 666 | EQIP | Forest Stand Improvement | Thinning for Wildlife and Forest Health | Ac | 413.86 | PR | 100 |

666

EQP

Forest Stand Improvement

HU-Thinning for Wildlife and Forest Health

Ac

496.63

PR

100