

Forage Suitability Groups (MN)

Houston County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
8A: Sparta	90	S	22
11C: Sogn	90	S	22
16: Arenzville, occasionally flooded	90	S	15
Newalbin	2	---	---
18: Comfrey, occasionally flooded	85	S	01
25: Becker, rarely flooded	85	S	02
27B: Dickinson	90	S	04
76A: Bertrand	90	S	02
76B: Bertrand	90	S	02
79B: Billett	90	S	02
79C: Billett	85	S	02
81F: Boone, rocky	90	S	24
103A: Seaton	90	S	06
103B: Seaton	90	S	06
103C2: Seaton, eroded	90	S	06

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
103D2: Seaton, eroded	90	S	23
131B: Massbach	90	S	06
Poorly drained soils	1	---	---
131C: Massbach	90	S	06
Poorly drained soils	1	---	---
136: Madelia	90	S	01
143E2: Eleva, eroded	85	S	18
143F: Eleva	90	S	24
177B: Gotham	90	S	22
194: Huntsville, occasionally flooded	85	S	02
Newalbin	3	---	---
Comfrey	2	---	---
216B: Lamont	90	S	06
244B: Lilah	90	S	22
250: Kennebec, occasionally flooded	85	S	02
Colo	3	---	---

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
250: Moundprairie	2	---	---
273: Muscatine	90	S	02
Madelia	10	---	---
283B: Plainfield	90	S	22
283C: Plainfield	90	S	22
283D: Plainfield	90	S	18
283F: Plainfield	90	S	24
285A: Port Byron	90	S	02
285B: Port Byron	90	S	02
285C: Port Byron	90	S	02
298: Richwood	90	S	02
301B: Lindstrom	85	S	02
301C: Lindstrom	85	S	02
312B: Shullsburg	90	S	02
PD soils	1	---	---
312C: Shullsburg	90	S	02

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
312C: Poorly drained soils	1	---	---
322D2: Timula, eroded	90	S	23
Newalbin	2	---	---
322E: Timula	90	S	17
Newalbin	2	---	---
388C2: Seaton, valleys, eroded	90	S	06
388D2: Seaton, valleys, eroded	90	S	23
388E: Seaton, valleys	90	S	17
388F: Seaton, valleys	90	S	24
401B: Mt. Carroll	85	S	06
401C: Mt. Carroll	90	S	06
401D: Mt. Carroll	90	S	23
455A: Festina	90	S	06
Walford	3	---	---
Walford Variant	2	---	---
455B: Festina	90	S	06
Walford	3	---	---

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
455B: Walford Variant	2	---	---
455C2: Festina, eroded	90	S	06
457E: Lacrescent	85	S	19
457G: Lacrescent	85	S	24
463: Minneiska, occasionally flooded	85	S	10
Kalmarville	3	---	---
Moundprairie	2	---	---
471: Root, frequently flooded	90	S	16
476B: Frankville	90	S	06
476C2: Frankville, eroded	90	S	06
476D: Frankville	90	S	23
477: Littleton	85	S	02
Walford Variant	5	---	---
484D: Eyota	85	S	23
488G: Brodale, rocky	85	S	24
492B: Nasset	90	S	06

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
492C: Nasset	85	S	06
500C2: Edmund, eroded	85	S	04
500D2: Edmund, eroded	90	S	22
518: Kalmarville, occasionally flooded	85	S	05
522: Boots, frequently flooded, ponded	85	S	14
576: Newalbin, occasionally flooded	90	S	05
577: Newalbin, channeled, occasionally flooded	90	S	05
578: Newalbin, depressionnal, occasionally flood, ponded	90	S	13
580B: Blackhammer	45	S	06
Southridge	30	S	06
580C2: Blackhammer, eroded	45	S	06
Southridge, eroded	30	S	06
580D2: Blackhammer, eroded	45	S	23
Southridge, eroded	35	S	23
584F: Lamoille	55	S	24

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
584F: Dorerton	35	S	24
585C: Newhouse	60	S	06
Valton	35	S	06
585D: Newhouse	45	S	23
Valton	35	S	23
586C2: Nodine, eroded	45	S	06
Rollingstone, eroded	40	S	06
586D2: Nodine, eroded	55	S	23
Rollingstone, eroded	35	S	23
592E: Lamoille	60	S	17
Elbaville	25	S	17
593F: Elbaville	90	S	24
598B: Beavercreek, very rarely flooded	70	S	15
Arenzville, very rarely flooded	20	S	15
Root	5	---	---
599E2: Norden, eroded	85	S	17
599F: Norden	85	S	24

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
601D2: Council, eroded	90	S	23
601E: Council	90	S	17
604: Huntsville, channeled, occasionally flooded	65	S	02
Beavercreek, channeled, frequently flooded	20	S	06
Root	10	---	---
Newalbin	5	---	---
605D2: La Farge, eroded	90	S	23
606: Shiloh, frequently flooded, ponded	90	S	16
608: Rawles, occasionally flooded	85	S	10
Moundprairie	5	---	---
879B: Newalbin, frequently flooded, ponded	65	S	05
Palms, frequently flooded, ponded	30	S	14
1010: Riverwash, frequently flooded	95	S	15
Comfrey	5	---	---
1013: Pits, quarries	100	S	24

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1016: Udorthents, loamy	100	S	10
1812: Terril, sandy substratum, occasionally flooded	90	S	02
Comfrey	2	---	---
1822B: Abscota, variant, rarely flooded	90	S	08
PD sandy soils	2	---	---
1830: Eitzen, occasionally flooded	85	S	06
1838: Colo, overwash, occasionally flooded	90	S	01
1847: Kalmarville, channeled, frequently flooded	85	S	16
1856D: Plainfield, loamy substratum	90	S	18
1856E: Plainfield, loamy substratum	90	S	24
1857B: Eitzen, channeled, occasionally flooded	85	S	06
1858F: Timula	70	S	24
Lamont	20	S	06
Newalbin	1	---	---

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1860: Comfrey, channeled, frequently flooded	90	S	16
1861B: Chaseburg, channeled, frequently flooded	90	S	15
1862: Zwingle, variant	85	S	05
1885: Abscota, occasionally flooded	90	S	08
PD soils	2	---	---
1886: Minneiska, variant, rarely flooded	90	S	10
1888: Moundprairie, occasionally flooded	90	S	09
1889: Moundprairie, depressional, occasionally flooded	90	S	13
1890: Walford	90	S	05
1893C: Beavercreek, variant, very rarely flooded	90	S	06
1898F: Etter, rocky	60	S	24
Brodale, rocky	25	S	24
1906D: Lindstrom	90	S	23
M-W: Water, miscellaneous	100	---	---

Forage Suitability Groups (MN)

Houston County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
--------------------------	------------------	--------------------	---------------------------------

W: Water	100	---	---
-------------	-----	-----	-----