

Forage Suitability Groups (MN)

Wabasha County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1010: Pits, quarry	100	---	---
1038: Udorhents, earthen dam	100	---	---
1041C: Riverwash, frequently flooded	75	S	22
Az: Arenzville, occasionally flooded	85	S	06
BbA: Bixby	85	S	08
BbB: Bixby	85	S	08
BfE: Boone	90	S	18
BhB: Boone	45	S	22
Chelsea	45	S	22
BhC: Boone	45	S	22
Chelsea	45	S	22
BhD: Boone	45	S	22
Chelsea	45	S	22
BkA: Burkhardt	85	S	22
BkB: Burkhardt	85	S	22

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
BrA: Burkhardt	85	S	22
BrB: Burkhardt	85	S	22
BtA: Burkhardt	85	S	22
BtB: Burkhardt	85	S	22
BtC2: Burkhardt, moderately eroded	85	S	22
CaB: Chaseburg, occasionally flooded	85	S	15
ChA: Chaseburg, occasionally flooded	85	S	15
ChB: Chaseburg, occasionally flooded	85	S	06
Co: Colo, frequently flooded	85	S	01
DdC2: Dodgeville, moderately eroded	85	S	04
DdD2: Dodgeville, moderately eroded	85	S	22
DgC2: Dodgeville, shallow, moderately eroded	85	S	04
DgD2: Dodgeville, shallow, moderately eroded	85	S	04

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
DgE: Dodgeville, shallow	85	S	18
DhA: Downs	45	S	06
Mt. Carroll	45	S	06
DmA: Downs, benches	45	S	06
Mt. Carroll, benches	45	S	06
DmB: Downs, benches	45	S	06
Mt. Carroll, benches	45	S	06
DnB: Dubuque	85	S	06
DnC2: Dubuque, moderately eroded	85	S	08
DnD2: Dubuque, moderately eroded	85	S	22
DnE: Dubuque	85	S	18
DnF: Dubuque	85	S	24
DrB: Dubuque, shallow	85	S	08
DrC2: Dubuque, shallow, moderately eroded	85	S	08
DrD2: Dubuque, shallow, moderately eroded	85	S	22

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
DrE: Dubuque, shallow	85	S	18
DrF: Dubuque, shallow	85	S	24
Du: Dune land	100	S	08
FaA: Fayette, uplands	85	S	06
FaE: Fayette, uplands	85	S	17
FaF: Fayette, uplands	85	S	24
FbA: Fayette, benches	85	S	06
FbB: Fayette, benches	85	S	02
FbC2: Fayette, benches, moderately eroded	85	S	06
GaB: Gale	85	S	06
GaC2: Gale, moderately eroded	85	S	06
GaD2: Gale, moderately eroded	85	S	22
GhC2: Gale, shallow, moderately eroded	50	S	06
Hixton, shallow, moderately eroded	45	S	08

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
GhD2:			
Gale, shallow, moderately eroded	50	S	22
Hixton, shallow, moderately eroded	45	S	22
GhE:			
Gale, shallow	50	S	22
Hixton, shallow	45	S	18
Gm:			
Garwin, frequently flooded	85	S	01
GP:			
Pits, gravel	50	---	---
Udipsamments	45	---	---
HfB:			
Hixton	85	S	08
HfC2:			
Hixton, moderately eroded	85	S	08
HfD2:			
Hixton, moderately eroded	85	S	22
HfE:			
Hixton	85	S	18
Hu:			
Huntsville, occasionally flooded	85	S	02
M-W:			
Water, miscellaneous	100		
MbA:			
Medary	85	S	06
MbB:			
Medary	85	S	06

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
MdA: Meridian	85	S	06
MdB: Meridian	85	S	06
MdC2: Meridian, moderately eroded	85	S	06
Mn: Minneiska, occasionally flooded	85	S	10
MuA: Muscatine	85	S	02
MuB: Muscatine	85	S	02
N501B: Downs	95	S	02
N501C2: Downs, moderately eroded	90	S	02
N501D2: Downs, moderately eroded	90	S	23
N509F: Bellechester	55	S	24
Etter	30	S	24
N514B: Joy	60	S	02
Ossian, occasionally flooded	20	S	01
N517A: Oak Center	55	S	02
Mt. Carroll	35	S	02

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
N518B: Lindstrom	75	S	02
N518C2: Lindstrom, moderately eroded	75	S	02
N518D2: Lindstrom, moderately eroded	80	S	23
N519B: Vasa	70	S	02
N520B: Hersey	50	S	02
Oak Center	25	S	02
Mt. Carroll	15	S	02
N520C2: Hersey, moderately eroded	50	S	02
Oak Center, moderately eroded	20	S	02
Mt. Carroll, moderately eroded	15	S	02
N521B: Mt. Carroll	95	S	02
N521C2: Mt. Carroll, moderately eroded	90	S	02
N521D2: Mt. Carroll, moderately eroded	85	S	23
N526F: Gale	45	S	24
Oak Center	30	S	24

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
N555B:			
Tama	50	S	02
Dinsmore	45	S	02
N555C2:			
Tama, moderately eroded	55	S	02
Dinsmore, moderately eroded	35	S	02
N572C2:			
Downs, moderately eroded	65	S	02
Hersey, bedrock substratum, moderately eroded	25	S	02
N572D2:			
Downs, moderately eroded	65	S	23
Hersey, bedrock substratum, moderately eroded	25	S	23
N574B:			
Downs	50	S	02
Hersey	45	S	02
N574C2:			
Downs, moderately eroded	50	S	02
Hersey, moderately eroded	40	S	02
N574D2:			
Downs, moderately eroded	45	S	23
Hersey, moderately eroded	40	S	23

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
N578B:			
Barremills, drainageway, occasionally flooded	85	S	02
N580G:			
Brodale, very flaggy	40	S	24
Bellechester	25	S	24
Rock outcrop	10	---	---
N584E:			
Downs, valleys	65	S	17
N585B:			
Mt. Carroll	50	S	02
Hersey	45	S	02
N585C2:			
Mt. Carroll, moderately eroded	50	S	02
Hersey, moderately eroded	40	S	02
N585D2:			
Mt. Carroll, moderately eroded	45	S	23
Hersey, moderately eroded	40	S	23
N590B:			
Tama, valleys	80	S	02
N590C2:			
Tama, valleys, moderately eroded	75	S	02
N590D2:			
Tama, valleys, moderately eroded	75	S	23
N606A:			
Tama, sandy substratum	60	S	02

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
N614A:			
Kalmarville, frequently flooded	50	S	16
Radford, frequently flooded	30	S	16
N619A:			
Kennebec, occasionally flooded	50	S	02
Lawson, channeled, frequently flooded	35	S	16
N638G:			
Brodale, flaggy	45	S	24
Bellechester	25	S	24
N639F:			
Frontenac	55	S	24
Lacrescent	25	S	24
N639G:			
Frontenac	55	S	24
Lacrescent	30	S	24
N640G:			
Lacrescent, flaggy	50	S	24
Frontenac	30	S	24
Rock outcrop	10	---	---
N641F:			
Brodale, flaggy	70	S	24
N644A:			
Abscota, occasionally flooded	75	S	08
N645A:			
Nodaway, frequently flooded	35	S	15

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
N645A:			
Minneiska, frequently flooded	30	S	15
N646A:			
Ceresco, frequently flooded	40	S	16
Spillville, frequently flooded	20	S	16
N647A:			
Dunnbot, frequently flooded	40	S	15
Scotah, frequently flooded	30	S	15
N648A:			
Glendora, frequently flooded	50	S	16
Kalmarville, frequently flooded	25	S	16
N649A:			
Shandep, channeled, frequently flooded	80	S	16
N650F:			
Downs	70	S	24
Oak Center	25	S	24
N660A:			
Minneiska, occasionally flooded	80	S	10
N665A:			
Rawles, occasionally flooded	75	S	10
N670A:			
Dockery, occasionally flooded	80	S	1M
N675D:			
Elizabeth	70	S	22

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
PaA: Plainfield	90	S	22
PaB: Plainfield	90	S	22
PaC: Plainfield	90	S	22
PbA: Port Byron	85	S	02
PoA: Port Byron, benches	85	S	02
PoB: Port Byron, benches	85	S	02
RaA: Racine	85	S	06
RaB: Racine	85	S	06
RaC2: Racine, moderately eroded	85	S	06
RaD2: Racine, moderately eroded	85	S	23
ReB: Renova	85	S	06
ReC2: Renova, moderately eroded	85	S	06
ReD2: Renova, moderately eroded	85	S	23
ReE: Renova	85	S	17

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
ReF:			
Renova	85	S	24
RkB:			
Renova	50	S	06
Wykoff	30	S	06
RkC2:			
Renova, moderately eroded	50	S	06
Wykoff, moderately eroded	30	S	06
RkD2:			
Renova, moderately eroded	45	S	23
Wykoff, moderately eroded	35	S	23
SbD2:			
Seaton, moderately eroded	55	S	23
Bold, moderately eroded	30	S	23
SpA:			
Sparta	90	S	22
SpB:			
Sparta	90	S	22
St:			
Stony colluvial land	90	S	19
ThA:			
Tell	85	S	06
ThB:			
Tell	85	S	06
Tm:			
Terrace escarpments, loamy	95	S	17

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
Ts: Terrace escarpments, sandy	90	S	24
W: Water	100	---	---
WaA: Waukegan	85	S	02
WaB: Waukegan	85	S	02
WaC2: Waukegan, moderately eroded	85	S	02
WhB: Whalan	85	S	06
WhC2: Whalan, moderately eroded	85	S	08
WhD2: Whalan, moderately eroded	85	S	22
WsB: Whalan, shallow	85	S	08
WsC2: Whalan, shallow, moderately eroded	85	S	08
WsD2: Whalan, shallow, moderately eroded	85	S	22
WsE: Whalan	85	S	17
WsF: Whalan	85	S	24

Forage Suitability Groups (MN)

Wabasha County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
WvB: Wykoff	85	S	06
WvC2: Wykoff, moderately eroded	85	S	06
WvD2: Wykoff, moderately eroded	85	S	23
WvE: Wykoff	85	S	17
Zb: Zumbro, occasionally flooded	85	S	04
ZgA: Zwingle	85	S	05
ZgB: Zwingle	85	S	05