

Fillmore County Crop Productivity Index (CPI) by Map Unit Name

Mapunit Symbol	Map Unit Name	CPI
Ac	Alluvial land, coarse textured, well drained	46
Aa	Alluvial land, medium textured, poorly drained	54
Ab	Alluvial land, medium textured, well drained	74
N509F	Bellechester-Etter complex, 18 to 45 percent slopes	7
N641F	Brodale channery loam, 20 to 45 percent slopes	5
N638G	Brodale, flaggy-Bellechester complex, 30 to 70 percent slopes	5
N580G	Brodale, very flaggy-Bellechester-Rock outcrop complex, 45 to 90 percent slopes	5
Ca	Chaseburg and Judson silt loams, 0 to 1 percent slopes	94
Cb	Chaseburg and Judson silt loams, 2 to 6 percent slopes	94
Ce	Chelsea and Boone loamy fine sands, 12 to 17 percent slopes	28
Cf	Chelsea and Boone loamy fine sands, 18 to 35 percent slopes	14
Cc	Chelsea and Boone loamy fine sands, 2 to 6 percent slopes	34
Cd	Chelsea and Boone loamy fine sands, 7 to 11 percent slopes	33
Cg	Clyde silty clay loam, 0 to 3 percent slopes	86
Ch	Clyde silty clay loam, overwash	86
M541F	Copaston loam, 14 to 45 percent slopes	4
M541C2	Copaston loam, 6 to 12 percent slopes, moderately eroded	27
Da	Dakota fine sandy loam, 0 to 1 percent slopes	56
Dd	Dakota fine sandy loam, 12 to 17 percent slopes, moderately eroded	25
Db	Dakota fine sandy loam, 2 to 6 percent slopes	56
De	Dakota loam, 0 to 1 percent slopes	69
Df	Dakota loam, 2 to 6 percent slopes	69
Dg	Dickinson fine sandy loam, 0 to 6 percent slopes	60
Dh	Dickinson fine sandy loam, 2 to 6 percent slopes	60
Dk	Dickinson fine sandy loam, 7 to 11 percent slopes, moderately eroded	55
DI	Dickinson fine sandy loam, loamy substratum, 2 to 6 percent slopes	79
Dn	Dickinson fine sandy loam, loamy substratum, 7 to 11 percent slopes, moderately eroded	77
Do	Dickinson loam, 2 to 6 percent slopes	60
Dr	Dickinson loam, 7 to 11 percent slopes, moderately eroded	55
N531B	Downs-Nasset complex, sinkhole karst, 2 to 6 percent slopes	89
Dv	Dubuque and Whalan silt loams, 12 to 17 percent slopes, moderately eroded	32
Dx	Dubuque and Whalan silt loams, 18 to 45 percent slopes	17
Ds	Dubuque and Whalan silt loams, 2 to 6 percent slopes	45
Du	Dubuque and Whalan silt loams, 7 to 11 percent slopes, moderately eroded	42
Ea	Escarments	5
Fa	Fayette silt loam, 0 to 1 percent slopes	90
Ff	Fayette silt loam, 12 to 17 percent slopes, moderately eroded	61
Fh	Fayette silt loam, 18 to 45 percent slopes	27
Fb	Fayette silt loam, 2 to 6 percent slopes	85
Fd	Fayette silt loam, 7 to 11 percent slopes, moderately eroded	72
Fk	Fayette silt loam, terrace, 2 to 6 percent slopes	85
Fm	Fayette silt loam, terrace, 7 to 17 percent slopes, moderately eroded	72
N532C2	Fayette-Pepin complex, sinkhole karst, 6 to 12 percent slopes, moderately eroded	70
N533D2	Fayette-Pepin-Dubuque complex, sinkhole karst, 12 to 18 percent slopes, moderately eroded	36
Fn	Floyd and Clyde silty clay loams, overwash, 0 to 3 percent slopes	92

N639F	Frontenac-Lacrescent complex, 20 to 45 percent slopes	10
N639G	Frontenac-Lacrescent complex, 30 to 70 percent slopes	4
Hb	Hixton fine sandy loam, 12 to 35 percent slopes, moderately eroded	12
Ha	Hixton fine sandy loam, 2 to 11 percent slopes, moderately eroded	42
Ka	Kasson silt loam, 0 to 1 percent slopes	95
Kb	Kasson silt loam, 2 to 6 percent slopes	95
Kc	Kato silty clay loam	75
Kd	Kenyon silt loam, 0 to 1 percent slopes	99
Ke	Kenyon silt loam, 2 to 6 percent slopes	97
M501A	Klossner muck, depressional, 0 to 1 percent slopes	77
N640G	Lacrescent, flaggy-Frontenac-Rock outcrop complex, 45 to 90 percent slopes	5
Ld	Lindstrom fine sandy loam, 18 to 45 percent slopes	23
Lc	Lindstrom silt loam, 11 to 17 percent slopes, moderately eroded	73
La	Lindstrom silt loam, 2 to 6 percent slopes	99
Lb	Lindstrom silt loam, 7 to 11 percent slopes, moderately eroded	92
Tl	Mantorville and Wykoff loams, 0 to 1 percent slopes	79
Tm	Mantorville and Wykoff loams, 2 to 6 percent slopes	79
Tn	Mantorville and Wykoff loams, 7 to 17 percent slopes, moderately eroded	72
To	Mantorville and Wykoff sandy loams, 0 to 1 percent slopes	50
Tp	Mantorville and Wykoff sandy loams, 2 to 6 percent slopes	49
Tr	Mantorville and Wykoff sandy loams, 7 to 11 percent slopes, moderately eroded	48
Ma	Marshan silty clay loam	62
Mc	Meridian fine sandy loam, 2 to 6 percent slopes	75
Md	Mixed alluvial land, 0 to 6 percent slopes	20
Me	Mixed alluvial land, 7 to 17 percent slopes	20
N502B	Nordness silt loam, 2 to 6 percent slopes	31
N502C	Nordness silt loam, 6 to 12 percent slopes	30
GP	Pits, gravel-Udipsamments complex	0
1010	Pits, quarry	0
Pa	Plainfield and Sparta loamy fine sands, 2 to 6 percent slopes	36
Pb	Plainfield and Sparta loamy fine sands, 7 to 11 percent slopes	33
Re	Racine and Ostrander loams, 12 to 17 percent slopes, moderately eroded	67
Ra	Racine and Ostrander silt loams, 0 to 1 percent slopes	99
Rb	Racine and Ostrander silt loams, 2 to 6 percent slopes	94
Rd	Racine and Ostrander silt loams, 7 to 11 percent slopes, moderately eroded	82
Rl	Renova loam, 12 to 17 percent slopes, moderately eroded	62
Rf	Renova silt loam, 0 to 1 percent slopes	92
Rg	Renova silt loam, 2 to 6 percent slopes	85
Rk	Renova silt loam, 7 to 11 percent slopes, moderately eroded	71
Rp	Rockton and Dodgeville silt loams, shallow, 12 to 17 percent slopes, moderately eroded	24
Rr	Rockton and Dodgeville silt loams, shallow, 18 to 35 percent slopes	8
Rm	Rockton and Dodgeville silt loams, shallow, 2 to 6 percent slopes	28
Ro	Rockton and Dodgeville silt loams, shallow, 7 to 11 percent slopes, moderately eroded	27
Sc	Schapville silty clay loam, 12 to 17 percent slopes, moderately eroded	35
Sa	Schapville silty clay loam, 2 to 6 percent slopes	56
Sb	Schapville silty clay loam, 7 to 11 percent slopes, moderately eroded	46
Sf	Seaton and Port Byron silt loams, 12 to 17 percent slopes, moderately eroded	67

Sd	Seaton and Port Byron silt loams, 2 to 6 percent slopes	94
Se	Seaton and Port Byron silt loams, 7 to 11 percent slopes, moderately eroded	86
Sg	Skyberg silt loam, 0 to 3 percent slopes	94
N510E	Sylvester-Downs complex, 20 to 45 percent slopes	6
Ta	Tama and Downs silt loams, 0 to 1 percent slopes	99
Tg	Tama and Downs silt loams, 12 to 17 percent slopes, moderately eroded	67
Tk	Tama and Downs silt loams, 18 to 35 percent slopes	34
Tb	Tama and Downs silt loams, 2 to 6 percent slopes	93
Te	Tama and Downs silt loams, 7 to 11 percent slopes, moderately eroded	86
1054	Udorthents, loamy (abandoned iron mine), 0 to 25 percent slopes	0
W	Water	0
Wa	Waukegan silt loam, 0 to 1 percent slopes	75
Wb	Waukegan silt loam, 2 to 6 percent slopes	75