

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
119C:			
Pomroy	85	N	01
Bushville and similar soils	6	---	---
Watab and similar soils	5	---	---
Leafriver and similar soils	3	---	---
Markey and similar soils	1	---	---
124:			
Brickton	85	N	01
Dalbo and similar soils	8	---	---
Hassman and similar soils	3	---	---
Hamre and similar soils	2	---	---
Sandy substratum	2	---	---
133B:			
Dalbo	90	N	02
Brickton and similar soils	5	---	---
Well drained	2	---	---
Cathro and similar soils	1	---	---
Hassman and similar soils	1	---	---
Sandy substratum	1	---	---
142:			
Nokay	85	N	05
Leafriver and similar soils	6	---	---
Wabedo and similar soils	6	---	---
Cathro and similar soils	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
144B:			
Flak	90	N	08
Nokay and similar soils	5	---	---
Wabedo and similar soils	3	---	---
Areas of steeper slope	1	---	---
Cathro and similar soils	1	---	---
144C:			
Flak	90	N	08
Nokay and similar soils	5	---	---
Wabedo and similar soils	3	---	---
Areas of lesser slope	1	---	---
Cathro and similar soils	1	---	---
146B:			
Wabedo	85	N	08
Cathro and similar soils	4	---	---
Flak and similar soils	4	---	---
Nokay and similar soils	4	---	---
Stones or cobbles on surface	3	---	---
147:			
Spooner	90	N	01
Sax and similar soils	4	---	---
Baudette and similar soils	2	---	---
Course fragments in subsoil	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
147:			
Seelyeville and similar soils	2	---	---
152B:			
Milaca	85	N	06
Giese and similar soils	3	---	---
Ronneby and similar soils	3	---	---
Stones on the surface	3	---	---
Areas of steeper slope	2	---	---
Mora and similar soils	2	---	---
Twig and similar soils	2	---	---
152C:			
Milaca	85	N	08
Giese and similar soils	3	---	---
Ronneby and similar soils	3	---	---
Stones on the surface	3	---	---
Cromwell and similar soils	2	---	---
Mora and similar soils	2	---	---
Twig and similar soils	2	---	---
152E:			
Milaca	90	N	18
Areas of lesser slope	2	---	---
Cromwell and similar soils	2	---	---
Giese and similar soils	2	---	---
Stones on the surface	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
152E:			
Twig and similar soils	2	---	---
164B:			
Mora	85	N	08
Giese and similar soils	4	---	---
Twig and similar soils	4	---	---
Ronneby and similar soils	3	---	---
Milaca and similar soils	2	---	---
Stones on the surface	2	---	---
166:			
Ronneby	85	N	05
Giese and similar soils	4	---	---
Mora and similar soils	4	---	---
Stones on the surface	4	---	---
Twig and similar soils	3	---	---
167B:			
Baudette	90	N	06
Sax and similar soils	4	---	---
Spooner and similar soils	4	---	---
Loamy till substratum	2	---	---
186:			
Nemadji	85	N	08
Leafriver and similar soils	5	---	---
Newson and similar soils	5	---	---
Omega and similar soils	5	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
188B:			
Omega	85	N	22
Nemadji and similar soils	5	---	---
Over ten percent gravel	5	---	---
Bushville and similar soils	2	---	---
Newson and similar soils	2	---	---
Leafriver and similar soils	1	---	---
188C:			
Omega	85	N	22
Nemadji and similar soils	5	---	---
Over ten percent gravel	5	---	---
Newson and similar soils	2	---	---
Pomroy and similar soils	2	---	---
Leafriver and similar soils	1	---	---
188E:			
Omega	85	N	18
Nemadji and similar soils	5	---	---
Over ten percent gravel	5	---	---
Newson and similar soils	3	---	---
Leafriver and similar soils	2	---	---
202:			
Meehan	90	N	07
Roscommon and similar soils	3	---	---
Seelyeville and similar soils	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
202:			
Friendship and similar soils	2	---	---
Leafriver and similar soils	2	---	---
204B:			
Branstad	85	N	02
Alstad and similar soils	3	---	---
Cromwell and similar soils	3	---	---
Cutaway and similar soils	3	---	---
Hamre and similar soils	2	---	---
Seelyeville and similar soils	2	---	---
Talmoon and similar soils	2	---	---
204C:			
Cushing	85	N	06
Alstad and similar soils	3	---	---
Cromwell and similar soils	3	---	---
Cutaway and similar soils	3	---	---
Hamre and similar soils	2	---	---
Seelyeville and similar soils	2	---	---
Talmoon and similar soils	2	---	---
204E:			
Cushing	85	N	17
Alstad and similar soils	4	---	---
Cromwell and similar soils	4	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
204E:			
Cutaway and similar soils	4	---	---
Seelyeville and similar soils	3	---	---
218:			
Watab	85	N	07
Bushville and similar soils	5	---	---
Leafriver and similar soils	5	---	---
Pomroy and similar soils	5	---	---
240B:			
Warba	85	N	06
Stuntz and similar soils	4	---	---
Cutaway and similar soils	3	---	---
Hamre and similar soils	3	---	---
Talmoon and similar soils	3	---	---
Areas of steeper slope	2	---	---
240C:			
Warba	85	N	06
Cutaway and similar soils	5	---	---
Stuntz and similar soils	5	---	---
Talmoon and similar soils	3	---	---
Hamre and similar soils	2	---	---
243:			
Stuntz	85	N	05
Seelyeville and similar soils	4	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
243:			
Talmoon and similar soils	4	---	---
Sandwick and similar soils	3	---	---
Warba and similar soils	3	---	---
Stones on the surface	1	---	---
266:			
Freer	85	N	05
Brennyville and similar soils	4	---	---
Giese and similar soils	4	---	---
Milaca and similar soils	4	---	---
Twig and similar soils	3	---	---
268B:			
Cromwell	85	N	08
Oesterle and similar soils	6	---	---
Cutaway and similar soils	4	---	---
Leafriver and similar soils	3	---	---
Bushville and similar soils	2	---	---
268C:			
Cromwell	85	N	08
Oesterle and similar soils	8	---	---
Leafriver and similar soils	7	---	---
268E:			
Cromwell	85	N	18
Oesterle and similar soils	8	---	---
Leafriver and similar soils	7	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
268F:			
Cromwell	85	N	24
Oesterle and similar soils	8	---	---
Leafriver and similar soils	7	---	---
292:			
Alstad	85	N	05
Cathro and similar soils	4	---	---
Hamre and similar soils	4	---	---
Talmoon and similar soils	4	---	---
Cushing and similar soils	3	---	---
302B:			
Rosholt	85	N	08
Leafriver and similar soils	8	---	---
Oesterle and similar soils	7	---	---
302C:			
Rosholt	85	N	08
Leafriver and similar soils	8	---	---
Oesterle and similar soils	7	---	---
346:			
Talmoon	85	N	05
Rifle and similar soils	5	---	---
Sandwick and similar soils	5	---	---
Stuntz and similar soils	5	---	---
428:			
Hassman	90	N	14
Cathro and similar soils	4	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
428:			
Brickton and similar soils	3	---	---
Dalbo and similar soils	3	---	---
454B:			
Mahtomedi	90	N	22
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newson and similar soils	2	---	---
Soils with less gravel	2	---	---
Soils with more gravel	2	---	---
454C:			
Mahtomedi	90	N	22
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newson and similar soils	2	---	---
Soils with less gravel	2	---	---
Soils with more gravel	2	---	---
454E:			
Mahtomedi	90	N	18
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newson and similar soils	2	---	---
Soils with less gravel	2	---	---
Soils with more gravel	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
454F:			
Mahtomedi	90	N	24
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newsom and similar soils	2	---	---
Soils with less gravel	2	---	---
Soils with more gravel	2	---	---
458B:			
Menahga	85	N	22
Friendship and similar soils	3	---	---
Gravelly soils	3	---	---
Meehan and similar soils	3	---	---
Leafriver and similar soils	2	---	---
Newsom and similar soils	2	---	---
Rifle and similar soils	2	---	---
458C:			
Menahga	90	N	22
Gravelly soils	2	---	---
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newsom and similar soils	2	---	---
Rifle and similar soils	2	---	---
458E:			
Menahga	90	N	18

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
458E:			
Gravelly soils	2	---	---
Leafriver and similar soils	2	---	---
Meehan and similar soils	2	---	---
Newson and similar soils	2	---	---
Rifle and similar soils	2	---	---
464B:			
Brennyville	85	N	06
Freer and similar soils	4	---	---
Giese and similar soils	4	---	---
Milaca and similar soils	4	---	---
Twig and similar soils	3	---	---
469B:			
Hillcity	95	N	06
Sax and similar soils	2	---	---
Spooner and similar soils	2	---	---
Itasca and similar soils	1	---	---
502:			
Dusler	85	N	05
Duluth and similar soils	7	---	---
Blackhoof and similar soils	4	---	---
Mahtowa and similar soils	4	---	---
504B:			
Duluth	85	N	06
Blackhoof and similar soils	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
504B:			
Mahtowa and similar soils	3	---	---
Rifle and similar soils	3	---	---
Cromwell and similar soils	2	---	---
Cutaway and similar soils	2	---	---
Dusler and similar soils	2	---	---
504C:			
Duluth	85	N	06
Blackhoof and similar soils	3	---	---
Mahtowa and similar soils	3	---	---
Rifle and similar soils	3	---	---
Cromwell and similar soils	2	---	---
Cutaway and similar soils	2	---	---
Dusler and similar soils	2	---	---
504E:			
Duluth	85	N	17
Blackhoof and similar soils	3	---	---
Mahtowa and similar soils	3	---	---
Rifle and similar soils	3	---	---
Cromwell and similar soils	2	---	---
Cutaway and similar soils	2	---	---
Dusler and similar soils	2	---	---
531:			
Beseman	90	N	14
Dusler and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
531:			
Loxley and similar soils	2	---	---
Sandwick and similar soils	2	---	---
Twig and similar soils	2	---	---
Cathro and similar soils	1	---	---
Less decomposed	1	---	---
532:			
Sago	90	N	14
Cowhorn and similar soils	2	---	---
Leafriver and similar soils	2	---	---
Less decomposed	2	---	---
Markey and similar soils	2	---	---
Waukenabo and similar soils	2	---	---
533:			
Loxley	90	N	14
Meehan and similar soils	3	---	---
Roscommon and similar soils	3	---	---
Beseman and similar soils	2	---	---
Seelyeville and similar soils	2	---	---
540:			
Seelyeville	90	N	14
Cathro and similar soils	2	---	---
Loxley and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
540:			
Rifle and similar soils	2	---	---
Stuntz and similar soils	2	---	---
Talmoon and similar soils	2	---	---
541:			
Rifle	90	N	14
Greenwood and similar soils	2	---	---
Nokay and similar soils	2	---	---
Seelyeville and similar soils	2	---	---
Thinner organic	2	---	---
Waukenabo and similar soils	2	---	---
543:			
Markey	85	N	14
Cathro and similar soils	3	---	---
Meehan and similar soils	3	---	---
Roscommon and similar soils	3	---	---
Less decomposed	2	---	---
Seelyeville and similar soils	2	---	---
Thinner organic	2	---	---
544:			
Cathro	90	N	14
Blackhoof and similar soils	2	---	---
Dusler and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
544:			
Sandwick and similar soils	2	---	---
Seelyeville and similar soils	2	---	---
Beseman and similar soils	1	---	---
Less decomposed	1	---	---
546:			
Lupton	90	N	14
Meehan and similar soils	2	---	---
Mooselake and similar soils	2	---	---
More acid	2	---	---
Roscommon and similar soils	2	---	---
Tawas and similar soils	2	---	---
549:			
Greenwood	85	N	14
Loxley and similar soils	3	---	---
Meehan and similar soils	3	---	---
Rifle and similar soils	3	---	---
Roscommon and similar soils	3	---	---
Thinner organic	3	---	---
563:			
Northwood	85	N	14
Leafriver and similar soils	3	---	---
Less decomposed	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
563:			
Markey and similar soils	3	---	---
Sandwick and similar soils	3	---	---
Stuntz and similar soils	3	---	---
564:			
Friendship	85	N	08
Leafriver and similar soils	5	---	---
Meehan and similar soils	5	---	---
Menahga and similar soils	5	---	---
607:			
Pengilly	85	N	16
Baudette and similar soils	5	---	---
Nemadji and similar soils	5	---	---
Seelyeville and similar soils	5	---	---
615:			
Cowhorn	90	N	05
Sago and similar soils	5	---	---
Wawina and similar soils	5	---	---
617B:			
Goodland	85	N	06
Seelyeville and similar soils	6	---	---
Talmoon and similar soils	6	---	---
Itasca and similar soils	3	---	---
618B:			
Itasca	85	N	06

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
618B:			
Alstad and similar soils	3	---	---
Goodland and similar soils	3	---	---
Hillcity and similar soils	3	---	---
Mooselake and similar soils	3	---	---
Talmoon and similar soils	3	---	---
621:			
Morph	85	N	05
Sago and similar soils	8	---	---
Somewhat poorly drained soils	7	---	---
625:			
Sandwick	85	N	07
Alstad and similar soils	3	---	---
Cutaway and similar soils	3	---	---
Dusler and similar soils	3	---	---
Northwood and similar soils	3	---	---
Stuntz and similar soils	3	---	---
627:			
Tawas	90	N	14
Meehan and similar soils	2	---	---
Northwood and similar soils	2	---	---
Rifle and similar soils	2	---	---
Roscommon and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
627:			
Less acid	1	---	---
Lupton and similar soils	1	---	---
628:			
Talmoon, depressional	85	N	14
Alstad and similar soils	4	---	---
Cathro and similar soils	4	---	---
Lupton and similar soils	4	---	---
Stuntz and similar soils	3	---	---
629B:			
Wawina	90	N	06
Wabedo and similar soils	4	---	---
Cowhorn and similar soils	3	---	---
Sago and similar soils	3	---	---
672:			
Willossippi	90	N	05
Hamre and similar soils	3	---	---
Sandwick and similar soils	3	---	---
Aftad and similar soils	2	---	---
Gravelly soils	2	---	---
685:			
Oesterle	85	N	07
Loamy till substratum	4	---	---
Meehan and similar soils	4	---	---
Nemadji and similar soils	4	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
685:			
Leafriver and similar soils	3	---	---
732B:			
Bushville	85	N	08
Leafriver and similar soils	5	---	---
Pomroy and similar soils	5	---	---
Watab and similar soils	5	---	---
734:			
Cormant, stratified substratum	90	N	03
Redby and similar soils	5	---	---
Seelyeville and similar soils	5	---	---
736:			
Ronneby	50	N	05
Mora	40	N	08
Seelyeville and similar soils	3	---	---
Twig and similar soils	3	---	---
Giese and similar soils	2	---	---
Milaca and similar soils	2	---	---
738B:			
Milaca	50	N	08
Millward	35	N	08
Giese and similar soils	3	---	---
Mora and similar soils	3	---	---
Pomroy and similar soils	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
738B:			
Sandy soils	3	---	---
Twig and similar soils	3	---	---
738C:			
Milaca	50	N	08
Millward	35	N	08
Giese and similar soils	4	---	---
Pomroy and similar soils	4	---	---
Twig and similar soils	4	---	---
Sandy soils	3	---	---
759:			
Waukenabo	85	N	05
Sago and similar soils	8	---	---
Cowhorn and similar soils	7	---	---
795:			
Redby, stratified substratum	90	N	07
Cormant and similar soils	5	---	---
Markey and similar soils	5	---	---
797:			
Lupton	45	N	14
Mooselake	45	N	14
Dusler and similar soils	2	---	---
Less decomposed	2	---	---
More acid	2	---	---
Sandwick and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
797:			
Tawas and similar soils	2	---	---
799:			
Bowstring	45	N	14
Seelyeville	45	N	14
Pengilly and similar soils	3	---	---
Winterfield and similar soils	3	---	---
Less decomposed	2	---	---
More acid	2	---	---
869:			
Lobo	70	N	14
Waskish	20	N	14
Thicker sphagnum cap	5	---	---
Thinner sphagnum cap	5	---	---
870B:			
Itasca	55	N	06
Goodland	30	N	06
Cathro and similar soils	5	---	---
Cromwell and similar soils	5	---	---
Talmoon and similar soils	5	---	---
870C:			
Itasca	55	N	06
Goodland	30	N	06
Cathro and similar soils	5	---	---
Cromwell and similar soils	5	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
870C:			
Talmoon and similar soils	5	---	---
870E:			
Itasca	50	N	18
Goodland	35	N	23
Alstad and similar soils	5	---	---
Cathro and similar soils	5	---	---
Cromwell and similar soils	5	---	---
872:			
Pengilly	60	N	16
Winterfield	25	N	16
Friendship and similar soils	5	---	---
Sago and similar soils	5	---	---
Seelyeville and similar soils	3	---	---
Well drained soils	2	---	---
928C:			
Cushing	50	N	06
Mahtomedi	35	N	22
Cathro and similar soils	4	---	---
Meehan and similar soils	4	---	---
Sandwick and similar soils	4	---	---
Alstad and similar soils	3	---	---
928D:			
Cushing	45	N	23

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
928D:			
Mahtomedi	40	N	22
Alstad and similar soils	8	---	---
Cathro and similar soils	7	---	---
928F:			
Cushing	45	N	24
Mahtomedi	40	N	24
Alstad and similar soils	8	---	---
Cathro and similar soils	7	---	---
980:			
Blackhoof	45	N	14
Mahtowa	45	N	14
Seelyeville and similar soils	4	---	---
Dusler and similar soils	3	---	---
Stones on the surface	3	---	---
990:			
Giese	45	N	14
Twig	45	N	14
Ronneby and similar soils	4	---	---
Seelyville and similar soils	3	---	---
Stones on the surface	3	---	---
1002:			
Borosaprists, frequently flooded	50	N	14
Fluvaquents, frequently flooded	40	N	14

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1002:			
Winterfield and similar soils	4	---	---
Pengilly and similar soils	3	---	---
Thinner organic	3	---	---
1031:			
Histosols, ponded	90	N	14
Poorly drained mineral soil	5	---	---
Thinner organic	5	---	---
1072:			
Udorthents, shallow (sanitary landfill)	100	---	---
1115:			
Newson	85	N	07
Leafriver and similar soils	5	---	---
Meehan and similar soils	5	---	---
Nemadji and similar soils	5	---	---
1150:			
Jevne	85	N	05
Hamre and similar soils	6	---	---
Sandwick and similar soils	6	---	---
Dusler and similar soils	3	---	---
1154:			
Sax	85	N	14
Brickton and similar soils	3	---	---
Seelyeville and similar soils	3	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1154:			
Thinner organic	3	---	---
Dalbo and similar soils	2	---	---
Spooner and similar soils	2	---	---
Wilosippi and similar soils	2	---	---
1353B:			
Cutaway	85	N	06
Northwood and similar soils	6	---	---
Sandwick and similar soils	6	---	---
Dusler and similar soils	3	---	---
1354A:			
Aftad	85	N	06
Leafriver and similar soils	3	---	---
Nemadji and similar soils	3	---	---
Oesterle and similar soils	3	---	---
Omega and similar soils	3	---	---
Wealthwood and similar soils	3	---	---
1372:			
Wealthwood	85	N	07
Alban and similar soils	5	---	---
Nemadji and similar soils	4	---	---
Omega and similar soils	4	---	---
Roscommon and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1375B:			
Alban	85	N	06
Omega and similar soils	5	---	---
Nemadji and similar soils	4	---	---
Leafriver and similar soils	3	---	---
Wealthwood and similar soils	3	---	---
1878:			
Hamre	85	N	14
Cathro and similar soils	4	---	---
Talmoon and similar soils	4	---	---
Willosippi and similar soils	4	---	---
Warba and similar soils	3	---	---
1982:			
Baudette	55	N	06
Spooner	35	N	01
Cathro and similar soils	5	---	---
Sax and similar soils	5	---	---
1983:			
Cathro, stratified substratum	90	N	14
Blackhoof and similar soils	2	---	---
Dusler and similar soils	2	---	---
Sandwick and similar soils	2	---	---
Seelyeville and similar soils	2	---	---

## Forage Suitability Groups (MN)

Aitkin County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1983:			
Beseman and similar soils	1	---	---
Less decomposed	1	---	---
1984:			
Leafriver	85	N	14
Roscommon and similar soils	5	---	---
Twig and similar soils	4	---	---
Markey and similar soils	3	---	---
Meehan and similar soils	3	---	---
GP:			
Pits, gravel	100	---	---
M-W:			
Water, miscellaneous	100	---	---
W:			
Water	100	---	---